



05	FILLER	PIC X(01)	VALUE '0'.
05	FILLER	PIC X(01)	VALUE ' '.
05	FILLER	PIC X(01)	VALUE '0'.
05	FILLER	PIC X(01)	VALUE ' '.
05	FHD-RELATIVE-VALUE-IND	PIC X(01)	VALUE '0'.
05	FILLER	PIC X(01)	VALUE ' '.
05	FHD-FULL-REPLACEMENT-EXT	PIC X(01)	VALUE 'F'.
05	FILLER	PIC X(01)	VALUE ' '.
05	FHD-EFFECTIVE-DATE	PIC 9(08).	
05	FHD-RECORD-DELIMITER	PIC X(02)	VALUE '\n'. \*ASCII (13)*/

  

01	FORMULARY-STATUS-DETL-RECORD.		
05	FORMULARY-STAT-DTL-RECORD-TYPE	PIC X(03)	VALUE 'FDT'.
05	FILLER	PIC X(01)	VALUE ' '.
05	FDT-ADDITION-EXTRACT	PIC X(01)	VALUE 'A'.
05	FILLER	PIC X(01)	VALUE ' '.
05	FDT-NDC-CODE	PIC X(11).	
05	FILLER	PIC X(01)	VALUE ' '.
05	FDT-NATIONAL-DRUG-CODE	PIC X(02)	VALUE '03'.
05	FILLER	PIC X(05)	VALUE '     '.
05	FDT-CANCEL-REASON-CD	PIC 9(01).	
05	FDT-RECORD-DELIMITER	PIC X(02)	VALUE '\n'. \*ASCII (13)*/

**Copay List File:**

The Format of CRT-COPAY-AMOUNT is:  
No dollar sign. Decimal required if value includes cents.  
The length includes the decimal point.  
Currency: USD.  
Example \$3.00 will be 3  
\$0.50 will be 0.50

01	COPAY-LIST-HEADER-RECORD.		
05	COPAY-HEADER-RECORD-TYPE	PIC X(03)	VALUE 'CHD'.
05	FILLER	PIC X(01)	VALUE ' '.
05	CHD-COPAY-LIST-ID	PIC X(10)	VALUE 'CPLNYMCAID'.
05	FILLER	PIC X(01)	VALUE ' '.
05	CHD-DRUG-SPECIFIC	PIC X(02)	VALUE 'DS'.
05	FILLER	PIC X(01)	VALUE ' '.
05	CHD-FULL-REPLACE-EXT	PIC X(01)	VALUE 'F'.
05	FILLER	PIC X(01)	VALUE ' '.
05	CHD-EFFECTIVE-DATE	PIC 9(08).	
05	CHD-RECORD-DELIMITER	PIC X(02)	VALUE '\n'. \*ASCII (13)*/

  

01	COPAY-LIST-DETAIL-RECORD.		
05	COPAY-DETAIL-RECORD-TYPE	PIC X(03)	VALUE 'CRT'.
05	FILLER	PIC X(01)	VALUE ' '.
05	CRT-ADDITION-EXTRACT	PIC X(01)	VALUE 'A'.
05	FILLER	PIC X(01)	VALUE ' '.
05	CRT-COPAY-LIST-ID	PIC X(10)	VALUE 'CPLNYMCAID'.
05	FILLER	PIC X(01)	VALUE ' '.
05	CRT-NDC-CODE	PIC X(11).	
05	FILLER	PIC X(01)	VALUE ' '.
05	CRT-NATIONAL-DRUG-CODE	PIC X(02)	VALUE '03'.
05	FILLER	PIC X(06)	VALUE '      '.
05	CRT-COPAY-AMOUNT	PIC X(04).	
05	CRT-RECORD-DELIMITER	PIC X(02)	VALUE '\n'. \*ASCII (13)*/

**Gender Limit File:**

GENDER-LIMIT-CODE Valid Values are  
1 = Male  
2 = Female

01	GENDER-LIMIT-HEADER-RECORD.		
05	GENDER-LIMIT-HEADER-REC-TYPE	PIC X(03)	VALUE 'GHD'.
05	FILLER	PIC X(01)	VALUE ' '.

```

05 GHD-COVERAGE-LIST-ID          PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                        PIC X(01)  VALUE '|'.
05 GHD-LIMIT-TYPE                PIC X(02)  VALUE 'GL'.
05 FILLER                        PIC X(01)  VALUE '|'.
05 GHD-FULL-REPLACE-EXT         PIC X(01)  VALUE 'F'.
05 FILLER                        PIC X(01)  VALUE '|'.
05 GHD-EFFECTIVE-DATE           PIC 9(08).
05 GHD-RECORD-DELIMITER         PIC X(02)  VALUE '\n'. \*ASCII (13)* /

```

```

01 GENDER-LIMIT-DETAIL-RECORD.
05 GENDER-LIMIT-RECORD-TYPE     PIC X(01)  VALUE 'GDT'.
05 FILLER                       PIC X(01)  VALUE '|'.
05 GDT-ADDITION-EXTRACT         PIC X(01)  VALUE 'A'.
05 FILLER                       PIC X(01)  VALUE '|'.
05 GENDER-LIMIT-LIST-ID         PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                       PIC X(01)  VALUE '|'.
05 GDT-NDC-CODE                 PIC X(11).
05 FILLER                       PIC X(01)  VALUE '|'.
05 GDT-NATIONAL-DRUG-CODE       PIC X(02)  VALUE '03'.
05 FILLER                       PIC X(05)  VALUE '|||||'.
05 GENDER-LIMIT-CODE            PIC X(01).
05 GDT-RECORD-DELIMITER         PIC X(02)  VALUE '\n'. \*ASCII (13)* /

```

**Quantity Limit File:**

```

01 QUANTITY-LIMIT-HEADER-RECORD.
05 QUANTITY-LIMIT-HEADER-REC-TYPE PIC X(03)  VALUE 'GHD'.
05 FILLER                        PIC X(01)  VALUE '|'.
05 QL-COVERAGE-LIST-ID          PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                        PIC X(01)  VALUE '|'.
05 QL-LIMIT-TYPE                PIC X(02)  VALUE 'QL'.
05 FILLER                        PIC X(01)  VALUE '|'.
05 QL-FULL-REPLACE-EXT         PIC X(01)  VALUE 'F'.
05 FILLER                        PIC X(01)  VALUE '|'.
05 QL-EFFECTIVE-DATE           PIC 9(08).
05 QL-RECORD-DELIMITER         PIC X(02)  VALUE '\n'. \*ASCII (13)* /

```

The Quantity Limit Detail Record format is determined by the value of Maximum Days (P1R00400-MAX-DAYS-SUPPLY) on the input file. If Maximum Days equals '999' then the quantity supply is for a lifetime (LY), else the quantity supply is for a specific number of days (DY). Therefore, two different detail layouts are provided.

For a Specific Quantity (P1R00400-MAX-DAYS-SUPPLY not equal 999):

```

01 QUANTITY-LIMIT-DETAIL-RECORD.
05 QUANTITY-LIMIT-REC-TYPE     PIC X(03)  VALUE 'QDT'.
05 FILLER                       PIC X(01)  VALUE '|'.
05 QDT-ADDITION-EXTRACT         PIC X(01)  VALUE 'A'.
05 FILLER                       PIC X(01)  VALUE '|'.
05 QDT-QUANTITY-LIMIT-LIST-ID   PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                       PIC X(01)  VALUE '|'.
05 QDT-NDC-CODE                 PIC X(11).
05 FILLER                       PIC X(01)  VALUE '|'.
05 QDT-NATIONAL-DRUG-CODE       PIC X(02)  VALUE '03'.
05 FILLER                       PIC X(05)  VALUE '|||||'.
05 QDT-MAXIMUM-QUANTITY         PIC X(12). \*length can be 1 - 12 bytes* /
05 FILLER                       PIC X(01)  VALUE '|'.
05 QDT-MAX-QUANTITY-QUALIFIER   PIC X(02)  VALUE 'QY'.
05 FILLER                       PIC X(01)  VALUE '|'.
05 QDT-MAX-QUANTITY-DAYS       PIC X(02)  VALUE 'DY'.
05 FILLER                       PIC X(03)  VALUE '|||'.
05 QDT-MAX-NUM-OF-DAYS         PIC X(03).
05 QDT-RECORD-DELIMITER         PIC X(02)  VALUE '\n'. \*ASCII (13)* /

```

For a Lifetime Quantity (P1R00400-MAX-DAYS-SUPPLY = 999):

```
01 QUANTITY-LIMIT-DETAIL-RECORD.
05 QUANTITY-LIMIT-REC-TYPE          PIC X(03)  VALUE 'QDT'.
05 FILLER                           PIC X(01)  VALUE '|'.
05 QDT-ADDITION-EXTRACT             PIC X(01)  VALUE 'A'.
05 FILLER                           PIC X(01)  VALUE '|'.
05 QDT-QUANTITY-LIMIT-LIST-ID      PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                           PIC X(01)  VALUE '|'.
05 QDT-NDC-CODE                    PIC X(11).
05 FILLER                           PIC X(01)  VALUE '|'.
05 QDT-NATIONAL-DRUG-CODE          PIC X(02)  VALUE '03'.
05 FILLER                           PIC X(05)  VALUE '|||||'.
05 QDT-MAXIMUM-QUANTITY            PIC X(12). /*length can be 1 - 12 bytes*/
05 FILLER                           PIC X(01)  VALUE '|'.
05 QDT-MAX-QUANTITY-QUALIFIER      PIC X(02)  VALUE 'QY'.
05 FILLER                           PIC X(01)  VALUE '|'.
05 QDT-MAX-QUANTITY-DAYS           PIC X(02)  VALUE 'LY'.
05 QDT-RECORD-DELIMITER           PIC X(01)  VALUE '\n'. /*ASCII (13)*/
```

**Age Limit File:**

```
01 AGE-LIMIT-HEADER-RECORD.
05 AGE-LIMIT-HEADER-REC-TYPE      PIC X(03)  VALUE 'GHD'.
05 FILLER                         PIC X(01)  VALUE '|'.
05 AL-COVERAGE-LIST-ID            PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                         PIC X(01)  VALUE '|'.
05 AL-LIMIT-TYPE                 PIC X(02)  VALUE 'AL'.
05 FILLER                         PIC X(01)  VALUE '|'.
05 AL-FULL-REPLACE-EXT           PIC X(01)  VALUE 'F'.
05 FILLER                         PIC X(01)  VALUE '|'.
05 AL-EFFECTIVE-DATE             PIC 9(08).
05 AL-RECORD-DELIMITER           PIC X(02)  VALUE '\n'. /*ASCII (13)*/
```

The Age Limit Detail Record format is determined by the values of Maximum Age (P1R00400-MAX-AGE) and Minimum Age (P1R00400-MIN-AGE) on the input file. Therefore, four different detail layouts are provided.

If Minimum Age = '00' and Maximum Age = '99' :

```
01 AGE-LIMIT-DETAIL-RECORD.
05 GDA-AGE-LIMIT-RECORD-TYPE      PIC X(01)  VALUE 'GDA'.
05 FILLER                         PIC X(01)  VALUE '|'.
05 GDA-ADDITION-EXTRACT           PIC X(01)  VALUE 'A'.
05 FILLER                         PIC X(01)  VALUE '|'.
05 AGE-LIMIT-LIST-ID             PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                         PIC X(01)  VALUE '|'.
05 GDA-NDC-CODE                  PIC X(11).
05 FILLER                         PIC X(01)  VALUE '|'.
05 GDA-NATIONAL-DRUG-CODE        PIC X(02)  VALUE '03'.
05 FILLER                         PIC X(05)  VALUE '|||||'.
05 FILLER                         PIC X(02)  VALUE '||'.
05 GDA-RECORD-DELIMITER         PIC X(02)  VALUE '\n'. /*ASCII (13)*/
```

If Minimum Age = '00' and Maximum Age not = '99' :

```
01 AGE-LIMIT-DETAIL-RECORD.
05 GDA-AGE-LIMIT-RECORD-TYPE      PIC X(01)  VALUE 'GDA'.
05 FILLER                         PIC X(01)  VALUE '|'.
05 GDA-ADDITION-EXTRACT           PIC X(01)  VALUE 'A'.
05 FILLER                         PIC X(01)  VALUE '|'.
05 AGE-LIMIT-LIST-ID             PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                         PIC X(01)  VALUE '|'.
05 GDA-NDC-CODE                  PIC X(11).
05 FILLER                         PIC X(01)  VALUE '|'.
05 GDA-NATIONAL-DRUG-CODE        PIC X(02)  VALUE '03'.
05 FILLER                         PIC X(05)  VALUE '|||||'.
05 FILLER                         PIC X(02)  VALUE '||'.
05 GDA-MAX-AGE-LIMIT             PIC X(02).
05 FILLER                         PIC X(01)  VALUE '|'.
05 FILLER                         PIC X(01)  VALUE 'Y'.
05 GDA-RECORD-DELIMITER         PIC X(02)  VALUE '\n'. /*ASCII (13)*/
```

```

If Minimum Age not = '00' and Maximum Age = '99' :
01 AGE-LIMIT-DETAIL-RECORD.
   05 GDA-AGE-LIMIT-RECORD-TYPE          PIC X(01)  VALUE 'GDA'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 GDA-ADDITION-EXTRACT               PIC X(01)  VALUE 'A'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 AGE-LIMIT-LIST-ID                 PIC X(08)  VALUE 'CNYMCAID'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 GDA-NDC-CODE                      PIC X(11) .
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 GDA-NATIONAL-DRUG-CODE            PIC X(02)  VALUE '03'.
   05 FILLER                             PIC X(05)  VALUE '||||'.
   05 GDA-MIN-AGE-LIMIT                 PIC X(02) .
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 FILLER                             PIC X(01)  VALUE 'Y'.
   05 GDA-RECORD-DELIMITER              PIC X(02)  VALUE '\n'. \*ASCII (13)* /

```

```

If Minimum Age not = '00' and Maximum Age not = '99' :
01 AGE-LIMIT-DETAIL-RECORD.
   05 GDA-AGE-LIMIT-RECORD-TYPE          PIC X(01)  VALUE 'GDA'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 GDA-ADDITION-EXTRACT               PIC X(01)  VALUE 'A'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 AGE-LIMIT-LIST-ID                 PIC X(08)  VALUE 'CNYMCAID'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 GDA-NDC-CODE                      PIC X(11) .
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 GDA-NATIONAL-DRUG-CODE            PIC X(02)  VALUE '03'.
   05 FILLER                             PIC X(05)  VALUE '||||'.
   05 GDA-MIN-AGE-LIMIT                 PIC X(02) .
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 FILLER                             PIC X(01)  VALUE 'Y'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 GDA-MAX-AGE-LIMIT                 PIC X(02) .
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 FILLER                             PIC X(01)  VALUE 'Y'.
   05 GDA-RECORD-DELIMITER              PIC X(02)  VALUE '\n'. \*ASCII (13)* /

```

**Prior Approval (Authorization) File:**

```

01 PRIOR-APPROVAL-HEADER-RECORD.
   05 PRIOR-APPROV-HEADER-REC-TYPE      PIC X(03)  VALUE 'GHD'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 PA-COVERAGE-LIST-ID               PIC X(08)  VALUE 'CNYMCAID'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 PA-LIMIT-TYPE                    PIC X(02)  VALUE 'PA'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 PA-FULL-REPLACE-EXT               PIC X(01)  VALUE 'F'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 PA-EFFECTIVE-DATE                 PIC 9(08) .
   05 PA-RECORD-DELIMITER              PIC X(02)  VALUE '\n'. \*ASCII (13)* /

01 PRIOR-APPROVAL-DETAIL-RECORD.
   05 PRIOR-APPROVAL-RECORD-TYPE        PIC X(01)  VALUE 'DDT'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 DDT-ADDITION-EXTRACT              PIC X(01)  VALUE 'A'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 PRIOR-AUTHORIZATION-LIST-ID       PIC X(08)  VALUE 'CNYMCAID'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 DDT-NDC-CODE                     PIC X(11) .
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 DDT-NATIONAL-DRUG-CODE           PIC X(02)  VALUE '03'.
   05 DDT-RECORD-DELIMITER             PIC X(02)  VALUE '\n'. \*ASCII (13)* /

```

**Text Message File:**

```

01 TEXT-MESSAGE-HEADER-RECORD.
   05 TEXT-MESSAGE-HEADER-REC-TYPE      PIC X(03)  VALUE 'GHD'.

```

```

05 FILLER PIC X(01) VALUE '|'.
05 TM-COVERAGE-LIST-ID PIC X(08) VALUE 'CNYMCAID'.
05 FILLER PIC X(01) VALUE '|'.
05 TM-LIMIT-TYPE PIC X(02) VALUE 'TM'.
05 FILLER PIC X(01) VALUE '|'.
05 TM-FULL-REPLACE-EXT PIC X(01) VALUE 'F'.
05 FILLER PIC X(01) VALUE '|'.
05 TM-EFFECTIVE-DATE PIC 9(08).
05 TM-RECORD-DELIMITER PIC X(02) VALUE '\n'. \*ASCII (13)* /

```

The Text Message can be either small (100 bytes or less) or large (100 - 200 bytes) in length. Therefore, two different detail layouts are provided.

For Text Messages 100 bytes or less:

```

01 TEXT-MESSAGE-DETAIL-RECORD.
05 TEXT-MESSAGE-RECORD-TYPE PIC X(01) VALUE 'TDT'.
05 FILLER PIC X(01) VALUE '|'.
05 TDT-ADDITION-EXTRACT PIC X(01) VALUE 'A'.
05 FILLER PIC X(01) VALUE '|'.
05 TEXT-MESSAGE-LIST-ID PIC X(08) VALUE 'CNYMCAID'.
05 FILLER PIC X(01) VALUE '|'.
05 TDT-NDC-CODE PIC X(11).
05 FILLER PIC X(01) VALUE '|'.
05 TDT-NATIONAL-DRUG-CODE PIC X(02) VALUE '03'.
05 FILLER PIC X(05) VALUE '||||'.
05 TDT-TEXT-MESSAGE PIC X(100).
05 TM-RECORD-DELIMITER PIC X(02) VALUE '\n'. \*ASCII (13)* /

```

For Text Messages 100 thru 200 bytes:

```

01 TEXT-MESSAGE-DETAIL-RECORD.
05 TEXT-MESSAGE-RECORD-TYPE PIC X(01) VALUE 'TDT'.
05 FILLER PIC X(01) VALUE '|'.
05 TDT-ADDITION-EXTRACT PIC X(01) VALUE 'A'.
05 FILLER PIC X(01) VALUE '|'.
05 TEXT-MESSAGE-LIST-ID PIC X(08) VALUE 'CNYMCAID'.
05 FILLER PIC X(01) VALUE '|'.
05 TDT-NDC-CODE PIC X(11).
05 FILLER PIC X(01) VALUE '|'.
05 TDT-NATIONAL-DRUG-CODE PIC X(02) VALUE '03'.
05 FILLER PIC X(05) VALUE '||||'.
05 FILLER PIC X(01) VALUE '|'.
05 TDT-TEXT-MESSAGE PIC X(200).
05 TDT-RECORD-DELIMITER PIC X(02) VALUE '\n'. \*ASCII (13)* /

```

### **Cross Reference File:**

```

01 CROSS-REFERENCE-HEADER-RECORD.
05 CROSS-REF-HEADER-REC-TYPE PIC X(03) VALUE 'XHD'.
05 FILLER PIC X(01) VALUE '|'.
05 XHD-EFFECTIVE-DATE PIC 9(08).
05 FILLER PIC X(01) VALUE '|'.
05 XHD-FULL-REPLACE-EXT PIC X(01) VALUE 'F'.
05 XHD-RECORD-DELIMITER PIC X(02) VALUE '\n'. \*ASCII (13)* /

01 CROSS-REFERENCE-DETAIL-RECORD.
05 CROSS-REF-DETAIL-TYPE PIC X(01) VALUE 'XDT'.
05 FILLER PIC X(01) VALUE '|'.
05 XDT-ADDITION-EXTRACT PIC X(01) VALUE 'A'.
05 FILLER PIC X(01) VALUE '|'.
05 XDT-FORMULARY-PLAN-NAME PIC X(07) VALUE 'NYMCAID'.
05 FILLER PIC X(01) VALUE '|'.
05 XDT-FORMULARY-STATUS-LIST-ID PIC X(10) VALUE 'FSLNYMCAID'.
05 FILLER PIC X(02) VALUE '||'.
05 XDT-COVERAGE-LIST-ID PIC X(08) VALUE 'CNYMCAID'.
05 FILLER PIC X(01) VALUE '|'.
05 XDT-COPAY-LIST-ID PIC X(08) VALUE 'CPLNYMCAID'.
05 FILLER PIC X(02) VALUE '||'.
05 XDT-RECORD-DELIMITER PIC X(02) VALUE '\n'. \*ASCII (13)* /

```

**Trailer Record Layout ( used in all output files):**

01 TRAILER-RECORD.  
05 TRAILER-RECORD-TYPE PIC X(03).  
05 FILLER PIC X(01) VALUE '|'.  
05 TRAILER-DETAIL-RECORD-COUNT PIC 9(08).

**Formulary Trailer Record Layout:**

01 FORMULARY-TRAILER-RECORD.  
05 FORMULARY-TRAILER-REC-TYPE PIC X(03) VALUE 'TRL'.  
05 FILLER PIC X(01) VALUE '|'.  
05 FORMULARY-TRAILER-REC-COUNT PIC 9(08).