



PTAR & MMTP USER MANUAL



VERSION 2015-02

JULY 2015

HIPAA Security and Privacy

The Health Insurance Portability and Accountability Act of 1996 (HIPAA) is a federal law that protects health insurance coverage for workers and their families when they change or lose employment. It includes the Privacy Rule (enacted April 14, 2003) that established regulations for the use and disclosure of Protected Health Information (PHI), the Security Rule (enacted April 25, 2005), that addressed electronic PHI (e-PHI), and established the requirements to protect the confidentiality, integrity and availability of PHI created, maintained and transmitted in electronic format, and Health Information Technology for Economic and Clinical Health Act of 2009 (HITECH) that strengthened the HIPAA regulations.

HIPAA is intended to:

- Provide better access to health insurance.
- Limit fraud and abuse.
- Reduce the administrative costs of providing health care.
- Standardize the content and format of electronic health care transactions and promote their use.
- Ensure privacy and security of paper PHI and e-PHI.

Under HIPAA users are to:

- Utilize unique user IDs and passwords for each login.
- Only share PHI with co-workers who have a need to know and the appropriate access.
- Discuss PHI in private areas, not in public areas or in telephone conversations that can be easily overheard by others.
- Keep and protect written and electronic health information from the eyes of others who do not need the information in order to perform their assigned jobs.
- Ensure that casual visitors cannot access areas in which clinical or billing information is kept.
- Know when a person's PHI can be shared without the person's permission, and when written or oral permission is required.
- Ensure that all policies and procedures for safeguarding the confidentiality of PHI or other sensitive material are followed.
- Investigate and report to the appropriate Compliance Officer or designee any incident where the acquisition, access, use or disclosure of PHI is in a manner not permitted, or which compromises the security or privacy of PHI.
- Properly dispose of printed PHI and delete e-PHI.
- Access PHI on company owned equipment in secure locations and not in public settings such as malls and libraries.

PTAR users are responsible for the preservation, privacy, and security of data in their possession. While using the application, the user has access to data that contains PHI and must be guarded and disposed of appropriately if downloaded by the user. As covered entities (or vendors operating on behalf of a covered entity), any inappropriate use or disclosure of PHI must be handled as prescribed in the federal regulations above.

eMedNY Call Center

Questions concerning the PTAR program may be directed to the eMedNY Call Center. They can be reached by phone or the emedny.org website.

Phone Contact and Hours

800-343-9000

7:30 a.m.–6:00 p.m.

Eastern Time, Monday through Friday (excluding holidays)

Website Contact

<https://www.emedny.org/contacts/emedny.aspx>

Complete Contents

- Introduction..... 1**
 - Latest Version 1
 - MMTP.....1
 - Roles1
 - User Interface.....1
- PTAR User Interface 2**
 - Short Description and Function Help..... 2
 - User Function Bar..... 2
 - Initial Login Procedure 3
 - eMedNY Self-Service Portal3
 - Forgotten Password Retrieval Procedure5
- My Dashboard 6**
 - Provider and Location..... 7
 - Submitted Spreadsheet Files with Outstanding Errors..... 7
 - Draft Transactions..... 7
 - Client Search (Supervisor and Facility Administrator)..... 8
 - Client Details8
 - Instructions..... 9
- PTAR Realtime Entry 10**
 - Submit An Entry 10
 - Visit Information.....11
 - Save As Draft.....11
 - Digital Signature11
 - Submission History 12
 - Transaction Details12
 - At a Glance12
 - Details13
 - Eligibility13
 - Audit History13
 - Instructions..... 14
- PTAR Batch Entry..... 15**
 - Date Range and Selection 15
 - Instructions..... 16
- PTAR Spreadsheet Upload 17**
 - Maximum Transaction Count 17

Location	17
Template	18
Columns	18
Submission History Area	19
Common Errors.....	19
Instructions.....	20
MMTP Batch Entry.....	21
Location	22
Calendar and Date of Service.....	22
Date Range.....	22
Multiple Date Submissions.....	23
Instructions.....	24
MMTP Spreadsheet Upload.....	25
Maximum Transaction Count	25
Location	25
Template	25
Columns	26
Submission History Area	26
Common Errors.....	26
Instructions.....	27
Invoice Managed Care Plans	28
Create an Invoice	28
Transactions	28
Bulk Invoice by Threshold Amount.....	28
Invoice PDF	29
Instructions.....	29
Transaction History	30
Search Fields	30
Provider, Location and Program	31
Filter On/Range.....	31
Transactions	32
Sorting.....	33
Download Spreadsheet.....	33
Multiple Pages	33
Instructions.....	33
Payment History.....	34
Payment Filter Options	34

Payment Filter Options Button	34
Payment Search Fields	35
Paid By.....	35
Payments For Provider.....	36
Multiple Pages	36
Instructions.....	37
Manage Provider Information.....	38
Provider Details	38
Provider ID	38
Provider Name.....	38
Provider Expense	39
Transactions Accepted.....	39
Instructions.....	40
Provider Locations	41
Display Active Locations.....	41
Add Locations.....	41
Edit Location.....	42
Instructions.....	42
User Management.....	43
User Properties.....	43
Roles	43
View Users.....	44
Edit a User.....	44
Lock/Unlock	44
Reset Password	44
Instructions.....	45

Role-Specific Contents

USER

PTAR Realtime Entry	10
PTAR Batch Entry	16
PTAR Spreadsheet Upload	17
MMTP Batch Entry.....	21
MMTP Spreadsheet Upload.....	25
Transaction History.....	30

SUPERVISOR

PTAR Realtime Entry	10
PTAR Batch Entry	16
PTAR Spreadsheet Upload	17
MMTP Batch Entry.....	21
MMTP Spreadsheet Upload.....	25
Transaction History.....	30
Payment History.....	34

FACILITY ADMINISTRATOR

PTAR Realtime Entry	10
PTAR Batch Entry	16
PTAR Spreadsheet Upload	17
MMTP Batch Entry.....	21
MMTP Spreadsheet Upload.....	25
Transaction History.....	30
Payment History.....	34
User Management	43

Figures

Figure 1: eMedNY Self-Service Portal Login	3
Figure 2: eMedNY Self-Service Portal—Specify New Password	4
Figure 3: eMedNY Self-Service Portal—Change Forgotten Password Information	5
Figure 4: My Dashboard—User	6
Figure 5: My Dashboard—Supervisor and Facility Administrator	6
Figure 6: My Dashboard with Spreadsheet Outstanding Errors Item.....	7
Figure 7: My Dashboard Suggesting Clients—Supervisor and Facility Administrator	8
Figure 8: Client Details.....	8
Figure 9: PTAR Realtime Entry.....	10
Figure 10: PTAR Realtime Entry: Visit Information Entry	11
Figure 11: Transaction Details—At a Glance Tab	12
Figure 12: Transaction Details—Details Tab.....	13
Figure 13: Transaction Details—Eligibility Tab	13
Figure 14: Transaction Details—Audit History Tab.....	13
Figure 15: PTAR Batch Entry	15
Figure 16: PTAR Spreadsheet Upload	17
Figure 17: PTAR Spreadsheet Upload Template.....	18
Figure 18: PTAR Upload Spreadsheet Template Column Formats	18
Figure 19: PTAR Spreadsheet Upload—Submission History Area	19
Figure 20: PTAR Spreadsheet Upload—Error Transactions Spreadsheet.....	19
Figure 21: MMTP Batch Entry.....	21
Figure 22: MMTP Batch Entry Submission History Area.....	21
Figure 23: MMTP Batch Entry Calendar Showing 120 Day Range	22
Figure 24: MMTP Batch Entry Calendar with Multiple Dates Selected	23
Figure 25: MMTP Spreadsheet Upload.....	25
Figure 26: MMTP Spreadsheet Upload Template	25
Figure 27: MMTP Upload Spreadsheet Template Column Formats	26
Figure 28: MMTP Spreadsheet Upload—Submission History Area	26
Figure 29: MMTP Spreadsheet Upload—Error Transactions Spreadsheet.....	26
Figure 30: Invoice Managed Care Plans.....	28
Figure 31: Managed Care Invoice	29
Figure 32: Transaction History.....	30
Figure 33: Transaction History Preset Date Ranges for April 22, 2015.....	31
Figure 34: Payment History	34
Figure 35: Payment History—Payment Filter Options Button States.....	34
Figure 36: Payment History Date Ranges for February 26, 2014.....	35
Figure 37: Manage Provider Information	38
Figure 38: Edit Managed Care Plan List Function Activated	39
Figure 39: Managed Care Exclusion List	40
Figure 40: Manage Provider Information—Add Location	41
Figure 41: Manage Provider Information—Edit Location.....	42
Figure 42: User Management	43
Figure 43: User Management—User Details	44

Introduction

The Public Transportation Automatic Reimbursement PTAR is a web-based system that allows participating providers and facilities to submit, track, reimburse and process payments for transactions for public transport costs for eligible Medicaid clients. The system also supports generation of reports and invoices support tracking and reimbursement of these transactions.

Latest Version

This latest version of the PTAR application is a complete rewrite of the application leaving only the name in common with its predecessor. It incorporates changes across every aspect of PTAR to enhance, simplify or remove what had been there in favor of a new, sleek and powerful tool.

MMTP

A major addition to the PTAR application beyond the structural changes is the incorporation of the Methadone Maintenance Treatment Program (MMTP). MMTP is similar to PTAR in that clients are reimbursed for travel to methadone providers and, in turn, the providers request reimbursement from Medicaid or a managed care plan. The difference between the two programs is that MMTP's transactions are simpler than PTAR's, having only a client ID and date of service. As such, there are parallel MMTP functions for PTAR's batch and spreadsheet entry of transactions. The remaining PTAR functions seamlessly incorporate MMTP.

Roles

The roles of PTAR have also undergone a change. There are no longer the Data Entry and Cashier roles in favor of a single role simply called User. The Supervisor role remains, but with slightly different abilities because the approval function is no longer part of the application. Above the Supervisor role is the new Facility Administrator role that allows local administrators to create users and other management functions.

User Interface

In particular, the user interface has been redesigned to take advantage of the latest technologies while greatly increasing the user friendliness and ease of use. Users will find the new interface is extremely intuitive and will quickly master the functions.


PTAR User Interface

The PTAR user interface is designed to be intuitive and easy to use. There are two key features:

- Short Description and Function Help
- User Function Bar

Short Description and Function Help

Every function of the application has a short description under its name along with a question mark to the far right of the name for its slide-out help file. Each help file explains the function in detail and provides step-by-step instructions.



User Function Bar

The User Function Bar goes along the top of the PTAR window and provides easy access to functions and information.



Initial Login Procedure


The initial login into PTAR requires all users to change their password and set up security questions for use in resetting their password.

- For new users, this is to change the system-assigned password.
- For existing users, this is to update their password to the new password criteria.

After entering their login credentials on the login page, the system redirects users to the eMedNY Self-Service Portal page.

eMedNY Self-Service Portal

The eMedNY Self-Service Portal provides users with functions for managing their password and related login credential functions. The portal uses the same login credentials as PTAR.



Version 7.0

[Help](#)

Type your IBM Security Identity Manager user ID and password and click Log In.

User ID:

Password:

[Forgot your password?](#)

Copyright IBM Corporation 1999,2014. All rights reserved.

Figure 1: eMedNY Self-Service Portal Login

Create New Password

Users create their new password on the Specify New Password page.

Specify New Password

Review the criteria for the new password, then specify a new eMedNY Security Identity Manager password in the following fields and click OK to proceed. Click Cancel to return to the login page without changing your password. All required fields are marked with (*).

1. Review the criteria for my new password:

At Least One Upper and Lower Case	True
Characters not allowed	''
Minimum unique characters	1
Minimum length	8
Minimum alphabetic characters	2
Required characters	(!@#\$()%^&*)
Minimum numeric characters	1

2. Change my password.

Note that Password Synchronization is enabled. If this is an individual account, changing the password affects all individual account passwords associated with the specified user. If this is a sponsored account, only this account password will be changed.

+New password:

+New password (confirm):

Figure 2: eMedNY Self-Service Portal—Specify New Password

PASSWORD CRITERIA

The PTAR password criteria are as follows:

- One upper and lowercase letter
- Spaces not allowed
- At least eight characters long
- Two or more letters
- One special character from the following: !@#\$()%^&*
- At least one number

After creating the password, users must create a set of questions on the Change Forgotten Password Information page.

Change Forgotten Password Information

The Change Forgotten Password Information page presents a set of security questions that are used to verify a user's identity before allowing a password reset.

Change Forgotten Password Information

Answer exactly 3 of the following questions to reset your password if you forget it.

In what city or town was your first job?

What is the name of your favorite childhood teacher?

What is the last name of your best friend?

What is the name of the company of your first job?
.....

What is the name of the first undergraduate college you attended?

What is your mother's middle name?

What school did you attend for sixth grade?
.....

What was the model of your first car?
.....

What was the name of your elementary / primary school?

What was your childhood nickname?

Figure 3: eMedNY Self-Service Portal—Change Forgotten Password Information

Users must select three of the questions by entering an answer below a question. After selecting three of the questions, the initial login into PTAR is complete.

Forgotten Password Retrieval Procedure

When users forget their password, they can reset it by going to the eMedNY Self-Service Portal and clicking the *Forgot Your Password* link after entering their username. The portal randomly presents one of the three security questions which the user may answer or skip to the next. Correctly answering a question allows the user to create a new password. Incorrectly answering all three locks the user's account.

My Dashboard

My Dashboard is the home page of the system. It displays the current provider and location setting of the user, and lists recently uploaded spreadsheets containing errors and submitted transactions.

An additional function for Supervisors and Facility Administrators only is a search function for clients.




Figure 4: My Dashboard—User




Figure 5: My Dashboard—Supervisor and Facility Administrator

Provider and Location

The Provider and Location drop-downs allow users to select from among their providers and associated locations. If a user is associated with only one provider or location, the drop-down is still functional, but contains only the single value.

The Provider drop-down is linked to the Provider indicator in the system's user function bar. Changing the Provider on My Dashboard changes the Provider displayed in the bar and vice versa.

Submitted Spreadsheet Files with Outstanding Errors

This area lists any uploaded spreadsheets through PTAR or MMTP Spreadsheet Upload that have outstanding errors. Each item identifies three values pertinent to the uploaded transaction plus the date and time of the upload. The three values are:

- Total number of submitted transactions.
- Number of accepted transactions (no errors).
- Number of rejected transactions.




Figure 6: My Dashboard with Spreadsheet Outstanding Errors Item

Users may click an item to download a spreadsheet that contains only the rejected transactions from the uploaded spreadsheet. The error spreadsheet lists each rejected original transaction as it was uploaded and an additional column for Error Details that lists the specific error or errors that caused the rejection.

Items remain in the area until the user downloads and opens the error spreadsheet. Until then, the system considers the errors to be outstanding.

Draft Transactions

Transactions saved as drafts in PTAR Realtime Entry (but not submitted) are displayed in this area. Users may click through to examine the saved transaction details.

Note: The system deletes draft transactions after 48 hours.

Client Search (Supervisor and Facility Administrator)

The Client search function accepts either a Client ID or Client name to perform the search.

When using the Client name, after three characters are entered, the system will begin suggesting matching clients in a drop-down under the field.




Figure 7: My Dashboard Suggesting Clients—Supervisor and Facility Administrator

Clicking on a client in the drop-down displays the Client Details window containing the complete set of client information.

Client Details

Client Details lists a client's personal details:




Figure 8: Client Details

Suspend Payment

The Suspend Payment detail indicates whether a client is in a suspension status and cannot receive reimbursement.

Pending Payments

The Pending Payments area lists transactions that have a pending or held status.

PENDING PAYMENT

A payment can be but has not been generated for the transaction.

HELD

The payment for the transaction is pending because there is a hold.

Instructions

Set Provider and Location


1. Select the provider from the Provider drop-down.
2. Select the location from the Location drop-down.

Search for a Client

1. Enter a Client ID or Client Name.
2. Select the client from the drop-down under the search field.

PTAR Realtime Entry

PTAR Realtime Entry submits a single PTAR transaction for a client on the current day for immediate processing. Previous submissions are listed in the Submission History area.



Submission History					
1.	Transaction for ANHYSBYS, CLAF (ZZ12347A)	on 03/18/2015	was submitted on 03/18/2015 at 3:36PM	by BFROBISHER	
2.	Transaction for ALAISAN, AIMO (ZZ12346A)	on 03/18/2015	was submitted on 03/18/2015 at 3:25PM	by BFROBISHER	
3.	Transaction for ENGAZIWA, ISIGULI (ZZ12345A)	on 03/18/2015	was submitted on 03/18/2015 at 3:23PM	by BFRASER	
4.	Transaction for HASTA, BILINMEYEN (ZZ12348A)	on 03/18/2015	was submitted on 03/18/2015 at 3:20PM	by BFROBISHER	
5.	Transaction for PASIENT, UKJENT (ZZ12349A)	on 03/12/2015	was submitted on 03/18/2015 at 2:35PM	by BFROBISHER	
6.	Transaction for ALAISAN, AIMO (ZZ12346A)	on 03/16/2015	was submitted on 03/18/2015 at 11:22AM	by RVECCHIO	

Figure 9: PTAR Realtime Entry

Submit An Entry

Submitting a realtime entry begins with entering the ID of the client. The system then checks for the following:

- Duplicate transaction
- Payer—Medicaid or Managed Care
- Eligibility on the date

A duplicate transaction means a transaction has already been submitted for the client and no further processing will be done. The payer is used if the client has eligibility on the date. If not, the provider may take on the expense if enabled for Provider Expense.

Whether the client is eligible or the provider is taking on the expense, the visit information is entered in the same manner.

Visit Information

Visit information is entered on the Client Information/Payment Information page. It consists of

- Client Payment
- Round-trip
- Transport Program
- Escort Payment
- Location

Client Information

Client ID: ZZ12355A
Name: PATIENS, IGNOTA
Gender: M
Date of Birth: 03/02/1952 (age: 63)
Medical Service Date: 05/15/2015

Client Payment: Transit Card

Round Trip: Yes

Transport Program: N/A

Escort Payment: N/A

Location: DUE SOUTH MEDICAL 1

Payment Information

Transportation will be covered by Medicaid on behalf of FROBISHER HEALTH PLAN INC (12345678) ✓

Client: \$5.50 + Escort: \$0.00

Total Reimbursement: \$5.50

E-Signature:

Reminder: A digital or physical signature must be captured for every transaction.

Finish Save As Draft Cancel

Figure 10: PTAR Realtime Entry: Visit Information Entry

Save As Draft

If an entry cannot be completed for submission, users can choose to save it as a draft and complete it at a later time. Drafts are listed on My Dashboard under Draft Transactions.

Note: The system deletes draft transactions after 48 hours.

Digital Signature

After entering the visit information on the left side, a digital or physical signature must be captured.

Digital Signature Capture This version of PTAR has added support for the Scriptel signature pad device in addition to the Topaz devices already supported and in use. While there are no plans to discontinue support for Topaz devices under Internet Explorer versions 10 and 11, it is recommended that users move to a Scriptel device to ensure ongoing performance. The Scriptel devices require no installation nor browser configuration, provide robust security, and work across all supported browsers. If you wish to purchase or obtain more information on a Scriptel or Topaz device, please call Computime at 800-423-8826, send an email to <mailto:sales@ctstl.com>, or visit their website at <http://computimeonline.com/>.

Submission History

Each history item lists the transaction ID, Client ID and date of service. Clicking the Client ID displays the Transactions Details page for the transaction.

Transaction Details

The Transaction Details page is a multi-tabbed page listing the details and status of transactions submitted to the system. The four tabs are:

- At a Glance
- Details
- Eligibility
- Audit History

In addition to the tabs, the status of the transaction is displayed at all times. The statuses are:

- Complete
- Draft
- Pending Payment
- Pending Batch

At a Glance


At a Glance lists the main details of a transaction including Client ID, payer, and amount.

Transaction Details	
At a Glance Details Eligibility Audit History	
At a Glance Status: Complete	
Client:	PATIENS, IGNOTA (ZZ12355A)
Invoiced On:	05/11/2015 10:20AM
Payer:	None
Total Amount:	\$5.50
Date of Service:	05/10/2015
Type:	MMTP
Input Info:	SOMEUSER (05/10/2015 10:24AM)

Figure 11: Transaction Details—At a Glance Tab

Details

Details expands At a Glance to list the provider's name and location, payment mode, type of trip and other information.




The screenshot shows the 'Transaction Details' window with the 'Details' tab selected. The status is 'Complete'. The data is as follows:

Client ID:	ZZ12355A	Date of Service:	05/10/2015
Client Payment Mode:		Round Trip:	Yes
Transport Program:	N/A	Escort Payment Mode:	
Escort:	No	Transport Agency:	Metro Transit Authority
Provider Name:	DUE SOUTH MEDICAL		
Location Name:	DUE SOUTH MEDICAL URGENT		
Signature Captured:	No		

Figure 12: Transaction Details—Details Tab

Eligibility

Eligibility lists the eligibility description and status code, the amounts for client and escort, if there is an escort plus the payer and the Plan ID if the payer is a managed care plan.




The screenshot shows the 'Transaction Details' window with the 'Eligibility' tab selected. The status is 'Complete'. The data is as follows:

Eligibility Description:	Ineligible for Shares Funding	Payment ID:	
Eligibility Status Code:	NTE	Payer:	None
Plan ID:			
Amount Client:	\$5.50		
Amount Escort:	\$0.00		
Total Amount:	\$5.50		

Figure 13: Transaction Details—Eligibility Tab

Audit History

Audit History lists the auditing information history.



The screenshot shows the 'Transaction Details' window with the 'Audit History' tab selected. The status is 'Complete'. The data is as follows:

Transaction Status	User ID	User Type	Payer	Timestamp
Pending Batch	SOMEUSER	ROLE_SUPERVISOR		05/10/2015 10:23AM

Figure 14: Transaction Details—Audit History Tab

Instructions

Submit Transaction

1. Enter the Client ID.
2. Click Go.
3. Specify the transaction details.
4. Click Finish to submit.

Review A Submitted Transaction

1. Click the Client ID of an item in the Submission History area.
2. Review the displayed details.

PTAR Batch Entry

PTAR Batch Entry submits PTAR transactions for offline processing. Offline processing means there is no immediate feedback when a transaction is submitted. Previous submissions are listed in the Submission History area.

PTAR Batch Entry
Enter PTAR transactions for offline processing

Client ID: AA00000A Date of Service: 03/21/2015

Client Payment Mode: Transit Card Round Trip: Yes

Transport Program: N/A Escort Payment Mode: N/A

Location: DUE SOUTH MEDICAL 1

Save

Submission History

1. Transaction for PATIENS, IGNOTA (ZZ12355A) on 03/19/2015 was submitted on 03/19/2015 at 7:41AM by BFRASER
2. Transaction for ANHYSBYS, CLAF (ZZ12347A) on 03/18/2015 was submitted on 03/18/2015 at 3:36PM by BFROBISHER

Figure 15: PTAR Batch Entry

PTAR transactions have the following transaction parameters:

- Client ID
- Date of Service
- Client Payment Mode
- Round Trip*
- Transport Program*
- Escort Payment Mode*
- Location

*Round Trip, Transport Program and Escort Payment Mode are optional parameters. Not selecting them indicates a round-trip, no transport program and no escort, respectively.

When the Save button is clicked, the system submits the transaction and lists it in the Submission History area.

Date Range and Selection

The date range for PTAR transactions is up to 120 days prior to the current date. For example, if the current date is January 14, 2015, any date(s) between it and September 16, 2014 may be selected with the days in September preceding the 16th shown in gray.

The calendar displays one month at a time and opens to the current date. Valid days in the 120 day range display on a white background and invalid days display in gray. The left and right arrows on each side of the Month-Year calendar title allow navigation backward and forward by a single month.

Instructions

Set Provider and Location

Submit PTAR Batch Transaction For A Single Date

1. Enter the Client ID.
2. Select the date of the transaction using the Date of Service calendar. The valid range is up to 120 days prior to the current date.
3. Select the Client Payment Mode
4. Select the Round Trip indicator.
5. Optionally select the Transport Program and the Escort Payment Mode.
6. Select the Location.
7. Click Save to submit the transaction. The Submission History area displays the saved transaction.

Review The Details of A Submitted Transaction

1. Click the Client Name of an item in the Submission History area to view its details.
2. Navigate among the tabs to examine the specific transaction information.

PTAR Spreadsheet Upload

PTAR Spreadsheet Upload submits multiple transactions for a selected location from an uploaded spreadsheet. The spreadsheet allows users to prepare the transactions offline. A supplied downloadable template provides assistance in preparing transactions for upload.

Submission History	
1. All 1 transactions were accepted with no errors found. Submitted by LWELCH on 03/16/2015 at 7:00PM	
2. All 2 transactions were accepted with no errors found. Submitted by MTHATCHER on 03/16/2015 at 11:29AM	
3. 5 of 6 transactions failed initial validations. Submitted by RVECCHIO on 03/13/2015 at 2:35PM	GET ERRORS
4. 5 of 6 transactions failed initial validations. Submitted by TESTID1 on 03/12/2015 at 1:35PM	GET ERRORS

Figure 16: PTAR Spreadsheet Upload

Previous uploads are listed in the Submission History area. A validation function checks a spreadsheet after it is uploaded and reports statistics including errors that can be downloaded for further examination.

Maximum Transaction Count

Uploaded PTAR spreadsheets may not contain more than 5,000 transactions. Spreadsheets larger than 5,000 are completely rejected. There is no partial processing.

Location

The Location drop-down contains the locations associated with the user. Selecting a location sets it for the user thereafter until it is changed. Uploaded transactions are entered in the system for the selected location.

Template

The system supplies a downloadable spreadsheet template that can be populated and uploaded, or users may create one from scratch as long as it matches the column layout of the template and is in .xls format.

	A	B	C	D	E	F
1	Client ID (Medicaid CIN)	Date of Service (MM/DD/YYYY)	Roundtrip: Y = Yes N = No	Client Payment Mode: T = Transit Card C = Cash	Escort Payment Mode: T = Transit Card C = Cash N = N/A	Transport Program: A = Access A Ride N = N/A
2						
3						
4						

Figure 17: PTAR Spreadsheet Upload Template

Columns

The template has six columns that match the parameters entered using PTAR Batch Entry. Each row of the spreadsheet represents one transaction. Every entry must be the specific format or value indicated by the column header.

Note: Row 1 of the template is always considered a heading row meaning that the system will ignore any data in it. The best approach when not using the supplied template is to always use a header row to avoid any problems.

The specific column formats are:

Column	Format or value
Client ID (Medicaid CIN)	xxxxxxxx
Date of Service (MM/DD/YYYY)	mm/dd/yyyy
Roundtrip: Y = Yes N = No	Y or N
Client Payment Mode: T = Transit Card C = Cash	T or C
Escort Payment Mode: T = Transit Card C = Cash N = N/A	T or C or N
Transport Program: A = Access A Ride N = N/A	A or N

Figure 18: PTAR Upload Spreadsheet Template Column Formats

Submission History Area

The Submission History lists previously uploaded spreadsheets. Each item lists the total number of uploaded transactions, date and time of the upload, and identifies by color and wording whether the spreadsheet contained errors. Green indicates all transactions were accepted with no errors. Red indicates that one or more transactions were rejected with a count given of the number of failed transactions out of the total number of transactions (e.g., 5 of 6 transactions failed).




Figure 19: PTAR Spreadsheet Upload—Submission History Area

Users may use the Get Errors button to the right of an error item to download a spreadsheet that contains only the rejected transactions from the uploaded spreadsheet. The error spreadsheet lists each rejected original transaction as it was uploaded with an additional column for Error Details that lists the specific error or errors that caused the rejection.

Common Errors

Common errors include an invalid Client ID (Client Not Found), out of range start date (The Start date of service is too far in the past), and invalid value for a field (e.g., Invalid Payment Type for Escort).

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	Client ID (Medicaid CIN)	Date of Service (MM/DD/YYYY)	Roundtrip: Y = Yes N = No	Client Payment Mode: T = Transit Card C = Cash	Escort Payment Mode: T = Transit Card C = Cash N = N/A	Transport Program: A = Access A Ride N = N/A	Error Details							
2	ZZ12345A	01/12/2015	Y	T	T	N								
3	ZZZZZZZZ	01/14/2015	Y	C	C	N			The Start date of service is too far in the past. Select a date within 120 days of the current date.					
4	ZZ12346A	05/12/2015	Y	T	V	N			Invalid Payment Type for Escort.					

Figure 20: PTAR Spreadsheet Upload—Error Transactions Spreadsheet

Instructions

NO MORE THAN 5,000 TRANSACTIONS MAY BE UPLOADED IN A SINGLE SPREADSHEET.

First Time Usage Including Template Download

1. Select the location from the location grid.
2. Click the Template link to download the File Upload spreadsheet template. The web browser prompts to open or save the template.

Steps 3 and 4 are performed offline in a spreadsheet application.

3. After opening the template in a spreadsheet application, enter the appropriate values for each transaction in a separate row. Refer to the column headings or the table above for the proper field formats and values.
4. Save the spreadsheet

The remaining steps are performed online in the system.

5. Click Browse. The File Upload dialog displays.
6. Navigate to the location containing the updated template.
7. Select the template and click Open. The dialog closes and the File field displays the selected template.
8. Click Upload. The file successfully accepted message displays.
9. Check the validation message and act on any errors.

Spreadsheet Populated And Ready For Upload

1. Optionally select the Location from the drop-down if it is not correct.
2. Click Browse. The File Upload dialog displays.
3. Navigate to the location containing the updated template.
4. Select the template and click Open. The dialog closes and the File field displays the selected template.
5. Click Upload. The file successfully accepted message displays.
6. Check the validation message and act on any errors.

MMTP Batch Entry

MMTP Batch Entry submits one or more client-specific MMTP transactions for offline processing. Offline processing means there is no immediate feedback when a transaction is submitted. For clients with service on multiple dates, the transactions can be combined in one submission.

The screenshot shows the MMTP Batch Entry interface. It includes a header with the title and subtitle, followed by input fields for Client ID and Location. Below these are four calendar grids for the months of December 2014, January 2015, February 2015, and March 2015. The March 2015 calendar has the 22nd highlighted in green. A green 'Save' button is located at the bottom right of the form.

Figure 21: MMTP Batch Entry

MMTP transactions have three required components for all submissions:

- Client ID
- Location
- Date of Service

The Client ID is specified using the Client ID field. The location is set using a drop-down containing the provider's locations. The date of service for a transaction is specified by selecting (clicking) the appropriate day on the calendar. When the Save button is clicked, the system submits the transaction and lists it in the Submission History area in the bottom portion of the page.

The Submission History area displays a list of transactions. The first transaction is for ALAISAN, AIMO (ZZ12346A) on 04/22/2015, submitted on 05/19/2015 at 8:49AM by someuser. The second transaction is for ALAISAN, AIMO (ZZ12346A) on 03/03/2015, submitted on 05/19/2015 at 8:49AM by someuser.

Figure 22: MMTP Batch Entry Submission History Area

Location

The Location drop-down contains the locations associated with the user. Selecting a location sets it for the user thereafter meaning it retains the selected value for subsequent logins.

Calendar and Date of Service

The Date of Service is set using the calendar to select the appropriate date or dates. A selected date is indicated by a green background in its square. By default, the current date is always selected, but can be cleared by clicking it.

The calendar not only provides the mechanism for selecting dates, it also indicates the date range for MMTP transactions.

Date Range

The date range for MMTP transactions is up to 120 days prior to the current date. The calendar indicates the range by displaying either four or five months depending on the current date. For example, if the date is January 31, four months can hold the 120 day range because it ends on October 3, but if the date is January 14, the range requires five months because it extends into September for the last date of September 16 in the range. When the range spans five months, four are visible with a horizontal scroll bar providing access to the fifth and oldest month.

The valid days in a month are shown in white and the invalid days are shown in gray. Using the example above of January 31, 2015, any date(s) between it and October 3, 2014 may be selected with the days in October preceding the 3rd shown in gray to indicate they are outside the range.



Figure 23: MMTP Batch Entry Calendar Showing 120 Day Range

Multiple Date Submissions

For clients with service on multiple dates, the transactions can be combined in a single submission by selecting each of the dates. The system takes the single submission and turns it into a separate submission for each selected date.

The effect of doing a multiple date submission is that the calendar resembles a checkerboard. For example, this is how the calendar would look after selecting January 3, 9, and 14, and December 22.

October 2014							November 2014							December 2014							January 2015						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
28	29	30	31	1	2	3	4	16	17	18	19	20	21	30	1	2	3	4	5	6	28	29	30	31	1	2	3
5	6	7	8	9	10	11	12	13	14	15	16	17	18	7	8	9	10	11	12	13	4	5	6	7	8	9	10
12	13	14	15	16	17	18	9	10	11	12	13	14	15	14	15	16	17	18	19	20	11	12	13	14	15	16	17
19	20	21	22	23	24	25	16	17	18	19	20	21	22	21	22	23	24	25	26	27	18	19	20	21	22	23	24
26	27	28	29	30	31	1	23	24	25	26	27	28	29	28	29	30	31	1	2	3	25	26	27	28	29	30	31
2	3	4	5	6	7	8	30	1	2	3	4	5	6	4	5	6	7	8	9	10	1	2	3	4	5	6	7

Figure 24: MMTP Batch Entry Calendar with Multiple Dates Selected

Submitting a batch entry on January 22, 2015 with those dates selected for a client named Aimø Alaisan results in four separate transactions listed in the Submissions History area all submitted by the same user at the same time beginning with the most recent of the four (January 14) to the oldest (December 22):

- Transaction for Alaisan, Aimø on 01/14/2015 was submitted on 01/22/2015 at 11:46AM by someuser
- Transaction for Alaisan, Aimø on 01/09/2015 was submitted on 01/22/2015 at 11:46AM by someuser
- Transaction for Alaisan, Aimø on 01/03/2015 was submitted on 01/22/2015 at 11:46AM by someuser
- Transaction for Alaisan, Aimø on 12/22/2014 was submitted on 01/22/2015 at 11:46AM by someuser

Instructions

Submit MMTP Batch Transaction For A Single Date

1. Enter the Client ID.
2. Optionally select the Location from the drop-down if it is not correct.
3. Select the date of the transaction by clicking the day on the appropriate calendar. If the date is not on the four visible calendars, but is within the 120 day window, use the scroll bar to make the oldest calendar visible.
4. Click Save to submit the transaction. The Submission History area displays the saved transaction.

Submit MMTP Batch Transaction For Multiple Dates


1. Enter the Client ID.
2. Optionally select the Location from the drop-down if it is not correct.
3. Select the dates of the transaction by clicking the days on the appropriate calendars. If one or more of the dates are not on the four visible calendars, but are within the 120 day window, use the scroll bar to make the oldest calendar visible.
4. Click Save to submit the request. The Submission History area displays a separate transaction for each selected date.

Review The Details of A Submitted Transaction

1. Click the Client Name of an item in the Submission History area to view its details.
2. Navigate among the tabs to examine the specific transaction information.

MMTP Spreadsheet Upload

MMTP Spreadsheet Upload submits multiple transactions for a selected location from an uploaded spreadsheet. The spreadsheet allows users to prepare the transactions offline.



Submission History	
1. All 1 transactions were accepted with no errors found. Submitted by LWELCH on 03/16/2015 at 7:00PM	
2. All 2 transactions were accepted with no errors found. Submitted by MTHATCHER on 03/16/2015 at 11:29AM	
3. 5 of 6 transactions failed initial validations. Submitted by RVECCHIO on 03/13/2015 at 2:35PM	GET ERRORS
4. 5 of 6 transactions failed initial validations. Submitted by TESTID1 on 03/12/2015 at 1:35PM	GET ERRORS

Figure 25: MMTP Spreadsheet Upload

Previous uploads are listed in the Submission History area. A validation function checks a spreadsheet after it is uploaded and reports statistics including errors that can be downloaded for further examination.

Maximum Transaction Count


Uploaded MMTP spreadsheets may not contain more than 15,000 transactions. Spreadsheets larger than 15,000 are completely rejected. There is no partial processing.

Location

The Location drop-down contains the locations associated with the user. Selecting a location sets it for the user thereafter until it is changed. Uploaded transactions are entered in the system for the selected location.

Template

The system supplies a downloadable spreadsheet template that can be populated and uploaded, or users may create one from scratch as long as it matches the column layout of the template and is in .xls format.



	A	B	C	D	E	F
1	Client ID (Medicaid CIN)	Date of Service (MM/DD/YYYY)				
2						
3						
4						

Figure 26: MMTP Spreadsheet Upload Template

Columns

The template has two columns that match the parameters entered using MMTP Batch Entry with each row representing one transaction. The entries must be the specific format or value indicated by the column header.

Note: Row 1 of the template is always considered a heading row meaning that the system will ignore any data in it. The best approach when not using the supplied template is to always use a header row to avoid any problems.

The specific column formats are:

Column	Format or value
Client ID (Medicaid CIN)	xxxxxxxx
Date of Service (MM/DD/YYYY)	mm/dd/yyyy

Figure 27: MMTP Upload Spreadsheet Template Column Formats

Submission History Area

The Submission History area lists previously uploaded spreadsheets. Each item lists the total number of uploaded transactions, date and time of the upload, and identifies by color and wording whether the spreadsheet contained errors. Green indicates all transactions were accepted with no errors. Red indicates that one or more transactions were rejected with a count given of the number of failed transactions out of the total number of transactions (e.g., 5 of 6 transactions failed).




Figure 28: MMTP Spreadsheet Upload—Submission History Area

Users may click the Get Errors button to the right of an error item to download a spreadsheet that contains only the rejected transactions from the uploaded spreadsheet. The error spreadsheet lists each rejected original transaction as it was uploaded with an additional column for Error Details that lists the specific error or errors that caused the rejection.

Common Errors

Common errors include an invalid Client ID (Client Not Found) and out of range start date (The Start date of service is too far in the past).

	A	B	C	D	E	F	G	H	I	J	K
1	Client ID (Medicaid CIN)	Date of Service (MM/DD/YYYY)	Error Details								
2	ZZ12345A	01/12/2015	The Start date of service is too far in the past. Select a date within 120 days of the current date.								
3	ZZ11111A	05/12/2015	Client Not Found.								
4											

Figure 29: MMTP Spreadsheet Upload—Error Transactions Spreadsheet

Instructions

NO MORE THAN 15,000 TRANSACTIONS MAY BE UPLOADED IN A SINGLE SPREADSHEET.

First Time Usage Including Template Download

1. Select the location from the location grid.
2. Click the Template link to download the File Upload spreadsheet template. The web browser prompts to open or save the template.

Steps 3 and 4 are performed offline in a spreadsheet application.

3. After opening the template in a spreadsheet application, enter the appropriate values for each transaction in a separate row. Refer to the column headings or the table above for the proper field formats and values.
4. Save the spreadsheet

The remaining steps are performed online in the system.

5. Click Browse. The File Upload dialog displays.
6. Navigate to the location containing the updated template.
7. Select the template and click Open. The dialog closes and the File field displays the selected template.
8. Click Upload. The file successfully accepted message displays.
9. Check the validation message and act on any errors.

Spreadsheet Populated And Ready For Upload

1. Optionally select the Location from the drop-down if it is not correct.
2. Click Browse. The File Upload dialog displays.
3. Navigate to the location containing the updated template.
4. Select the template and click Open. The dialog closes and the File field displays the selected template.
5. Click Upload. The file successfully accepted message displays.
6. Check the validation message and act on any errors.

Invoice Managed Care Plans

Invoice Managed Care Plans prepares invoices for the managed care plans used by clients. Multiple clients who use the same managed care plans may be combined on the same invoice.

#	Plan ID	Plan Name	Total Amount	Ready to Invoice
1	01183013	CAPITAL DISTRICT PHYS HLTH PL	\$2.75	Invoice

Figure 30: Invoice Managed Care Plans

The invoices are PDFs that may be sent to a managed care plan either as an email attachment or printed and sent via snail mail. Users have the option of individually generating invoices or using the Invoice All function to generate invoices for all displayed plans.

Create an Invoice

The function displays all available invoice candidates with an Invoice button on the far right. Clicking the button generates the invoice and replaces the Invoice button with a PDF button.

Transactions

Clicking the Plan ID for an invoice candidate displays the transactions contained in the invoice.

Bulk Invoice by Threshold Amount

Rather than individually clicking Invoice after Invoice button for all listed items, the Invoice All Above Threshold function provides the ability to generate multiple invoices at a time.


The Threshold Amount drop-down selects the amount that invoices must exceed to be created. There are four values:

- All
- \$50
- \$100
- \$500

Selecting All creates invoices regardless of the amount and is the only way to create multiple invoices for smaller amounts without clicking them individually. Otherwise, the intent is to recognize that providers tend to allow invoices to build to a certain level that \$50, \$100 and \$500 should cover.

Invoice PDF

The PDF button that replaces the Invoice button for a candidate's button downloads the invoice PDF to the user's system where it can be examined and ultimately sent to the managed care plan.



Client Details		Date of Service	Transport Program	Round Trip	Client Amount	Escort Amount	Total Amount
NDIDI, AMAGHI		03/24/2015	N/A	Y	5.50	0.00	5.50
ZZ12356A	11/03/1983						
Transaction Total:							5.50
Recoupment Total:							0.00
Grand Total:							5.50

Figure 31: Managed Care Invoice

Instructions

Generate An Individual Invoice

1. Click the Invoice button for the appropriate managed care plan. The button changes to PDF.
2. Click the PDF button to download the generated invoice.
3. Either attach the PDF to an email or print it for sending via snail mail to the managed care plan.

Use Threshold Amount to Select The Invoice Amount Level to Generate

1. Set the Threshold Amount to one of the set values that an invoice must match or exceed or All.
2. Click Invoice All Above Threshold to generate invoices for the invoices that exceed the selected level or all invoices.
3. Click PDF on each invoice to download the generated invoice.
4. Either attach the PDF to an email or print it for sending via snail mail to the managed care plan.

Transaction History

Transaction History is a customizable search for transactions. The customizations include provider, location and service date, and may be combined in multiple ways.

Transaction History

Do a free-form search of transactions to view and export

Provider: GOLDBERG EMANUEL

Location: All Program: All

Filter On: Dates of Service Range: Today (05/28/2015 - 05/28/2015)

Status: All Paid By: All

Client ID: AA00000A

Search Reset

Transactions

Client	Date of Service	Status	Creation Date	Total Amount	Payer	RA	Deleted	Duplicate	Creation User	Program
--------	-----------------	--------	---------------	--------------	-------	----	---------	-----------	---------------	---------

Figure 32: Transaction History

The search results are transactions that match the search parameters. They are contained in a sortable grid that may consist of multiple pages depending on the number of matching transactions.

A download function allows downloading up to 10,000 transactions in a spreadsheet for offline examination and other purposes.

Transaction History has two areas:

- Search Fields (unlabeled)
- Transactions

Search Fields

There are seven search fields for transactions:

- Provider
- Location
- Program
- Filter On/Range
- Status
- Paid By
- Client ID

Provider, Location and Program

The Provider field selects a provider from the list of providers or ALL if there are multiple providers assigned to the user. Selecting the provider sets the available values for Location and Program:

Provider Set to ALL

- Location is set to ALL with no other values.
- Plan is set to PTAR, MMTP and ALL.

Provider Set to a Specific Provider

- Location is set to the provider's active locations plus the option to select ALL.
- Plan is set to PTAR or MMTP based on the provider's participation plus the ALL option.

Filter On/Range

Filter On and Range work together to set a date range of up to 31 days for either the Dates of Service or Creation Date of transactions.

Filter On

Filter On selects from two time events: Date of Service—when a client received services or Creation Date—when the transaction was created in the system.

Range

Range selects from four preset ranges and a fifth user-specified range. The preset ranges go from a single day through the last 31 days. The four present ranges display in parentheses the dates their range covers.

For example, using April 22, 2015 as the current day, the four Range presets are set as follows

Range Preset	Range
Today Current day	Today (04/22/2015 - 04/22/2015)
This Week Current week beginning with Sunday through the current day	This Week (04/19/2015 - 04/22/2015)
This Month Current month beginning with the first day through the current day	This Month (04/01/2015 - 04/22/2015)
Last 31 Days Last 31 days beginning with the current day and going back to 31 days prior	Last 31 Days (03/22/2015 - 04/22/2015)

Figure 33: Transaction History Preset Date Ranges for April 22, 2015

Transactions

The Transactions area contains the search result grid with a footer containing tallies for the number of transaction records and the total amount plus navigation and download buttons.

The results of a search return eleven pieces of information for each transaction. In addition to the returned information, the system provides the total of the transactions.

The eleven pieces are:

Client

Name and ID of the client.

Date of Service

The date the client received service.

Status

A two letter code indicating the status of the transaction:

- CM - Complete
- DR - Draft
- PB - Pending Batch
- PP - Pending Payment

Creation Date

The date the transaction was created in the system.

Total Amount

The total amount of the transaction.

Payer

A three letter code indicating the payer of the transaction:

- MCP - Managed Care Plan
- MED - Medicaid
- MMC - Medicaid for Managed Care
- NON - None
- PRE - Provider

RA

The Remittance Advice number.

Deleted

Yes or No indicator for deletion of the transaction.

Duplicate

Yes or No indicator that the transaction is a duplicate.

Creation User

The ID of the user who submitted the transaction.

Program

PTAR or MMTP.

Sorting

The results can be sorted on any of the fields by clicking the header of the field. The first click sorts in ascending order, the second click in descending order and so on. A dark triangle indicates the field the report is sorted on and the direction of the arrow indicates the sort order.

Download Spreadsheet

The Download Spreadsheet function exports the search results in .xls format for offline processing in a spreadsheet application. A limit of 10,000 records may be downloaded.

Multiple Pages

The results are organized into pages when the number of results exceeds 10, with each page containing 10 providers except for the last page which contains one to 10 providers. For example, if a search returns 34 providers, there will be four pages of results:

- Page 1: Results 1–10
- Page 2: Results 11–20
- Page 3: Results 21–30
- Page 4: Results 31–34

Navigation buttons allow users to navigate among the pages using the Previous, Next and page number (1, 2, etc.) buttons. When there are five or more pages, the pages are organized in groups of five that can be navigated in groups using the grouping button (...) to advance or return through the groups.

Instructions

Search for Transactions

1. Specify one or more parameters. Note that the more parameters, the more precise the search and the fewer results.
2. Click Search.
3. Optionally click the client name for a transaction to view its details.

View The Details of a Transaction

1. Click the client name of an item in the Transactions area to review its details.
2. Navigate among the tabs to examine the specific details.

Download Transactions

No more than 10,000 transactions may be downloaded.

1. Conduct a search for transactions.
2. Click the Download Spreadsheet button at the bottom of the Transactions area to download a spreadsheet containing the transactions.

Payment History

Payment History is a customizable search of payments for a selected provider or all providers. Users may specify one or more of the Payment Filter Options (payment search fields) to combine them in multiple ways.




Figure 34: Payment History

The search results are the payments that match the Payment Filter Options. There may be multiple pages of results depending on the number of matching payments.

Payment History has two areas:

- Payment Filter Options
- Payments

Payment Filter Options

The Payment Filter Options area contains the five payment search fields. The area is initially hidden to provide more room to view the Payments area. A button controls displaying and hiding of the area.

Payment Filter Options Button

The Payment Filter Options button on the right side of the Payment History description line displays or hides the Payment Filter Options area. The two states of the button visually indicate the action to be taken when clicked.




Figure 35: Payment History—Payment Filter Options Button States

The Payment Filter Options area is initially hidden so the button is in the green state with the arrow pointing down indicating that clicking displays the area. When the area is displayed, the button is in the gray state with the arrow pointing up indicating that clicking it hides the area.

Payment Search Fields

There are five fields used to search for payments:

- Provider
- Payment Date Range (Start and End)
- FCN
- RA
- Paid By

Payment Date Range and Paid By have special cases.

Payment Date Range

Two fields are used to specify the payment date range—Start Date and End Date. Dates may be selected using the calendar tools to the right of the entry fields or entered directly in mm/dd/yyyy format.

The special cases for the date field involve using the Range drop-downs instead of individually setting the Start and End fields. The Range drop-down contains five presets relative to the current date. When it is used, the system populates the Start and End fields based on the selection.

- Month to date
- Last 1 month
- Last 12 months
- Last year
- Year to date

For example, using February 26, 2014 as the current day, the five Range values set the Start and End date fields as follows:

Range	Start	End
Month to date From first day of current month to current day	02/01/2014	02/26/2014
Last 1 month From corresponding day of previous month to current day	01/26/2014	02/26/2014
Last 12 months From corresponding day of previous year to current day	02/26/2013	02/26/2014
Last year Previous calendar year from January 1 to December 31	01/01/2013	12/31/2013
Year to date Current calendar year from January 1 to current date	01/01/2014	02/26/2014

Figure 36: Payment History Date Ranges for February 26, 2014

Paid By

The Paid By field has two selectable values for the payer—Managed Care Plan and Medicaid. Selecting Managed Care Plan displays the Plans drop-down to its right to select an individual managed care plan.

Payments For Provider

The Payments for Provider area contains the search results and the navigation controls. The header of the area indicates the selected provider field which is either a single provider or All.

Each search result displays the following information:

RA# / Invoiced - Provider Name / Complete

Displays the Remittance Advice number if the payer is Medicaid, Invoiced if the payer is a managed care plan, followed by the name of the provider, or Complete if the payment is a recoupment.

Total

The total amount of the transaction(s) in the payment.

FCN

The Financial Control Number or N/A if the payer is a managed care plan.

Paid By

The managed care plan or Medicaid.

Transaction

The number of transactions within the payment.

Paid On

The date the payment was made.

In addition, for managed care payments, a PDF of the invoice is available for each result by clicking its PDF link.

Multiple Pages

The results are organized into pages when the number of results exceeds five, with each page containing five payments except for the last page which contains one to five payments. For example, if a search returns 13 payments, there will be three pages of results with the last page having three payments:

- Page 1: Results 1–5
- Page 2: Results 6–10
- Page 3: Results 11–13

Navigation buttons allow users to navigate among the pages using the Previous, Next and page number (1, 2, etc.) buttons. When there are five or more pages, the pages are organized in groups of five that can be navigated in groups using the grouping button (...) to advance or reverse through the groups.

Instructions

Search for Payments

1. Click Payment Filter Options to display the payment search fields if they are not already displayed.
2. Specify one or more fields. Note that the more fields specified, the more precise the search and therefore fewer results.
3. Click Search.

Review The Invoice of A Payment

1. Click the PDF link of an item in the Payments area to download the PDF of its invoice.
2. Open the PDF from the browser's download folder to review the invoice.

Manage Provider Information

Manage Provider Information has two parts—Provider Details and Provider Locations.


Provider Details manages the main details for a provider:

- Name
- Provider Expense setting
- Managed Care Plans

Provider Locations manages the location or locations of the provider.

Provider Details

Provider Details lists the major details for a provider and provides the ability to change them with the exception of Provider ID.



The screenshot displays the 'Manage Provider Information' interface, divided into two main sections: 'Provider Details' and 'Provider Locations'. The 'Provider Details' section on the left contains four input fields: 'Provider ID' (01234567), 'Provider Name' (DUE SOUTH MEDICAL), 'Provider Expense' (Yes), and 'Transactions Accepted' (All Managed Care Plans). The 'Provider Locations' section on the right includes an 'Add New Location' button, a 'Display Active Locations' checkbox, and a list of three locations: 'Due South Medical 1', 'Due South Medical 3', and 'Due South Medical Metro', each with an edit icon. At the bottom right, there are two buttons: 'Save Provider' and 'Back to Dashboard'.

Figure 37: Manage Provider Information

The details are:

- Provider ID
- Provider Name
- Provider Expense
- Transactions Accepted

Provider ID

Provider ID is the ID assigned when the provider originally enrolled in Medicaid. It cannot be changed.

Provider Name

The name of the provider can be changed by altering the displayed name in the Provider Name field.

Provider Expense

Provider Expense indicates whether a provider can be the payer when a client or the managed care plan is not eligible on the date of service, or when there is an invalid coverage code. It is only used with PTAR Realtime Entry and when set to Yes, causes that function to display the Provider Expense button when any of those conditions exists.

Transactions Accepted

Transactions Accepted indicates and sets the managed care plans that the provider accepts. There are three choices:

- All Managed Care Plans
- No Managed Care Plans
- Some Managed Care Plans

The first two choices are self-explanatory.

Some Managed Care Plans

Selecting Some Managed Care Plans means that the provider does not accept one or more managed care plans and must exclude them from appearing in any selections. The Edit Managed Care Plan List function is activated when this option is selected.

The screenshot displays a web interface for editing provider information. On the left, the 'Provider Details' section includes input fields for 'Provider ID' (01234567), 'Provider Name' (DUE SOUTH MEDICAL), a dropdown for 'Provider Expense' (set to Yes), and a dropdown for 'Transactions Accepted' (set to Some Managed Care Plans). A green button labeled 'Edit Managed Care Plan List' is positioned below the 'Transactions Accepted' dropdown. On the right, the 'Provider Locations' section features an 'Add New Location' button and a checked 'Display Active Locations' checkbox. Below these are four location entries: 'Due South Medical 1', 'Due South Medical 3', 'Due South Medical Metro', and 'Due South Medical Urgent', each with a blue edit icon. At the bottom of the interface, there are two buttons: a green 'Save Provider' button and a grey 'Back to Dashboard' button.

Figure 38: Edit Managed Care Plan List Function Activated

The function presents a popup with two lists: the Managed Care Plans list on the left contains the accepted managed care plans; the Exclusion(s) list on the right contains the excluded managed care plans.




Figure 39: Managed Care Exclusion List

Moving a plan from the Managed Care Plans list on the left (the accepted plans) to the exclusion list is done by clicking the Exclude button for the plan in the left pane. When a plan is excluded, it is moved to the Exclusions list on the right (the not accepted plans) and the counter for excluded plans is incremented by one.

Excluded plans have an Include button next to them that moves them back to the accepted list. When a plan is moved back to accepted, the Exclusion counter is decremented by one.

Instructions

Edit Provider Details

1. Edit the Provider Name field, or select a different value from the Provider Expense or Transactions Accepted drop-down.
2. Click Save Provider.

Exclude or Include Managed Care Plans

1. Select Some Managed Care Plans from the Transactions Accepted drop-down if it is not already selected.
2. Click the Edit Managed Care Plan List button.
3. Click the Exclude button for a plan in the Managed Care Plans list to move it to the Exclusion(s) list, or click the Include button for a plan in the Exclusion(s) list to move it back to the Managed Care Plans list.

Provider Locations

Provider Locations manages a provider's location or locations by controlling whether all or just active locations are displayed, editing locations, and adding new locations.

Display Active Locations

Selecting Display Active Locations only displays locations that are active for a provider. Clearing it displays all locations for a provider.

Add Locations

Adding locations is done by clicking Add New Location to display the location popup with all empty fields except the Location field which defaults to the provider name. The expectation is that a location name will usually incorporate the provider name.

The screenshot shows a web application interface for managing provider information. A modal window titled "DUE SOUTH MEDICAL" is open, allowing the user to add a new location. The form includes the following fields: "Location" (pre-filled with "DUE SOUTH MEDICAL"), "Address 1", "Address 2", "City" (with "City" as a placeholder), "State" (a dropdown menu currently set to "New York"), "Zip", "Zip Ext", "Phone" (with a format "() - -"), "Ext", "Attention", and "Is Active" (a checked checkbox). At the bottom of the modal are "OK" and "Cancel" buttons. Below the modal, on the main page, are "Save Provider" and "Back to Dashboard" buttons. A large red watermark is overlaid on the image.

Figure 40: Manage Provider Information—Add Location


The required fields are:

- Location
- Address 1
- City*
- State*
- Zip*
- Is Active*
- Attention*

As the Location field is entered, the title of the popup will update to match.

Edit Location

Clicking either the name of a location or the edit icon to the far right of the name displays the location popup to edit any of the fields for the location.



The screenshot shows a web application interface with a popup window titled "DUE SOUTH MEDICAL URGENT". The popup contains the following fields and controls:

- Location:** Text input field containing "DUE SOUTH MEDICAL URGENT".
- Address 1:** Text input field containing "2112 La Strangiato Way".
- Address 2:** Text input field containing "Address 2".
- City:** Text input field containing "Yawtown".
- State:** Dropdown menu showing "New York".
- Zip:** Text input field containing "12345".
- Zip Ext:** Text input field containing "___".
- Phone:** Text input field containing "(518) 867-5309".
- Ext:** Text input field.
- Is Active:** Checkmark input field, which is checked.
- Attention:** Text input field containing "Benton Fraser".

At the bottom of the popup are two buttons: "OK" (green) and "Cancel" (grey). Below the popup, on the main interface, are two buttons: "Save Provider" (green) and "Back to Dashboard" (grey).

Figure 41: Manage Provider Information—Edit Location

Instructions

Edit Provider Locations


1. Click either the name of a location or the edit icon to the far right of the name.
2. Edit one or more of the fields.
3. Click the OK button.
4. Click the Save Provider button.

Add a New Provider Location

1. Click Add New Location.
2. Enter the required fields at a minimum: Location, Address 1, City, State, Zip, Is Active, and Attention.
3. Click the OK button.
4. Click the Save Provider button.

User Management

User Management adds, displays, and edits users for a selected provider. The provider is selected using the Provider drop-down at the top of the page.



The screenshot displays the 'User Management' interface. At the top, there is a blue header with the title 'User Management' and a help icon. Below the header, a 'Provider:' dropdown menu is set to 'DUE SOUTH MEDICAL'. The interface is split into two main sections. The left section, titled 'New user submission form:', contains input fields for 'First Name' and 'Last Name', a 'Create Username' button, a 'Select User Role' dropdown menu, and a green 'Add User' button. The right section, titled 'Current list of active users by provider:', shows a list of six users: bfraser, rvecchio, lwelch, mthatcher, skowalski, and ebesbriss. Each user name has a small blue edit icon to its right.

Figure 42: User Management

User Properties

In terms of User Management, users have four properties:

- Name (specified separately as First and Last Name)
- Username
- Role
- Provider

The first three properties are specified when adding a user with the system assigning the Provider based on the selected provider. Additional providers, if applicable, may be assigned by editing a user.


Roles

There are three roles in the system with varying permissions. Most users will have the User role.

- User
- Supervisor
- Facility Administrator

View Users

The right side of the page contains a list of the users for the selected provider. Each row in the list contains the username on the left and an edit icon on the right. Clicking either the username or the icon brings up the User Details popup to edit a user.



The screenshot displays the 'User Management' interface. A modal window titled 'User Details - Leftenant Welch' is open, showing the following fields and controls:

- Username:** Input field containing 'lwelch'.
- User Role:** Dropdown menu set to 'User'.
- Provider 1:** Dropdown menu set to 'DUE SOUTH MEDICAL'.
- Provider 2:** Dropdown menu set to 'N/A'.
- Provider 3:** Dropdown menu set to 'N/A'.
- Click to Unlock:** A button with a blue lock icon.
- Reset Password:** A button.
- Save:** A green button.
- Cancel:** A grey button.

The background interface includes a 'User Management' header, a 'Provider: DUE SC' dropdown, and a list of users with edit icons.

Figure 43: User Management—User Details

Edit a User

The User Details popup provides the following for editing:

- User Role
- Provider 1, 2, and 3 (separate fields)
- Lock/Unlock
- Reset Password

Editing User Role and Provider are self-explanatory.

Lock/Unlock

The Lock/Unlock function disables or enables a user. If Lock is set, the user is disabled and cannot access the system. All users are unlocked by default.

Reset Password

The Reset Password function resets a user's password by having the system generate a temporary password and display it to the admin. Users having their passwords reset are re-directed to the eMedNY Self-Service Portal when they log in to create a permanent password.

Instructions

Create User

1. Select the applicable provider from the Provider drop-down.
2. Enter the user's first and last names in the First Name and Last Name fields.
3. Enter the username in the Create Username field.
4. Select the User Role from the Select User Role drop-down.
5. Click Add User to add the user.

Edit User

1. Select the applicable provider from the Provider drop-down. The active users of the provider display under Current list of active users by provider.
2. Click either a user's name or the edit icon on its far right to edit the user. The User Details popup displays.
3. Make changes as needed to User Role and the Provider (1, 2, and 3) fields.
4. Use the lock icon on the right to lock or unlock the user, if needed.
5. Click Save to update.

Reset Password

1. With a user selected for editing (User Details popup active), click Reset Password.
2. Click Yes to the Are you sure? prompt. The system displays the user's temporary password.
3. Record the temporary password.
4. Click Close under the password.
5. Notify the user of the temporary password and include a reminder that the system will re-direct to the eMedNY Self-Service Portal upon logging in to change it to a permanent one.