ORDERED AMBULATORY Procedure Codes

eMedNY New York State Medicaid Provider Procedure Code Manual

eMedNY > Procedure Codes



New York State Medicaid
Office of Health Insurance
Department of Health

CONTACTS and LINKS:

eMedNY URL https://www.emedny.org/

eMedNY Contact Information (800) 343-9000

eMedNY: Billing Questions, Remittance Clarification, Request for Claim Forms, ePACES Enrollment, Electronic Claim Submission Support (eXchange, FTP), Provider Enrollment, Requests for paper prior approval forms

eMedNY Contacts PDF

eMedNY > Procedure Codes



Table of Contents

1	DOCUM	ENT CONTROL PROPERTIES	5
<u>2</u>	<u>GENERA</u>	L INFORMATION AND INSTUCTIONS	5
	<u>2.1</u>	OVERVIEW	5
	2.2	LABORATORY SERVICES INFORMATION	6
	<u>2.3</u>	RADIOLOGY INFORMATION	6
<u>3</u>	MMIS M	ODIFIERS	9
<u>4</u>	RADIOLO	OGY S <mark>ERV</mark> ICES	10
	4.1	DIAGNOSTIC RADIOLOGY (DIAGNOSTIC IMAGING)	10
	<u>4.2</u>	DIAGNOSTIC ULTRASOUND	20
	<u>4.3</u>	RADIOLOGIC GUIDANCE	23
	<u>4.4</u>	BREAST, MAMMOGRAPHY	23
	<u>4.5</u>	BONE/JOINT STUDIES	24
	<u>4.6</u>	RADIATION ONCOLOGY	24
	<u>4.7</u>	NUCLEAR MEDICINE	27
<u>5</u>	RADIOPI	HARMACEUTICAL IMAGING AGENTS	31
	<u>5.1</u>	GENERAL INFORMATION AND RULES	31
<u>6</u>	POSITRO	ON EMISSION TOMOGRAPHY (PET)	33
	<u>6.1</u>	GENERAL INFORMATION AND RULES	34
<u>7</u>	MEDICIN	<u>IE</u>	34
	<u>7.1</u>	IMMUNIZATIONS	34
	<u>7.2</u>	IMMUNE GLOBULINS	35
	<u>7.3</u>	IMMUNIZATION ADMINISTRATION FOR VACCINES/TOXOIDS	35
	<u>7.4</u>	VACCINES/TOXOIDS	36
<u>8</u>	J CODE [DRUGS	39
	<u>8.1</u>	MISCELLANEOUS DRUGS	39
	<u>8.2</u>	ORAL CHEMOTHERAPY DRUGS	45
	<u>8.3</u>	INJECTABLE CHEMOTHERAPY DRUGS	45
<u>9</u>	Q CODE	S	50
<u>10</u>	S CODES	;	51
<u>11</u>	CHEMOT	ION, THERAPEUTIC, PROPHYLACTIC, DIAGNOSTIC INJECTIONS AND INFUSIONS THERAPY AND OTHER HIGHLY COMPLEX DRUG OR HIGHLY COMPLEX BIOLOGIC ADMINISTRATION	
		GASTROENTEROLOGY	52
		OPHTHALMOLOGY	53

eMedNY > Procedure Codes



	<u>11.4</u>	SPECIAL OTORHINOLARYNGOLOGIC SERVICES	55
	<u>11.5</u>	CARDIOVASCULAR	56
	<u>11.6</u>	NONINVASIVE VASCULAR DIAGNOSTIC STUDIES	60
	<u>11.7</u>	EXTREMITY ARTERIAL STUDIES (INCLUDING DIGITS)	60
	<u>11.8</u>	PULMONARY	61
	<u>11.9</u>	ALLERGY AND CLINICAL IMMUNOLOGY	62
<u>12</u>	NEUROLO	OGY AND NEUROMUSCULAR PROCEDURES	63
	<u>12.1</u>	ROUTINE ELECTROENCEPHALOGRAPHY (EEG)	63
	<u>12.2</u>	RANGE OF MOTION TESTING	63
	<u>12.3</u>	ELECTROMYOGRAPHY	63
	<u>12.4</u>	ISCHEMIC MUSCLE TESTING AND GUIDANCE FOR CHEMODENERVATION	64
	<u>12.5</u>	NERVE CONDUCTION TESTS	64
	<u>12.6</u>	AUTONOMIC FUNCTION TESTS	64
	<u>12.7</u>	EVOKED POTENTIALS AND REFLEX TESTS	64
	<u>12.8</u>	SPECIAL EEG TESTS	65
	<u>12.9</u>	NEUROSTIMULATORS, ANALYSIS-PROGRAMMING	65
	<u>12.10</u>	OTHER PROCEDURES	65
	<u>12.11</u>	MOTION ANALYSIS	65
	<u>12.12</u>	FUNCTIONAL BRAIN MAPPING	66
<u>13</u>	<u>ADAPTIVI</u>	E BEHAVIOR TREATMENT	66
	<u>13.1</u>	ADAPTIVE BEHAVIOR ASSESSMENTS	66
	<u>13.2</u>	ADAPTIVE BEHAVIOR TREATMENT	66
<u>14</u>		NERVOUS SYSTEM ASSESSMENTS/TESTS (e.g., NEURO-COGNITIVE, MENTAL S	
	SPEECH T		67
		ASSESSMENT OF APHASIA AND COGNITIVE PERFORMANCE TESTING	67
	· · · · · · · · · · · · · · · · · · ·	PSYCHOLOGICAL/NEUROPSYCHOLOGICAL TESTING	67
		ANEOUS ORDERED AMBULATORY SERVICES	67
<u>16</u>	<u>REHABILI</u>	TATION SERVICES	68
	<u>16.1</u>	SPEECH LANGUAGE PATHOLOGY	69
	<u>16.2</u>	PHYSICAL THERAPY SERVICES/OCCUPATIONAL THERAPY	69
17	USE OF T	HE OPERATING ROOM	69

eMedNY > Procedure Codes



1 DOCUMENT CONTROL PROPERTIES

Control Item	Value
Document Name	Order Ambulatory Procedure Codes
Document Control Number	2024-1
Document Type	Procedure Code Manual
Document Version	2024-V1
Document Status	
Effective date	April 2024

2 GENERAL INFORMATION AND INSTUCTIONS

2.1 OVERVIEW

- A. **INQUIRY:** Any questions regarding this section should be directed to the New York State Department of Health (See Inquiry Section under Information For All Providers).
- B. **BY REPORT**: A service that is rarely provided, unusual, variable, or new may require a special report in determining medical appropriateness of the service as indicated by "BR" in the Fee Schedule. Pertinent information should include an adequate definition or description of the nature, extent, and need for the procedure, and the time, effort, and equipment necessary to provide the service. Additional items which may be included are: Complexity of symptoms, final diagnosis, pertinent physical findings (such as size, locations, and number of lesion(s), if appropriate), diagnostic and therapeutic procedures (including major supplementary surgical procedures, if appropriate), concurrent problems, and follow-up care.
 - a. When the value of a procedure is to be determined "By Report" (BR), information concerning the nature, extent and need for the procedure or service must be furnished in addition to the time, skill and equipment necessitated. Appropriate documentation (e.g., procedure descriptions, itemized invoices, etc.) should accompany all claims submitted.
 - b. Reimbursement for supplies and materials (including drugs, vaccines, and immune globulins) furnished by practitioners to their patients is based on the acquisition cost to the practitioner. For all items furnished in this fashion it is expected that the practitioner will maintain auditable records of the actual itemized invoice cost represented on the invoice. New York State Medicaid does not intend to pay more than the acquisition cost, as established by invoice, to the practitioner. Regardless of whether an invoice must be submitted to Medicaid for payment, the practitioner is expected to limit his or her Medicaid claim amount to the actual invoice cost of the item provided.
 - c. Itemized invoices must document acquisition cost, the line-item cost from a

eMedNY > Procedure Codes



manufacturer or wholesaler net of any rebates, discounts, or other valuable considerations.

- c. UNLISTED PROCEDURES: The value and appropriateness of services not specifically listed in the Fee Schedule will be manually reviewed by medical professional staff. The procedure codes to be utilized when submitting claims for such services may be found in this section.
- D. **DVS AUTHORIZATION (#):** Codes followed by # require an authorization via the dispensing validation system (DVS) before services are rendered.
- E. FEES: Fees in the Fee Schedule are the maximum reimbursable Medicaid fees and are available at: http://www.emedny.org/ProviderManuals/OrderedAmbulatory/index.html

2.2 LABORATORY SERVICES INFORMATION

To claim payment for laboratory services performed on an ordered ambulatory basis, the applicable procedure codes and fees must be identified from the Laboratory Provider Manual Fee Schedule.

2.3 RADIOLOGY INFORMATION

Fees listed in the Fee Schedule represent maximum allowances for reimbursement purposes in the Medicaid Program and include the administrative, technical, and professional components of the service provided. To determine the fee applicable only to the technical and administrative component, multiply the listed dollar value by a maximum conversion factor of 60%. (See below for further reference to the administrative, technical, and professional components of a radiology fee item.)

Fees listed in the Fee Schedule are to be considered as payment for the complete radiological procedure, unless otherwise indicated. In order to be paid for both the professional and the technical and administrative components of the radiology service, qualified facilities which provide radiology services on an ordered ambulatory basis must perform the professional component of radiology services and own or directly lease the equipment and must supervise and control the radiology technician who performs the radiology procedures.

Each State agency may determine, on an individual basis, fees for services or procedures not included in the Fee Schedule. Such fee determinations should be reported promptly to the Division of Health Care Financing of the State Department of Health for review by the Interdepartmental Committee on Health Economics for possible incorporation in the Radiology Fee Schedule.

2.3.1 RADIOLOGY PRIOR APPROVAL (underlined procedure codes)

Information for Radiology Providers-

If you are performing a CT, CTA, MRI, MRA, Cardiac Nuclear, or PET procedure, you must verify that an approval has been obtained before performing these diagnostic imaging services for New York Medicaid FFS. Approvals will be required for claims payment. Failure to obtain an approval number may delay or prevent payment of a claim. Beneficiaries who are eligible for both Medicaid and Medicare (dual eligible) or beneficiaries who are enrolled in a managed

eMedNY > Procedure Codes



care plan are not included. Additional information is available at: http://www.emedny.org/ProviderManuals/Radiology/index.html

2.3.2 TECHNICAL, ADMINISTRATIVE AND PROFESSIONAL RADIOLOGY COMPONENTS

When radiological services are rendered in hospital departments by radiologists who receive no salary/compensation from the facility for patient care and who bill separately, the charge for the professional component may not exceed 40% of the maximum fee listed in the Fee Schedule. The remaining 60% of the fee is the maximum amount applicable for the technical and administrative services provided by the hospital. No payment will be made to a qualified facility solely for the professional component.

The professional component (see modifier -26) for radiological services is intended to cover professional services, when applicable, as listed below:

- A. Determination of the problem, including interviewing the patient, obtaining the history, and making appropriate physical examination to determine the method of performing the radiologic procedure.
- B. Study and evaluation of results obtained in diagnostic or therapeutic procedures, interpretation of radiographs or radioisotope data estimation resultant from treatment.
- C. Dictating report of examination or treatment.
- D. Consultation with referring physician regarding results of diagnostic or therapeutic procedures.
- E. The technical or administrative component (see modifier -TC) includes items such as: cost or charges for technologists, clerical staff, films, opaques, radioactive materials, chemicals, drugs or other materials, purchase, rental use or maintenance of space, equipment, telephone services or other facilities or supplies.

Certain radiological procedures require the performance of a medical or surgical procedure (e.g., studies necessitating an injection of radiopaque media, fluoroscopy, consultation) which must be performed by the radiologist and is not separable into technical and professional components for billing purposes. In these instances, reimbursement for the medical or surgical procedure will be made to the physician via the appropriate procedure code listed in the Physician Fee Schedules.

2.3.3 GENERAL RULES

General rules which apply to all procedure codes in Radiology including sections of Diagnostic Radiology, Diagnostic Ultrasound, Radiation Oncology and Nuclear Medicine are as follows:

- A. Dollar values include usual contrast media, equipment, and materials. An additional charge may be warranted when special materials are provided.
- B. Dollar values include consultation and a written report to the referring physician.
- C. When multiple X-ray examinations are performed during the same visit, reimbursement shall be limited to the greater fee plus 60% of the lesser fee(s). When more than one part of the body is included in a single X-ray for which reimbursement is claimed, the charge shall be only for a single X-ray. When bilateral X-ray examinations are performed during

eMedNY > Procedure Codes



the same visit, reimbursement shall be limited to 160% of the procedure value (see modifier -50). The above provisions regarding fee reductions for multiple X-rays are applicable to X-rays taken of all parts of the body.

- D. When repeat X-ray examinations of the same part and for the same illness are required because of technical or professional error in the original X-rays, such repeat X-rays are not eligible for payment. (See Rule 5 below.)
- E. When a repeat X-ray examination of the same part and for the same illness is required for reasons other than technical or professional error in the original X-ray, it should be identified by use of modifier -76.
- F. RADIOLOGICAL SUPERVISION AND INTERPRETATION CODES: The maximum fee is applicable when the facility incurs the costs of both the technical/administrative and professional components of the imaging procedure. (For the technical or administrative component of imaging procedures, see modifier -TC). When the procedure is performed on an ordered ambulatory basis by a non-salaried/non-compensated physician, reimbursement will be made for the technical /administrative component of the imaging procedure via the use of modifier -TC on the appropriate "radiological supervision and interpretation" code.
- G. **BY REPORT**: A service that is rarely provided, unusual, variable, or new may require a special report in determining medical appropriateness of the service as indicated by "BR" in the Fee Schedule. Pertinent information should include an adequate definition or description of the nature, extent, and need for the procedure, and the time, effort, and equipment necessary to provide the service.

Additional items which may be included are: complexity of symptoms, final diagnosis, pertinent physical findings (such as size, locations, and number of lesion(s), if appropriate), diagnostic and therapeutic procedures (including major and supplementary surgical procedures, if appropriate), concurrent problems, and follow up care.

When the value of a procedure is to be determined "By Report" (BR), information concerning the nature, extent and need for the procedure or service must be furnished in addition to the time, skill and equipment necessitated. Appropriate documentation (e.g., procedure description, itemized invoices, etc.) should accompany all claims submitted.

Itemized invoices must document acquisition cost, the line-item cost from a manufacturer or wholesaler net of any rebates, discounts or other valuable considerations.

eMedNY > Procedure Codes



H. **SEPARATE PROCEDURES**: Some of the listed procedures are commonly carried out as an integral part of a total service, and as such, do not warrant a separate identification. When, however, such a procedure is performed independently of, and is not immediately related to, other services, it may be listed as a "separate procedure." Thus, when a procedure that is ordinarily a component of a larger procedure is performed alone for a specific purpose, it may be reported as a separate procedure.

3 MMIS MODIFIERS

Note: NCCI associated modifiers are recognized for NCCI code pairs/related edits. For additional information please refer to the CMS website: http://www.cms.hhs.gov/NationalCorrectCodInitEd/

Under certain circumstances, the MMIS code identifying a specific procedure or service must be expanded by two additional characters to further define or explain the nature of the procedure.

The circumstances under which such further description is required are detailed below along with the appropriate modifiers to be added to the basic code when the particular circumstance applies.

- <u>Professional Component</u>: Certain procedures are a combination of a physician component and a technical component. When the physician component is reported separately, the service may be identified by adding the modifier -26 to the usual procedure number. (Reimbursement will not exceed 40% of the maximum State Medical Fee Schedule amount.)
- Technical Component: Under certain circumstances, a charge may be made for the technical component alone. Under those circumstances the technical component charge is identified by adding modifier -TC to the usual procedure number. Technical component charges are institutional charges and not billed separately by physicians. (Reimbursement will not exceed 60% of the maximum State Medical Fee Schedule amount.)
- Bilateral Procedures (X-ray): When bilateral X-ray examinations are performed, the service will be identified by adding the modifier -50 to the usual procedure code number. (Reimbursement will not exceed 160% of the maximum State Medical Fee Schedule amount. One claim line is to be billed representing the bilateral procedure. Amount billed should reflect total amount due.)
- Repeat X-ray Procedure: When a repeat X-ray examination of the same part and for the same illness is required for reasons other than technical or professional error in the original X-ray, it will be identified by adding modifier -76. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)
- **FP** <u>Service Provided as Part of a Family Planning Program</u>: All Family Planning Services will be identified by adding the modifier -FP to the usual procedure code number.



(Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)

340B Purchased Drug: Drugs purchased through the 340B Program.

4 RADIOLOGY SERVICES

4.1 DIAGNOSTIC RADIOLOGY (DIAGNOSTIC IMAGING)

4.1.1 HEAD AN	ID NECK
----------------------	---------

4, 1. 1	HEAD AND NECK
70010	Myelography, posterior fossa; radiological supervision and interpretation
70015	Cisternography, positive contrast; radiological supervision and interpretation
70030	Radiologic examination, eye, for detection of foreign body (includes detection and
Ť	lo <mark>cali</mark> zation)
70100	Radiologic examination, mandible; partial, less than four views
70110	complete, minimum of four views
70120	Radiologi <mark>c ex</mark> amination, mas <mark>toi</mark> ds; less than three views per side
70130	complete, minimum of three views per side
70134	Radiologic examination, internal auditory meati, complete
70140	Radiologic examination, facial bones, less than three views
70150	complete, minimum of three views
70160	Radiologic examination, nasal bones, complete, minimum of three views
70170	Dacryocystography, nasolacrimal duct; radiological supervision and interpretation
70190	Radiologic examination, optic foramina
70200	orbits, complete, minimum of four views
70210	Radiologic examination, sinuses, paranasal; less than three views
70220	complete, minimum of three views
70240	Radiologic examination, sella turcica
70250	Radiologic examination, skull; less than four views
70260	complete, minimum of four views
70300	Radiologic examination, teeth; single view
70310	partial examination, less than full mouth
70320	complete, full mouth
70328	Radiologic examination, temporomandibular joint, open and closed mouth; unilateral
70330	bilateral
70332	Temporomandibular joint arthrography; radiological supervision and interpretation
<u>70336</u>	Magnetic resonance (eg, proton) imaging, temporomandibular joint
70350	Cephalogram, orthodontic
70355	Orthopantogram (eg, panoramic x-ray)
70360	Radiologic examination; neck, soft tissue
70370	pharynx or larynx, including fluoroscopy and/or magnification technique
70371	Complex dynamic pharyngeal and speech evaluation by cine or video recording
70380	Radiologic examination, salivary gland for calculus
70390	Sialography; radiological supervision and interpretation
<u>70450</u>	Computed tomography, head or brain; without contrast material

eMedNY > Procedure Codes



<u>70460</u>	with contrast material(s)
<u>70470</u>	without contrast material, followed by contrast material(s) and further sections
<u>70480</u>	Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear;
	without contrast material
<u>70481</u>	with contrast material(s)
<u>70482</u>	without contrast material, followed by contrast material(s) and further sections
70486	Computed tomography, maxillofacial area; without contrast material
70487	with contrast material(s)
70488	without contrast material, followed by contrast material(s) and further sections
<u>70490</u>	Computed tomography, soft tissue neck; without contrast material
70491	with contrast material(s)
70492	without contrast material, followed by contrast material(s) and further sections
70496	Computed tomographic angiography, head, with contrast material(s), including
	noncontrast images, if performed, and image postprocessing
70498	Computed tomographic angiography, neck, with contrast material(s), including
<u> </u>	noncontrast images, if performed, and image postprocessing
70540	Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast
70510	material(s)
70542	with contrast material
<u>70543</u>	without contrast material(s), followed by contrast material(s) and further
10313	sequences
70544	Magnetic resonance angiography, head; without contrast material(s)
70545	with contrast material(s)
70546	with contrast material(s), followed by contrast material(s) and further
70540	sequences
70547	Magnetic resonance angiography, neck; without contrast material(s)
70548	with contrast material
70549	with contrast material (s), followed by contrast material (s) and further
10373	sequences
70551	Magnetic resonance (eg, proton) imaging, brain, (including brain stem); without
10331	contrast material
70552	with contrast material(s)
70552	with contrast material(s) without contrast material, followed by contrast material(s) and further sequences
	Magnetic resonance imaging, brain, functional MRI; including test selection and
<u>70555</u>	
	administration of repetitive body part movement and/or visual stimulation, requiring
70557	physician or psychologist administration of entire neurofunctional testing
70557	Magnetic resonance (eg, proton) imaging, brain, (including brain stem and skull base),
	during open intracranial procedure (eg, to assess for residual tumor or residual vascular
70550	malformation); without contrast material
70558	with contrast material(s)
70559	without contrast material(s), followed by contrast material(s) and further
	sequences

4.1.2 CHEST





71045	Radiologic examination, chest; single view
71046	2 views
71047	3 views
71048	4 or more views
71100	Radiologic examination, ribs, unilateral; two views
71101	including posteroanterior chest, minimum of three views
71110	Radiologic examination, ribs, bilateral; three views
71111	including posteroanterior chest, minimum of four views
71120	Radiologic examination; sternum, minimum of two views
71130	sternoclavicular joint or joints, minimum of three views
71250	Computed tomography, thorax, diagnostic; without contrast material
<u>71260</u>	with contrast material(s)
<u>71270</u>	without contrast material, followed by contrast material(s) and further sections
71271	Computed tomography, thorax, low dose for lung cancer screening, without contrast
	material(s)
<u>71275</u>	Computed tomographic angiography, chest (noncoronary), with contrast material(s),
	including noncontrast images, if performed, and image postprocessing
<u>71550</u>	Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and
	mediastinal lymphadenopathy); without contrast material(s)
<u>71551</u>	with contrast material(s)
<u>71552</u>	without contrast material(s), followed by contrast material(s) and further
	sequences
<u>71555</u>	Magnetic resonance angiography, chest (excluding myocardium), with or without
	contrast material(s)
4.1.3	SPINE AND PELVIS
72020	Radiologic examination, spine, single view, specify level

72020	Radiologic examination, spine, single view, specify level
72040	Radiologic examination, spine, cervical; 2 or 3 views
72050	4 or 5 views
72052	6 or more views
72070	Radiologic examination, spine; thoracic, 2 views
72072	thoracic, 3 views
72074	thoracic, minimum of 4 views
72080	thoracolumbar junction, minimum of 2 views
72081	Radiologic examination, spine, entire thoracic and lumbar, including
	skull, cervical and sacral spine if performed (eg, scoliosis evaluation);
	one view
72082	2 or 3 views
72083	4 or 5 views
72084	minimum of 6 views
72100	Radiologic examination, spine, lumbosacral; 2 or 3 views
72110	minimum of 4 views
72114	complete, including bending views, minimum of 6 views
72120	bending views only, 2 or 3 views





<u>72125</u>	Computed tomography, cervical spine; without contrast material
<u>72126</u>	with contrast material(s)
<u>72127</u>	without contrast material, followed by contrast material(s) and further sections
<u>72128</u>	Computed tomography, thoracic spine; without contrast material
<u>72129</u>	with contrast material(s)
<u>72130</u>	without contrast material, followed by contrast material(s) and further sections
<u>72131</u>	Computed tomography, lumbar spine; without contrast material
<u>72132</u>	with contrast material(s)
<u>72133</u>	without contrast material, followed by contrast material(s) and further sections
<u>72141</u>	Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical; without
	contrast material
<u>72142</u>	with contrast material(s)
<u>72146</u>	Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic; without
	c <mark>ontr</mark> ast material
<u>72147</u>	with contrast material(s)
<u>72148</u>	Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; without
70440	contrast material
<u>72149</u>	with contrast material(s)
<u>72156</u>	Magnetic resonance (eg, proton) imaging, spinal canal and contents without contrast
72457	material, followed by contrast material(s) and further sequences; cervical
<u>72157</u>	thoracic
<u>72158</u>	lumbar
<u>72159</u>	Magnetic resonance angiography, spinal canal and contents, with or without contrast
72170	material(s) Padiologic evamination, polyic: 1 or 2 views
72170 72190	Radiologic examination, pelvis; 1 or 2 views complete, minimum of 3 views
72190 72191	Computed tomographic angiography, pelvis, with contrast material(s), including
<u>12191</u>	noncontrast images, if performed, and image postprocessing
72192	Computed tomography, pelvis; without contrast material
<u>72192</u> 72193	with contrast material(s)
<u>72193</u> 72194	without contrast material, followed by contrast material(s) and further sections
<u>72191</u> 72195	Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s)
<u>72196</u>	with contrast material(s)
<u>72197</u>	without contrast material(s), followed by contrast material(s) and further
<u> </u>	sequences
72198	Magnetic resonance angiography, pelvis, with or without contrast material(s)
72200	Radiologic examination, sacroiliac joints; less than 3 views
72202	3 or more views
72220	Radiologic examination, sacrum and coccyx, minimum of 2 views
	-

4.1.4 UPPER EXTREMITIES

73000	Radiologic examination; clavicle, complete
73010	scapula, complete
73020	Radiologic examination, shoulder; 1 view





73030	complete, minimum of 2 views
73040	Radiologic examination, shoulder, arthrography, radiological supervision and
13040	interpretation
73050	Radiologic examination; acromioclavicular joints, bilateral, with or without weighted
73030	distraction
73060	humerus, minimum of 2 views
73070	
	Radiologic examination, elbow; 2 views
73080	complete, minimum of 3 views
73085	Radiologic examination, elbow, arthrography, radiological supervision and
72000	interpretation
73090	Radiologic examination; forearm, 2 views
73092	upper extremity, infant, minimum of 2 views
73100	Radiologic examination, wrist; 2 views
73110	complete, minimum of 3 views
73115	Radiologic examination, wrist, arthrography, radiological supervision and interpretation
73120	Radiologi <mark>c e</mark> xamination, hand; 2 views
73130	mi <mark>nim</mark> um of 3 views
73140	Radiologi <mark>c e</mark> xamination, finger(s), minimum of 2 views
<u>73200</u>	Computed tomography, upper extremity; without contrast material
<u>73201</u>	with contrast material(s)
<u>73202</u>	without contrast material, followed by contrast material(s) and further sections
<u>73206</u>	Computed tomographic angiography, upper extremity, with contrast material(s),
	including noncontrast images, if performed, and image postprocessing
<u>73218</u>	Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; without
	contrast material(s)
<u>73219</u>	with contrast material(s)
<u>73220</u>	without contrast material(s), followed by contrast material(s) and further
	sequences extremity, other than joint
<u>73221</u>	Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without
	contrast material(s)
<u>73222</u>	with contrast material(s)
<u>73223</u>	without contrast material(s), followed by contrast material(s) and further sections
73225	Magnetic resonance angiography, upper extremity, with or without contrast material(s)
4.1.5	LOWER EXTREMITIES
73501	Radiologic examination, hip, unilateral, with pelvis when performed, 1 view
73502	2-3 views
73503	minimum of 4 views
73521	Radiologic examination, hips, bilateral, with pelvis when performed, 2 views
73522	3-4 views
73523	minimum 5 views
73525	Radiologic examination, hip, arthrography, radiological supervision and interpretation
73551	Radiologic examination, femur; 1 view
73552	minimum 2 views

eMedNY > Procedure Codes



73560	Padialogic avamination know 1 or 2 views
73562	Radiologic examination, knee; 1 or 2 views 3 views
73564	complete, 4 or more views
73565	both knees, standing, anteroposterior
73580	Radiologic examination, knee, arthrography; radiological supervision and interpretation
73590	Radiologic examination; tibia and fibula, 2 views
73592	lower extremity, infant, minimum of 2 views
73600	Radiologic examination, ankle; 2 views
73610	complete, minimum of 3 views
73615	Radiologic examination, ankle, arthrography, radiological supervision and interpretation
73620	Radiologic examination, foot; 2 views
73630	complete, minimum of 3 views
73650	Radiologic examination; calcaneus, minimum of 2 views
73660	toe(s), minimum of 2 views
<u>73700</u>	Computed tomography, lower extremity; without contrast material
<u>73701</u>	with contrast material(s)
<u>73702</u>	without contrast material, followed by contrast material(s) and further sections
<u>73706</u>	Computed tomographic angiography, lower extremity, with contrast material(s), including
	noncontrast images, if performed, and image postprocessing
<u>73718</u>	Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without contrast
	material(s)
73719	with contrast material(s)
73720	without contrast material(s) followed by contrast material(s) and further sequences
73721	Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast
	material
73722	with contrast material(s)
73723	without contrast material(s), followed by contrast material(s) and further sequence
73725	Magnetic resonance angiography, lower extremity, with or without contrast material(s)
	ag. care rate and group ray, rate and army, the
4.1.6	ABDOMEN
74018	Radiologic examination, abdomen; 1 view
74019	2 views
74021	3 or more views
74022	Radiologic examination, complete acute abdomen series, including 2 or more views of
	the abdomen (eg, supine, erect, decubitus), and a single view chest
74150	Computed tomography, abdomen; without contrast material
74160	with contrast material(s)
74170	without contrast material, followed by contrast material(s) and further sections
<u>74174</u>	Computed tomographic angiography, abdomen and pelvis, with contrast material(s),
<u>/ 11/ 1</u>	including noncontrast images, if performed, and image postprocessing
<u>74175</u>	Computed tomographic angiography, abdomen, with contrast material(s), including
1 111 3	noncontrast images, if performed, and image postprocessing
74176	Computed tomography, abdomen and pelvis; without contrast material
<u>74170</u> <u>74177</u>	with contrast material
<u> </u>	WILLI COTILIASE MALEMAI

eMedNY > Procedure Codes



<u>74178</u>	without contrast material in one or both body regions, followed by contrast material(s) and further sections in one or both body regions
74181 74182	Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s) with contrast material(s)
74183	without contrast material(s), followed by contrast material(s) and further sequences
<u>74185</u>	Magnetic resonance angiography, abdomen, with or without contrast material(s)
74190	Peritoneogram (eg, after injection of air or contrast), radiological supervision and interpretation
4	
	SASTROINTESTINAL TRACT
74210	Radiologic examination, pharynx and/or cervical esophagus, including scout neck radiograph(s) and delayed image(s), when performed, contrast (eg, barium) study
74220	Radiologic examination, esophagus, including scout chest radiograph(s) and delayed image(s), when performed; single-contrast (eg, barium) study
74221	doub <mark>le-c</mark> ontrast (eg, high-density barium and effervescent agent) study
74230	Radiologic examination, swallowing function, with cineradiography/videoradiography, including scout neck radiograph(s) and delayed image(s), when performed, contrast (eg, barium) study
74235	Removal of foreign body(s), esophageal, with use of balloon catheter, radiological
	supervision and interpretation
74240	Radiologic examination, upper gastrointestinal tract, including scout abdominal
	radiograph(s) and delayed image(s), when performed; single-contrast (eg, barium)
7.40.46	study
74246	double-contrast (eg, high-den <mark>sity b</mark> arium <mark>and e</mark> fferve <mark>sce</mark> nt agent) study, including glucagon, when administered
74248	Radiologic small bowel follow-through study, including multiple serial images (List separately in addition to code for primary procedure for upper GI radiologic examination
74250	Radiologic examination, small intestine, including multiple serial images and scout abdominal radiograph(s), when performed; single-contrast (eg, barium) study
74251	double-contrast (eg, high-density barium and air via enteroclysis tube) study, including glucagon, when administered
<u>74261</u>	Computed tomographic (CT) colonography, diagnostic, including image postprocessing;
	without contrast material
<u>74262</u>	Computed tomographic (CT) colonography, diagnostic, including image
	postprocessing; with contrast material
74263	Computed tomographic (CT) colonography, screening, including image postprocessing
74270	Radiologic examination, colon, including scout abdominal radiograph(s) and delayed
	image(s), when performed; single-contrast (eg, barium) study
74280	double-contrast (eg, high density barium and air) study, including glucagon when administered

eMedNY > Procedure Codes



_		
	74283	Therapeutic enema, contrast or air, for reduction of intussusception or other intraluminal obstruction (eg, meconium ileus)
	74290	Cholecystography, oral contrast;
	74328	Endoscopic catheterization of the biliary ductal system, radiological supervision and interpretation
	74329	Endoscopic catheterization of the pancreatic ductal system, radiological supervision and
	74323	interpretation
	74330	Combined endoscopic catheterization of the biliary and pancreatic ductal systems,
1	- 12.12	radiological supervision and interpretation
4	74340	Introduction of long gastrointestinal tube (eg, Miller-Abbott), including multiple
		fluoroscopies and images, radiological supervision and interpretation
	74355	Pe <mark>rcutaneous</mark> placement of enteroclysis tube, radiological supervision and
		int <mark>erp</mark> retation
	74360	Intraluminal dilation of strictures and/or obstructions (eg, esophagus), radiological
		supervision and interpretation
	74363	Percutaneous transhepatic d <mark>ilati</mark> on of biliary duct stricture with or without placement of
		stent, rad <mark>iol</mark> ogical supervision and interpretation
		URINARY TRACT
	74400	Urography (pyelography), intravenous, with or without KUB, with or without
		tomography
	74410	Urography, infusion, drip technique and/or bolus technique
	74420	Urography, retrograde, with or without KUB
	74425	Urography, antegrade, radiological supervision and interpretation
	74430	Cystography, minimum of three views, radiological supervision and interpretation
	74440	Vasography, vesiculography, or epididymography, radiological supervision and interpretation
	74445	Corpora cavernosography, radiological supervision and interpretation

4.1.9 GYNECOLOGICAL AND OBSTETRICAL

<u>74712</u>	Magnetic resonance imaging (eg, proton) imaging, fetal, including placental and
	maternal pelvic imaging when performed; single or first gestation
<u>74713</u>	each additional gestation (List separately in addition to code for primary
	procedure
74740	Hysterosalpingography, radiological supervision and interpretation
74742	Transcervical catheterization of fallopian tube, radiological supervision and
	interpretation
74775	Perineogram (eg, vaginogram, for sex determination or extent of anomalies)

Urethrocystography, retrograde, radiological supervision and interpretation.

Urethrocystography, voiding, radiological supervision and interpretation

4.1.10 HEART

7445074455

<u>75557</u> Cardiac magnetic resonance imaging for morphology and function without contrast material

eMedNY > Procedure Codes



<u>75559</u>	with stress imaging
<u>75561</u>	Cardiac magnetic resonance imaging for morphology and function without contrast
	material(s), followed by contrast material(s) and further sequences;
75563 75565	with stress imaging
<u>75565</u>	Cardiac magnetic resonance imaging for velocity flow mapping (List separately in
	addition to primary procedure)
<u>75574</u>	Computed tomographic angiography, heart, coronary arteries and bypass grafts (when
	present), with contrast material, including 3D image postprocessing (including
	evaluation of cardiac structure and morphology, assessment of cardiac function, and
	evaluation of venous structures, if performed)

4.1.11 VASCULAR PROCEDURES

4.1.11.1 AORTA AND ARTERIES

4.1.11.1	AORIA AND ARTERIES
75600	Aortography, thoracic, without serialography, radiological supervision and
	i <mark>nter</mark> pretation
75605	Aortography, thoracic, by ser <mark>ial</mark> ography, radiological supervision and interpretation
75625	Aortography, abdominal, by serialography, radiological supervision and interpretation
75630	Aortography, abdominal plus bilateral iliofemoral lower extremity, catheter, by
75625	serialography, radiological supervision and interpretation
<u>75635</u>	Computed tomographic angiography, abdominal aorta and bilateral iliofemoral lower
	extremity runoff, with contrast material(s), including noncontrast images, if performed,
	and image postproces <mark>sing</mark>
75705	Angiography, spinal, selective, radiological supervision and interpretation
75710	Angiography, extremity, unilateral, radiological supervision and interpretation
75716	Angiography, extremity, bilateral, radiological supervision and interpretation
75726	Angiography, visceral; selective or supraselective, (with or without flush aortogram),
	radiological supervision and interpretation
75731	Angiography, adrenal, unilateral, selective, radiological supervision and interpretation
75733	Angiography, adrenal, bilateral, selective, radiological supervision and interpretation
75736	Angiography, pelvic, selective or supraselective, radiological supervision and interpretation
75741	Angiography, pulmonary, unilateral, selective, radiological supervision and
73741	interpretation
75743	Angiography, pulmonary, bilateral, selective, radiological supervision and interpretation
75746	Angiography, pulmonary, by nonselective catheter or venous injection, radiological supervision and interpretation
75756	Angiography, internal mammary, radiological supervision and interpretation
75774	Angiography, selective, each additional vessel studied after basic examination,
. 3	radiological supervision and interpretation

4.1.11.2 VEINS AND LYMPHATICS

75801	Lymphangiography, extremity only, unilateral, radiological supervision and interpretation
75803	Lymphangiography, extremity only, bilateral, radiological supervision and interpretation
75805	Lymphangiography, pelvic/abdominal, unilateral, radiological supervision and

eMedNY > Procedure Codes



	interpretation
75807	Lymphangiography, pelvic/abdominal, bilateral, radiological supervision and interpretation
75820	Venography, extremity, unilateral, radiological supervision and interpretation
75822	Venography, extremity, bilateral, radiological supervision and interpretation
75825	Venography, caval, inferior, with serialography, radiological supervision and interpretation
75827	Venography, caval, superior, with serialography, radiological supervision and interpretation
75831	Venography, renal, unilateral, selective, radiological supervision and interpretation
75833	Venography, renal, bilateral, selective, radiological supervision and interpretation
75840	Venography, adrenal, unilateral, selective, radiological supervision and interpretation
75842	Venography, adrenal, bilateral, selective, radiological supervision and interpretation
75860	Venography, venous sinus (eg, petrosal and inferior sagittal) or jugular, catheter, radiological supervision and interpretation
75870	Venography, superior sagittal sinus, radiological supervision and interpretation
75872	Venography, epidural, radiological supervision and interpretation
75880	Venography, orbital, radiological supervision and interpretation
75885	Percutaneous transhepatic portography with hemodynamic evaluation, radiological
75007	supervision and interpretation
75887	Percutaneous transhepatic portography without hemodynamic evaluation, radiological supervision and interpretation

4.1.11.3 TRANSCATHETER THERAPY AND BIOPSY

75894	Transcatheter therapy, embolization, any method, radiological supervision and
	interpretation
75984	Change of percutaneous tube or drainage catheter with contrast monitoring (eg,
	genitourinary system, abscess), radiological supervision and interpretation
75989	Radiological guidance (ie, fluoroscopy, ultrasound, or computed tomography) for
	percutaneous drainage (eg, abscess, specimen collection), with placement of catheter,
	radiological supervision and interpretation

4.1.12 OTHER PROCEDURES

76000	Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care
	professional time
76010	Radiologic examination from nose to rectum for foreign body, single view, child
76080	Radiologic examination, abscess, fistula or sinus tract study, radiological supervision and interpretation
76100	Radiological examination, single plane body section (eg, tomography), other than with urography
76120	Cineradiography/videoradiography, except where specifically included
76125	Cineradiography/videoradiography, to complement routine examination (List separately
	in addition to primary procedure)
76145	Medical physics dose evaluation for radiation exposure that exceeds institutional review

Provider Procedure Codes April 2024

eMedNY > Procedure Codes



	threshold, including report
76376	3D rendering with interpretation and reporting of computed tomography, magnetic
	resonance imaging, ultrasound, or other tomographic modality with image
	postprocessing under concurrent supervision; not requiring image postprocessing on
	an independent workstation
76377	requiring image postprocessing on an independent workstation
<u>76380</u>	Computed tomography, limited or localized follow-up study
764 96	Unlisted fluoroscopic procedure (eg, diagnostic, interventional)
76 497	Unlisted computed tomography procedure (eg, diagnostic, interventional)
76498	Unlisted magnetic resonance procedure (eg, diagnostic, interventional)
76499	Unlisted diagnostic radiographic procedure

4.2 DIAGNOSTIC ULTRASOUND

4.2.1 HEAD AND NECK

76506	E <mark>cho</mark> encephalography, real time with image documentation (gray scale) (for
	determination of ventricular size, delineation of cerebral contents, and detection of fluid
	masses o <mark>r o</mark> ther intracranial abnormalities), including A-mode encephalography as
	secondary component where indicated
76510	Ophthalmic ultrasound, diagnostic; B-scan and quantitative A-scan performed during
	the same patient encounter
76511	quantitative A-scan only
76512	B-scan (with or without superimposed non-quantitative A-scan)
76513	anterior segment ultrasound, immersion (water bath) B-scan or high resolution
	biomicroscopy, unilateral or bilateral
76514	corneal pachymetry, unilateral or bilateral (determination of corneal thickness)
76516	Ophthalmic biometry by ultrasound echography, A-scan;
76519	with intraocular lens power calculation
76529	Ophthalmic ultrasonic foreign body localization
76536	Ultrasound, soft tissues of head and neck (eg, thyroid, parathyroid, parotid), real time
	with image documentation

4.2.2 CHEST

76604	Ultrasound, chest (includes mediastinum) real time with image documentation
76641	Ultrasound, breast, unilateral, real time with image documentation,
	including axilla when performed; complete
76642	limited

4.2.3 ABDOMEN AND RETROPERITONEUM

76700	Ultrasound, abdominal, real time with image documentation; complete
76705	limited (eg, single organ, quadrant, follow-up)
76706	Ultrasound, abdominal aorta, real time with image documentation, screening study
	for abdominal aortic aneurysm (AAA)
76770	Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image
	documentation; complete

eMedNY > Procedure Codes



76775 limited

76776 Ultrasound, transplanted kidney, real time and duplex Doppler with image

documentation

4.2.4 SPINAL CANAL

76800 Ultrasound, spinal canal and contents

4.2.5 PELVIS

4.2.5.1 OBSTETRICAL

76801 Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; (complete fetal and maternal evaluation), single or first gestation

76802 each additional gestation (List separately in addition to primary procedure)

76805 Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, after first trimester (> or = 14 weeks 0 days), transabdominal approach (complete fetal and maternal evaluation); single of first gestation

76810 each additional gestation (List separately in addition to primary procedure)
76811 Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation plus detailed fetal anatomic examination, transabdominal approach; single or first gestation

each additional gestation (List separately in addition to primary procedure)
Ultrasound, pregnant uterus, real time with image documentation, first trimester fetal nuchal translucency measurement, transabdominal or transvaginal approach; single or first gestation

each additional gestation (List separately in addition to primary procedure)
Ultrasound, pregnant uterus, real time with image documentation, limited (eg, fetal heart beat, placental location, fetal position and/or qualitative amniotic fluid volume), one or more fetuses

Ultrasound, pregnant uterus, real time with image documentation, follow-up (eg, re-evaluation of fetal size by measuring standard growth parameters and amniotic fluid volume, re-evaluation of organ system(s) suspected or confirmed to be abnormal on a previous scan), transabdominal approach, per fetus

76817 Ultrasound, pregnant uterus, real time with image documentation, transvaginal Fetal biophysical profile; with non-stress testing

76819 without non-stress testing

76820 Doppler velocimetry, fetal; umbilical artery

(Billable with a diagnosis of polyhydramnios, oligohydramnios, placental transfusion syndromes or poor fetal growth)

76821 middle cerebral artery

(Billable with a diagnosis of rhesus isoimmunization, placental transfusion syndromes or viral diseases complicating pregnancy (e.g. parvovirus B-19 infection))

Echocardiography, fetal, cardiovascular system, real time with image documentation (2D), with or without M-mode recording;

eMedNY > Procedure Codes



76826	follow-up or repeat study
76827	Doppler echocardiography, fetal, pulsed wave and/or continuous wave with spectral
	display; complete
76828	follow-up or repeat study
4.2.5.2	NON-OBSTETRICAL
76830	Ultrasound, transvaginal
76831	Saline infusion sonohysterography (sis), including color flow Doppler, when performed
76856	Ultrasound, pelvic (nonobstetric), real time with image documentation; complete
76857	limited or follow-up (eg, for follicles)
4.2.6	GENITALIA
76870	Ultrasound, scrotum and contents
76872	Ultrasound, transrectal;
76873	prostate volume study for brachytherapy treatment planning (separate
	procedure)
4.2.7	EXTREMITIES
76881	Ultrasound, complete joint (ie, joint space and peri-articular soft tissue structures) real-
	time with image documentation
76882	Ultrasound, limited, joint or focal evaluation of other nonvascular extremity structure(s)
	(eg, joint space, peri-articular tendon(s), muscles (s), nerve(s), other soft tissue
	structure(s), or soft tissue mass(es)), real-time with image documentation
76883	Ultrasound, nerve(s) and accompanying structures throughout their entire anatomic
	course in one extremity, compreh <mark>ensive</mark> , including real-time cine imaging with image
	documentation, per extremity
76885	Ultrasound, infant hips, real time with imaging documentation; dynamic (requiring
	physician or other qualified health care professional manipulation)
76886	limited, static (not requiring physician or other qualified health care professional
	manipulation)
420	LUTPACONIC CUIDANCE PROCEDURES
4.2.8 76932	ULTRASONIC GUIDANCE PROCEDURES
70932	Ultrasonic guidance for endomyocardial biopsy, imaging supervision and interpretation
76937	supervision and interpretation Ultrasonic guidance for vascular access requiring ultrasound evaluation of potential
70937	access sites, documentation of selected vessel patency, concurrent realtime ultrasound
	visualization of vascular needle entry, with permanent recording and reporting (List
	separately in addition to primary procedure)
76940	Ultrasound guidance for, and monitoring of, parenchymal tissue ablation
76941	Ultrasonic guidance for intrauterine fetal transfusion or cordocentesis, imaging
. 05 11	supervision and interpretation
76942	Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization
	device), imaging supervision and interpretation
76945	Ultrasonic guidance for chorionic villus sampling, imaging supervision and

Provider Procedure Codes April 2024

eMedNY > Procedure Codes



interpretation

76946 Ultrasonic guidance for amniocentesis, imaging supervision and interpretation

76965 Ultrasonic guidance for interstitial radioelement application

4.2.9 OTHER PROCEDURES

76975 Gastrointestinal endoscopic ultrasound, supervision and interpretation

7<mark>697</mark>7 Ultrasound bone density measurement and interpretation, peripheral site(s), any

method

76999 Unlisted ultrasound procedure (eg., diagnostic, interventional)

4.3 RADIOLOGIC GUIDANCE

4.3.1 FLUOROSCOPIC GUIDANCE

77001 Fluoroscopic guidance for central venous access device placement, replacement(catheter only or complete), or removal (includes fluoroscopic guidance for vascular access and catheter manipulation, any necessary contrast injections through access site or catheter with related venography radiologic supervision and interpretation, and radiographic documentation of final catheter position) (List separately in addition to primary procedure)

77002 Fluoroscopic guidance for needle placement (eg, biopsy, aspiration, injection, localization device) (List separately in addition to code for primary procedure)

77003 Fluoroscopic guidance and localization of needle or catheter tip for spine or paraspinous diagnostic or therapeutic injection procedures (epidural or subarachnoid) (List separately in addition to code for primary procedure)

4.3.2 COMPUTED TOMOGRAPHY GUIDANCE

77012 Computed tomography guidance for needle placement (eg, biopsy, aspiration, injection, localization device), radiological supervision and interpretation

77013 Computerized tomography guidance for, and monitoring of, parenchymal tissue ablation

4.3.3 MAGNETIC RESONANCE GUIDANCE

77021 Magnetic resonance imaging guidance for needle placement (eg, for biopsy, needle aspiration, injection, or placement of localization device) radiological supervision and interpretation

77022 Magnetic resonance imaging guidance for, and monitoring of, parenchymal tissue ablation

4.4 BREAST, MAMMOGRAPHY

<u>77046</u>	Magnetic resonance imaging, breast, without contrast material; uni	iaterai
77047	bilateral	

77048 Magnetic resonance imaging, breast, without and with contrast material(s), including computer-aided detection (CAD real-time lesion detection, characterization and pharmacokinetic analysis), when performed; unilateral

77049 bilateral

eMedNY > Procedure Codes



77053	Mammary ductogram or galactogram, single duct, radiological supervision and
	interpretation
77054	Mammary ductogram or galactogram, multiple ducts, radiological supervision and
	interpretation
77063	Screening digital breast tomosynthesis, bilateral (List separately in addition to code for
	primary procedure)
77065	Diagnostic mammography, including computer-aided detection (CAD) when
	performed; unilateral
77066	bilateral
77067	Screening mammography, bilateral (2-view study of each breast), including
	computer-aided detection (CAD) when performed

4.5 BONE/JOINT STUDIES

77072	Bone age studies
77073	Bone length studies (orthoroentgenogram, scanogram)
77074	Radiologi <mark>c e</mark> xamination, osse <mark>ou</mark> s survey; limited (eg, for metastases)
77075	Radiologic examination, osseous survey; complete (axial and appendicular skeleton)
77076	Radiologic examination, osseous survey, infant
77077	Joint survey, single view, 2 or more joints (specify)
77078	Computed tomography, bone mineral density study, 1 or more sites; axial skeleton (eg,
	hips, pelvis, spine)
77080	Dual-energy x-ray absorptiometry (DXA), bone density study, 1 or more sites; axial
	skeleton (eg, hips, pelvis, spine)
77081	Dual-energy x-ray absorptiometry (DXA), bone density study, 1 or more sites;
	appendicular skeleton (peripheral) (eg, radius, wrist, heel)
<u>77084</u>	Magnetic resonance (eg, proton) imaging, bone marrow blood supply

4.6 RADIATION ONCOLOGY

77299	Unlisted procedure, therapeutic radiology clinical treatment planning
77399	Unlisted procedure, medical radiation physics, dosimetry and treatment devices, and
	special services
77499	Unlisted procedure, therapeutic radiology clinical treatment management
77799	Unlisted procedure, clinical brachytherapy

For treatment by injectable or ingestible isotopes, see subsection Nuclear Medicine

4.6.1 CLINICAL TREATMENT PLANNING (EXTERNAL AND INTERNAL SOURCES) 77261 Thoropoutic radials restricted to the second sec

77261	Therapeutic radiology treatment planning; simple
77262	intermediate
77263	complex
77280	Therapeutic radiology simulation-aided field setting; simple
77285	intermediate
77290	complex
77293	Respiratory motion management simulation (List separately in addition to code for

eMedNY > Procedure Codes



primary procedure)

77299 Unlisted procedure, therapeutic radiology clinical treatment planning

4.6.2 MEDICAL RADIATION PHYSICS, DOSIMETRY, TREATMENT DEVICES AND SPECIAL SERVICES

- 77295 3-dimensional radiotherapy plan, including dose-volume histograms
- Basic radiation dosimetry calculation, central axis depth dose calculation, TDF, NSD, gap calculation, off axis factor, tissue inhomogeneity factors, calculation of non-ionizing radiation surface and depth dose as required during course of treatment, only when prescribed by the treating physician
- 77301 Intensity modulated radiotherapy plan, including dose-volume histograms for target and critical structure partial tolerance specifications
- 77306 Teletherapy isodose plan; simple (1 or 2 unmodified ports directed to a single area of interest), includes basic dosimetry calculation(s)
- 77307 complex (multiple treatment areas, tangential ports, the use of wedges, blocking, rotational beam, or special beam considerations), includes basic dosimetry calculation(s)
- 77316 Brachytherapy isodose plan; simple (calculation[s] made from 1 to 4 sources, or remote afterloading brachytherapy, 1 channel), includes basic dosimetry calculation(s)
- intermediate (calculation[s] made from 5 to 10 sources, or remote afterloading brachytherapy, 2-12 channels), includes basic dosimetry calculation(s)
- 77318 complex (calculation[s] made from over 10 sources, or remote afterloading brachytherapy, over 12 channels), includes basic dosimetry calculation(s)
- 77321 Special teletherapy port plan, particles, hemibody, total body
- 77331 Special dosimetry (eg, TLD, microdosimetry) (specify), only when prescribed by the treating physician
- 77332 Treatment devices, design and construction; simple (simple block, simple bolus)
 77333 intermediate (multiple blocks, stents, bite blocks, special bolus)
- 77334 Intermediate (multiple blocks, sterits, bite blocks, special bolds)
- 77334 complex (irregular blocks, special shields, compensators, wedges, molds or casts)
- Continuing medical physics consultation, including assessment of treatment parameters, quality assurance of dose delivery, and review of patient treatment documentation in support of the radiation oncologist, reported per week of therapy (Reimbursement is for the global fee)

4.6.3 STEREOTACTIC RADIATION TREATMENT DELIVERY

- 77371 Radiation treatment delivery, stereotactic radiosurgery (SRS), complete course of treatment of cranial lesion(s) consisting of 1 session; multi-source Cobalt 60 based
- 77372 linear accelerator based
- 77373 Stereotactic body radiation therapy, treatment delivery, per fraction to 1 or more lesions, including image guidance, entire course not to exceed 5 fractions

4.6.4 OTHER PROCEDURES

eMedNY > Procedure Codes



77399 Unlisted procedure, medical radiation physics, dosimetry and treatment devices, and special services

4.6.5 RADIATION TREATMENT DELIVERY

Radiation treatment delivery (77401-77416) recognizes the technical component and the various energy levels. Procedure codes 77401-77417 are for the **TC component only**, no modifier required.

77401	Radiation treatment delivery, superficial and/or ortho voltage, per day
77402	Radiation treatment delivery,>1 MeV: simple
77407	interm <mark>edi</mark> ate
77412	complex
77417	Therapeutic radiology port image(s)
77385	Int <mark>en</mark> sity modulated radiation treatment delivery (IMRT), includes guidance and
	tr <mark>acki</mark> ng, when performed; simple
77386	complex
77387	Guidance for localization of target volume for delivery of radiation treatment, includes
	intrafract <mark>ion</mark> tracking, when <mark>per</mark> formed

4.6.6 RADIATION TREATMENT MANAGEMENT

77427	Radiation treatment management, 5 treatments
77431	Radiation therapy management with complete course of therapy consisting of 1 or 2
	factions only
77432	Stereotactic radiation treatment management of cranial lesion(s) (complete course of
	treatment consisting of 1 session)
77435	Stereotactic body radiation therapy, treatment management, per treatment course, to
	one or more lesions, including image guidance, entire course not to exceed 5 fractions
77470	Special treatment procedure (eg, total body irradiation, hemibody irradiation, per oral
	or endocavitary irradiation)

77499 Unlisted procedure, therapeutic radiology clinical treatment management

4.6.7 PROTON BEAM TREATMENT DELIVERY

77520	Proton treatment delivery; simple, without compensation
77522	simple, with compensation
77523	intermediate
77525	complex

4.6.8 HYPERTHERMIA

77600	Hyperthermia, externally generated; superficial (ie, heating to a depth of 4 cm or less)
77605	deep (ie, heating to depths greater than 4 cm)
77610	Hyperthermia generated by interstitial probe(s); 5 or fewer interstitial applicators
77615	more than 5 interstitial applicators

4.6.9 CLINICAL INTRACAVITARY HYPERTHERMIA

77620 Hyperthermia generated by intracavitary probe(s)



4.6.10 CLINICAL BRACHYTHERAPY

77750	Infusion or instillation of radioelement solution (includes 3- month follow-up care)
77761	Intracavitary radiation source application; simple
77762	intermediate
77763	complex
77767	Remote afterloading high dose rate radionuclide skin surface brachytherapy, includes
	basic dosimetry, when performed; lesion diameter up to 2.0 cm or 1 channel
77 768	lesion diameter over 2.0 cm and 2 or more channels, or multiple lesions
77770	Remote afterloading high dose rate radionuclide interstitial or intracavitary
	brachytherapy, includes basic dosimetry, when performed; 1 channel
77771	2-12 channels
77772	over 12 channels
77778	Interstitial radiation source application, complex, includes supervision, handling, loading
	o <mark>f ra</mark> diation source, when performed
77789	Surface application of low dose radionuclide source
77799	Unlisted <mark>pro</mark> cedure, clinical brachytherapy

4.7 NUCLEAR MEDICINE

The services listed do not include the provision of radium or other radioelements. Those materials supplied by the provider should be billed separately and identified by the specific code describing the diagnostic radiopharmaceutical(s) and/or the therapeutic radiopharmaceutical(s) which are listed at the end of this section.

4.7.1 DIAGNOSTIC

4.7.1.1 ENDOCRINE SYSTEM

78012	Thyroid uptake, single or multiple quantitative measurement(s) (including stimulation,
	suppression, or discharge, when performed)
78013	Thyroid imaging (including vascular flow, when performed);
78014	with single or multiple uptake(s) quantitative measurement(s) (including
	stimulation, suppression, or discharge, when performed)
78015	Thyroid carcinoma metastases imaging; limited area (eg, neck and chest only)
78016	with additional studies (eg, urinary recovery)
78018	whole body
78020	Thyroid carcinoma metastases uptake (List separately in addition to primary procedure)
78070	Parathyroid plantar imaging (including subtraction, when performed);
78071	with tomographic (SPECT)
78075	Adrenal imaging, cortex and/or medulla
78099	Unlisted endocrine procedure, diagnostic nuclear medicine

4.7.1.2 HEMATOPOIETIC, RETICULOENDOTHELIAL AND LYMPHATIC SYSTEM

	TIENTAL OF OTELLO, RELIGIOUS TRANSPORTED TO THE STORY
78102	Bone marrow imaging; limited area
78103	multiple areas
78104	whole body

eMedNY > Procedure Codes



78110	Plasma volume, radio-pharmaceutical volume-dilution technique (separate procedure);
70111	single sampling
78111	multiple samplings
78120 78121	Red cell volume determination (separate procedure); single sampling multiple samplings
78121	Whole blood volume determination, including separate measurement of plasma
	volume and red cell volume (radio-pharmaceutical volume-dilution technique)
78130	Red cell survival study
78185	Spleen imaging only, with or without vascular flow
78191	Platelet survival study
78195	Lymphatics and lymph nodes imaging
78199	Unlisted hematopoietic, reticuloendothelial and lymphatic procedure, diagnostic
	nu <mark>cle</mark> ar medicine
4.7.1.3	GASTROINTESTINAL SYSTEM
78201	Liver ima <mark>ging</mark> ; static only
78202	wit <mark>h v</mark> ascular flow
78215	Liver and spleen imaging; static only
78216	with vascular flow
78226	Hepatobiliary system imaging, including gallbladder when present;
78227	with pharmacologic intervention, including quantitative measurement(s) when
	performed
78230	Salivary gland imaging;
78231	with serial images
78232	Salivary gland function study
78258	Esophageal motility
78261	Gastric mucosa imaging
78262	Gastroesophageal reflux study
78264	Gastric emptying imaging study (eg, solid, liquid or both)
78265	Gastric emptying imaging study (eg, solid, liquid, or both); with small bowel transit
78266	with small bowel transit and colon transit, multiple days
78278	Acute gastrointestinal blood loss imaging
78290	Intestine imaging (eg, ectopic gastric mucosa, Meckel's localization, volvulus)
78291	Peritoneal-venous shunt patency test (eg, for LeVeen, Denver shunt)
78299	Unlisted gastrointestinal procedure, diagnostic nuclear medicine
4.7.1.4	MUSCULOSKELETAL SYSTEM
78300	Bone and/or joint imaging; limited area
78305	multiple areas
78306	whole body
78315	three phase study
78350	Bone density (bone mineral content) study; 1 or more sites; single photon
	absorptiometry
78351	dual photon absorptiometry, 1 or more sites

eMedNY > Procedure Codes



78399 Unlisted musculoskeletal procedure, diagnostic nuclear medicine

4.7.1.5	CARDIOVASCULAR SYSTEM
<u>78451</u>	Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction,
	qualitative or quantitative wall motion, ejection fraction by first pass or gated technique,
	additional quantification, when performed); single study, at rest or stress (exercise or
	pharmacologic)
<u>78452</u>	Multiple studies, at rest and/or stress (exercise or pharmacologic) and/or redistribution
	and/or rest reinjection
<u>78453</u>	Planar (including qualitative or quantitative wall motion, ejection fraction by first pass or
V	gated technique, additional quantification, when performed); single study, at rest or
	stress (exercise or pharmacologic)
<u> 78454</u>	Planar (including qualitative or quantitative wall motion, ejection fraction by first pass or
	gated technique, additional quantification, when performer); multiple studies, at rest
	and/or stress (exercise or pharmacologic) and/or redistribution and/or rest reinjection
78456	Acute ve <mark>nou</mark> s thrombosis im <mark>agi</mark> ng, peptide
78457	Venous t <mark>hro</mark> mbosis imaging, venogram; unilateral
78458	bila <mark>ter</mark> al
<u>78459</u>	Myocardial imaging, positron emission tomography (PET), metabolic evaluation study
	(including ventricular wall motion(s) and/or ejection fraction(s), when performed), single
	study;
<u>78429</u>	with concurrently acquired computed tomography transmission scan
<u>78466</u>	Myocardial imaging, infarct avid, planar, qualitative or quantitative
<u>78468</u>	with ejection fraction by first pass technique
<u>78469</u>	tomographic SPECT with or without quantification
<u>78472</u>	Cardiac blood pool imaging, gated equilibrium, planar, single study at rest or with
	stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or
70.470	without additional quantitative processing
<u>78473</u>	multiple studies, wall motion study plus ejection fraction, at rest and stress
70.404	(exercise and/or pharmacologic), with or without additional quantification
<u>78481</u>	Cardiac blood pool imaging, (planar), first pass technique; single study, at rest or with
70402	
<u>70403</u>	
79.401	
<u> 70431</u>	
78/30	· · · · · · · · · · · · · · · · · · ·
70430	· · · · · · · · · · · · · · · · · · ·
78492	
	· · · · · · · · · · · · · · · · · · ·
<u>, </u>	·
78432	
78483 78491 78430 78492 78431 78432	cardiac blood pool imaging, (planar), first pass technique; single study, at rest or with stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without quantification multiple studies, at rest and with stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without quantification Myocardial imaging, positron emission tomography (PET), perfusion study (including ventricular wall motion(s) and/or ejection fraction(s), when performed); single study at rest or stress (exercise or pharmacologic) single study, at rest or stress (exercise or pharmacologic), with concurrently acquired computed tomography transmission scan multiple studies at rest and stress (exercise or pharmacologic), with concurrently acquired computed tomography transmission scan Myocardial imaging, positron emission tomography (PET), combined perfusion with

eMedNY > Procedure Codes



	<u>78433</u>	metabolic evaluation study (including ventricular wall motion[s] and/or ejection fraction[s], when performed), dual radiotracer (eg, myocardial viability); with concurrently acquired computed tomography transmission scan
	78494	Cardiac blood pool imaging, gated equilibrium, SPECT, at rest, wall motion study plus
		ejection fraction, with or without quantitative processing
	<u> 78496</u>	Cardiac blood pool imaging, gated equilibrium, single study, at rest, with right
		ventricular ejection fraction by first pass technique
	78499	Unlisted cardiovascular procedure, diagnostic nuclear medicine
	4.7.1.6	RESPIRATORY SYSTEM
4	78579	Pulmonary ventilation imaging (eg, aerosol or gas)
	78580	Pulmonary perfusion imaging (eg, particulate)
	78582	Pulmonary ventilation (eg, aerosol or gas) and perfusion imaging
	78597	Quantitative differential pulmonary perfusion, including imaging when performed
	78598	Quantitative differential pulmonary perfusion and ventilation (eg, aerosol or gas),
	. 0000	including imaging when performed
	78599	Unlisted respiratory procedure; diagnostic nuclear medicine
	4.7.1.7	NERVOUS SYSTEM
	78600	Brain imaging, less than 4 static views;
	78601	with vascular flow
	78605	Brain imaging, minimum 4 static views;
	78606	with vascular flow
	78610	Brain imaging, vascular flow only
	78630	Cerebrospinal fluid flow, imaging (not including introduction of material);
		cisternography
	78635	ventriculography
	78645	shunt evaluation
	78650	Cerebrospinal fluid leakage detection and localization
	78660	Radio-pharmaceutical dacryocystography
	78699	Unlisted nervous system procedure, diagnostic nuclear medicine
	4.7.1.8	GENITOURINARY SYSTEM
	78700	Kidney imaging morphology
	78701	with vascular flow
	78707	with vascular flow and function, single study without pharmacological intervention
	78708	single study, with pharmacological intervention (eg, angiotensin converting
		enzyme inhibitor and/or diuretic)
	78709	multiple studies, with and without pharmacological intervention (eg, angiotensin
		converting enzyme inhibitor and/or diuretic)
	78725	Kidney function study, non-imaging radioisotopic study
	78730	Urinary bladder residual study (List separately in addition to primary procedure)
	78740	Ureteral reflux study (radio-pharmaceutical voiding cystogram)
	78761	Testicular imaging with vascular flow

Provider Procedure Codes April 2024

eMedNY > Procedure Codes



78799 Unlisted genitourinary procedure, diagnostic nuclear medicine

4.7.1.9 OTHER PROCEDURES

4.7.1.9	OTHER PROCEDURES
78800	Radiopharmaceutical localization of tumor, inflammatory process or distribution of
	radiopharmaceutical agent(s) (includes vascular flow and blood pool imaging, when
	performed); planar, single area (eg, head, neck, chest, pelvis), single day imaging
78801	planar, 2 or more areas (eg, abdomen and pelvis, head and chest), 1 or more days
	imaging or single area imaging over 2 or more days
78802	planar, whole body, single day imaging
78804	planar, whole body, requiring 2 or more days imaging
78803	tomographic (SPECT), single area (eg, head, neck, chest, pelvis) or acquisition, single
70003	day imaging
78830	tomographic (SPECT) with concurrently acquired computed tomography (CT)
70030	
	transmission scan for anatomical review, localization and determination/detection
	of pathology, single area (eg, head, neck, chest, pelvis) or acquisition, single day
	imaging
78831	tomographic (SPECT), minimum 2 areas (eg, pelvis and knees, chest and abdomen)
	or separate acquisitions (eg, lung ventilation and perfusion), single day imaging, or
	single area or acquisition over 2 or more days
78832	tomographic (SPECT) with concurrently acquired computed tomography (CT)
	transmission scan for anatomical review, localization and determination/detection
	of pathology, minimum 2 areas (eg, pelvis and knees, chest and abdomen) or
	separate acquisitions (eg, lung vent <mark>ilation</mark> and perfusion), single day imaging, or
	single area or acquisition over 2 or more days
<u> 78835</u>	Radiopharmaceutical quantification measurement(s) single area (List separately in
_	addition to code for primary procedure)
78999	Unlisted miscellaneous procedure, diagnostic nuclear medicine

4.7.2 THERAPEUTIC

79005	Radiopharmaceutical therapy, by oral administration
79101	by intravenous administration
79200	by intracavitary administration
79300	by interstitial radioactive colloid administration
79403	radiolabeled monoclonal antibody by intravenous infusion
79440	by intra-articular administration
79445	by intra-arterial particulate administration
79999	Unlisted radio-pharmaceutical therapeutic procedure

5 RADIOPHARMACEUTICAL IMAGING AGENTS

5.1 GENERAL INFORMATION AND RULES

Report and Invoice Required

A4641 Radiopharmaceutical, diagnostic, not otherwise classified

Provider Procedure Codes April 2024

eMedNY > Procedure Codes



A4642	Indium IN-111 satumomab pendetide, diagnostic, per study dose, up to 6 millicuries
A9500	Technetium TC-99m sestamibi, diagnostic, per study dose
A9501	Technetium TC-99m teboroxime, diagnostic, per study dose
A9502	Technetium TC-99m tetrofosmin, diagnostic, per study dose
A9503	Technetium TC-99m medronate, diagnostic, per study dose, up to 30 millicuries
A9504	Technetium TC-99m apcitide, diagnostic, per study dose, up to 20 millicuries
A9505	Thallium TI-201 thallous chloride, diagnostic, per millicurie
A9507	Indium IN-111 capromab pendetide, diagnostic, per study dose, up to 10 millicuries
A9508	lodine I-131 iobenguane sulfate, diagnostic, per 0.5 millicurie
A9509	lodine I-123 sodium iodide, diagnostic, per millicurie
A9510	Technetium Tc-99m disofenin, diagnostic, per study dose, up to 15 millicuries
A9512	Te <mark>chnetium T-</mark> 99m pertechnetate, diagnostic, per millicurie
A9513	Lu <mark>teti</mark> um lu 177, dotatate, therapeutic, 1 millicurie
A9515	Choline C-11, diagnostic, per study dose up to 20 millicuries
A9516	lodine I-123 sodium iodide, diagnostic, per 100 microcuries, up to 999 microcuries
A9517	lodine I-1 <mark>31 s</mark> odium iodide capsule(s), therapeutic, per millicurie
A9520	Techneti <mark>um</mark> Tc-99m tilmano <mark>cep</mark> t, diagnostic, up to 0.5 millicuries
A9521	Technetium T-99m exametazime, diagnostic, per study dose, up to 25 millicuries
A9524	lodine I-131 iodinated serum albumin, diagnostic, per 5 microcuries
A9526	Nitrogen N-13 ammonia, diagnostic, per study dose, up to 40 millicuries
A9527	lodine I-125, sodium iodide solution, therapeutic, per millicurie
A9528	lodine I-131 sodium iodide capsule(s), diagnostic, per millicurie
A9529	lodine I-131 sodium iodide solution, diagnostic, per millicurie
A9530	lodine I-131 sodium iodide solution, therapeutic, per millicurie
A9531	lodine I-131 sodium iodide, diagnostic, per microcurie (up to 100 microcuries)
A9532	lodine I-125 serum albumin, diagnostic, per 5 microcuri <mark>es</mark>
A9536	Technetium Tc-99m depreotide, diagnostic, per study dose, up to 35 millicuries
A9537	Technetium Tc-99m mebrofenin, diagnostic, per study dose, up to 15 millicuries
A9538	Technetium Tc-99m pyrophosphate, diagnostic, per study dose, up to 25 millicuries
A9539	Technetium Tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries
A9540	Technetium Tc-99m macroaggregated albumin, diagnostic, per study dose, up to 10
	millicuries
A9541	Technetium Tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries
A9542	Indium IN-111 ibritumomab tiuxetan, diagnostic, per study dose, up to 5 millicuries
A9543	Yttrium Y-90 ibritumomab tiuxetan, therapeutic, per treatment dose, up to 40
	millicuries
A9546	Cobalt Co-57/58, cyanocobalamin, diagnostic, per study dose, up to 1 microcurie
A9547	Indium IN-111 oxyquinoline, diagnostic, per 0.5 millicurie
A9548	Indium IN-111 pentetate, diagnostic, per 0.5 millicurie
A9550	Technetium Tc-99m sodium gluceptate, diagnostic, per study dose, up to 25 millicurie
A9551	Technetium Tc-99m succimer, diagnostic, per study dose, up to 10 millicuries
A9552	Fluorodeoxyglucose F-18 FDG, diagnostic, per study dose, up to 45 millicuries
A9553	Chromium Cr-51 sodium chromate, diagnostic, per study dose, up to 250 microcuries

eMedNY > Procedure Codes



A9557 Technetium Tc-99m bicisate, diagnostic, per study dose, up to 25 millicuries A9558 Xenon Xe-133 gas, diagnostic, per 10 millicuries A9559 Cobalt Co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie A9560 Technetium Tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries A9561 Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 30 millicuries A9562 Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries A9563 Sodium phosphate P-32, therapeutic, per millicurie Chromic phosphate P-32 suspension, therapeutic, per millicurie A9564 Chromic phosphate P-32 suspension, therapeutic, per millicurie A9565 Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries A9567 Technetium Tc-99m pentetate, diagnostic, per study dose, up to 45 millicuries A9568 Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose A9570 Indium IN-111 labeled autologous platelets, diagnostic, per study dose A9571 Indium IN-111 labeled autologous platelets, diagnostic, per study dose A9572 Indium IN-111 labeled autologous platelets, diagnostic, per study dose A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries A9581 Indium IN-121 labeled autologous platelets, diagnostic, per study dose A9582 Indium Ga-68, dotatate, diagnostic, per study dose, up to 30 millicuries A9583 Indium Ga-68, dotatate, diagnostic, per study dose, up to 5 millicuries A9584 Indium Ga-68, dotatate, diagnostic, per study dose, up to 5 millicuries A9589 Indium Ga-68 gozetotide, diagnostic, per study dose, up to 5 millicuries A9589 Gallium Ga-68 gozetotide, diagnostic, 1 millicurie A9590 Indium Ga-68 gozetotide, diagnostic, 1 millicurie A9591 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9592 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therap	A9554 A9555	lodine I-125 sodium iothalamate, diagnostic, per study dose, up to 10 microcuries Rubidium Rb-82, diagnostic, per study dose, up to 60 millicuries
A9558 Xenon Xe-133 gas, diagnostic, per 10 millicuries A9569 Cobalt Co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie Technetium Tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries Technetium Tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries A9561 Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries A9562 Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries A9563 Sodium phosphate P-32, therapeutic, per millicurie Chromic phosphate P-32 suspension, therapeutic, per millicurie A9566 Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries A9567 Technetium Tc-99m entetate, diagnostic, per study dose, up to 45 millicuries A9568 Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose A9570 Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries A9581 Iodine 1-123 lobenguane, diagnostic, per study dose, up to 5 millicuries A9582 Iodine 1-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9583 Gallium Ga-68, dotatate, diagnostic, per study dose, up to 5 millicuries A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9590 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9591 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, per millicurie A9602 Flortaucipir f 18 injection, diagnostic, per millicurie A9603 Samarium SM-153 lexidronam, therapeutic, per microcurie Lutetium lu 177 vipivotide tetraxetan, therapeutic, 10 millicurie		
Cobalt Co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie Technetium Tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 30 millicuries Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries A9563 Sodium phosphate P-32, therapeutic, per millicurie Chromic phosphate P-32 suspension, therapeutic, per millicurie A9564 Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries A9565 Technetium Tc-99m arcitumomab, diagnostic, per study dose, up to 75 millicuries A9568 Technetium Tc-99m arcitumomab, diagnostic, per study dose up to 45 millicuries A9569 Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per Study dose A9570 Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose Indium IN-111 labeled autologous platefets, diagnostic, per study dose Indium IN-111 labeled autologous platefets, diagnostic, per study dose Indium IN-111 labeled autologous platefets, diagnostic, per study dose A9572 Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries A9581 Iodine 1-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9582 Iodine 1-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9583 Gallium Ga-68, dotatate, diagnostic, per study dose, up to 5 millicuries A9589 Instillation, hexaminolevulinate hydroehloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9591 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9592 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Floraucipir f 18 injection, diagnostic, per millicurie A9602 Floraucipir f 18 injection, diagnostic, per millicurie A9603 Samariu		
Technetium Tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries Technetium Tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries Sodium phosphate P-32, therapeutic, per millicurie Chromic phosphate P-32, therapeutic, per millicurie Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries Technetium Tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries Sodium fluoride F-18, diagnostic, per study dose, up to 15 millicuries Iodine I-123 lobenguane, diagnostic, per study dose, up to 5 millicuries Iodine I-123 ioflupane, diagnostic, per study dose, up to 5 millicuries Iodine I-123 ioflupane, diagnostic, per study dose, up to 5 millicuries Iodine I-131, iobenguane, 1 millicurie Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9590 Rositron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified Strontium Sr-89 chloride, therapeutic, per millicurie Flortaucipir f 18 injection, diagnostic, 1 millicurie Flortaucipir f 18 injection, diagnostic, per millicurie Flortaucipir f 18 injection, diagnostic, per millicurie Flortaucipir f 18 injection, diagnostic, per millicurie Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries Radium Ra-223 dichloride, therapeutic, per microcurie Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie		
millicuries Technetium Tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries A9562 Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries A9563 Sodium phosphate P-32, therapeutic, per millicurie A9564 Chromic phosphate P-32 suspension, therapeutic, per millicurie A9565 Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries A9567 Technetium Tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries A9568 Technetium Tc-99m arcitumomab, diagnosis, per study dose up to 45 millicuries A9569 Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose A9570 Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose A9571 Indium IN-111 labeled autologous platelets, diagnostic, per study dose A9572 Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 6 millicuries A9581 Iodine I-123 lobenguane, diagnostic, per study dose, up to 15 millicuries A9582 Iodine I-123 loflupane, diagnostic, per study dose, up to 5 millicuries A9584 Iodine I-123 loflupane, diagnostic, per study dose, up to 5 millicuries A9585 Gallium Ga-68, dotatate, diagnostic, per study dose, up to 5 millicuries A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9591 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9592 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9593 Strontium Sr-89 chloride, therapeutic, per millicurie Flortaucipir f 18 injection, diagnostic, per millicurie Flortaucipir f 18 injection, diagnostic, per millicurie Flortaucipir f 18 injection, diagnostic, per millicurie A9600 Strontium Ra-223 dichloride, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per mic		
Technetium Tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries A9562 Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries A9563 Sodium phosphate P-32, therapeutic, per millicurie A9564 Chromic phosphate P-32 suspension, therapeutic, per millicurie A9565 Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries A9566 Technetium Tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries A9568 Technetium Tc-99m arcitumomab, diagnosis, per study dose up to 45 millicuries A9569 Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per Study dose A9570 Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose, up to 6 millicuries A9572 Indium IN-111 labeled autologous platelets, diagnostic, per study dose, up to 5 millicuries A9582 Iodine I-123 ioflupane, diagnostic, per study dose, up to 15 millicuries A9584 Iodine I-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9585 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9591 Gallium ga-68 gozetotide, diagnostic, (illuceix), 1 millicurie A9597 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie Fluorodopa f-18, diagnostic, per millicurie Fluorodopa f-18, diagnostic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, per millicurie A9602 Radium Ra-223 dichloride, therapeutic, per treatment dos	715500	
Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries Sodium phosphate P-32, therapeutic, per millicurie Chromic phosphate P-32 suspension, therapeutic, per millicurie Technetium Tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries Technetium Tc-99m arcitumomab, diagnostic, per study dose, up to 75 millicuries Technetium Tc-99m arcitumomab, diagnosis, per study dose, up to 45 millicuries Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose, up to 6 millicuries Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries Iodine I-123 lobenguane, diagnostic, per study dose, up to 15 millicuries Iodine I-123 ioflupane diagnostic, per study dose, up to 5 millicuries Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie Fluciclovine F-18, diagnostic, 1 millicurie Fluciclovine F-18, diagnostic, 1 millicurie Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified Strontium Sr-89 chloride, therapeutic, per millicurie Flortaucipir f 18 injection, diagnostic, 1 millicurie Flortaucipir f 18 injection, diagnostic, per millicurie Samarium SM-153 lexidronam, therapeutic, per microcurie Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie	A9561	
A9563 Sodium phosphate P-32, therapeutic, per millicurie A9564 Chromic phosphate P-32 suspension, therapeutic, per millicurie A9566 Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries A9567 Technetium Tc-99m pentetate, diagnostic, per study dose, up to 75 millicuries A9568 Technetium Tc-99m arcitumomab, diagnosis, per study dose up to 45 millicuries A9569 Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per Study dose A9570 Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose A9572 Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries Iodine I-123 lobenguane, diagnostic, per study dose, up to 15 millicuries A9582 Iodine I-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9587 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9588 Fluciclovine F-18, diagnostic, 1 millicurie A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9596 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9597 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie Fluorodopa f-18, diagnostic, per millicurie Fluorodopa f-18, diagnostic, per millicurie A9601 Fluorodopa f-18, diagnostic, per millicurie A9602 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie		
 A9564 Chromic phosphate P-32 suspension, therapeutic, per millicurie A9566 Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries A9567 Technetium Tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries A9568 Technetium Tc-99m arcitumomab, diagnosis, per study dose up to 45 millicuries A9569 Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose A9570 Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose A9571 Indium IN-111 labeled autologous platelets, diagnostic, per study dose A9572 Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries A9581 Iodine I-123 lobenguane, diagnostic, per study dose, up to 15 millicuries A9582 Iodine I-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9583 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9584 Instillation, hexaminolevulinate hydrochloride, 100 mg A9599 Iodine I-131, iobenguane, 1 millicurie A9590 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9591 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie Flortaucipir f 18 injection, diagnostic, 1 millicurie Flortaucipir f 18 injection, diagnostic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, per millicurie A9602 Radium Ra-223 dichloride, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 mil	A9563	
Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries Technetium Tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries Technetium Tc-99m arcitumomab, diagnosis, per study dose up to 45 millicuries Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose Indium IN-111 labeled autologous platelets, diagnostic, per study dose Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries Iodine I-123 lobenguane, diagnostic, per study dose, up to 5 millicuries Iodine I-123 ioflupane, diagnostic, per study dose, up to 5 millicuries Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie Instillation, hexaminolevulinate hydrochloride, 100 mg Iodine I-131, iobenguane, 1 millicurie Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified Strontium Sr-89 chloride, therapeutic, per millicurie Flortaucipir f 18 injection, diagnostic, 1 millicurie Flortaucipir f 18 injection, diagnostic, per millicurie Flortaucipir f 18 injection, diagnostic, per millicurie Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries Radium Ra-223 dichloride, therapeutic, per microcurie Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie		
A9568 Technetium Tc-99m arcitumomab, diagnosis, per study dose up to 45 millicuries A9569 Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose A9570 Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose A9571 Indium IN-111 labeled autologous platelets, diagnostic, per study dose A9572 Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries A9581 Iodine I-123 lobenguane, diagnostic, per study dose, up to 15 millicuries A9582 Iodine I-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9583 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9586 Fluciclovine F-18, diagnostic, 1 millicurie A9587 Gallium ga-68 dotatate, diagnostic, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9591 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9591 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9603 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9604 Radium Ra-223 dichloride, therapeutic, per microcurie Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie	A9566	
A9569 Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose A9570 Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose A9571 Indium IN-111 labeled autologous platelets, diagnostic, per study dose A9572 Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries A9582 Iodine I-123 lobenguane, diagnostic, per study dose, up to 15 millicuries A9584 Iodine 1-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9587 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9588 Fluciclovine F-18, diagnostic, 1 millicurie A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9591 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9592 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9603 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie	A9567	Technetium Tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries
A9570 Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose A9571 Indium IN-111 labeled autologous platelets, diagnostic, per study dose A9572 Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries A9581 Iodine I-123 lobenguane, diagnostic, per study dose, up to 15 millicuries A9582 Iodine 1-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9583 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9586 Fluciclovine F-18, diagnostic, 1 millicurie A9587 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9591 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9592 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9603 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9604 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie	A9568	Technetium Tc-99m arcitumomab, diagnosis, per study dose up to 45 millicuries
 A9570 Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose A9571 Indium IN-111 labeled autologous platelets, diagnostic, per study dose A9572 Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries A9582 Iodine I-123 lobenguane, diagnostic, per study dose, up to 15 millicuries A9584 Iodine 1-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9587 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9588 Fluciclovine F-18, diagnostic, 1 millicurie A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9591 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9592 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie 	A9569	Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per
 A9571 Indium IN-111 labeled autologous platelets, diagnostic, per study dose A9572 Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries A9582 Iodine I-123 lobenguane, diagnostic, per study dose, up to 15 millicuries A9584 Iodine 1-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9587 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9588 Fluciclovine F-18, diagnostic, 1 millicurie A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9591 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9590 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9603 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9604 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie 		study dose
 A9572 Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries A9582 Iodine I-123 Iobenguane, diagnostic, per study dose, up to 15 millicuries A9584 Iodine 1-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9587 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9588 Fluciclovine F-18, diagnostic, 1 millicurie A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9591 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9592 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie 	A9570	Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose
 A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries A9582 Iodine I-123 Iobenguane, diagnostic, per study dose, up to 15 millicuries A9584 Iodine I-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9587 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9588 Fluciclovine F-18, diagnostic, 1 millicurie A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9596 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9597 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie 	A9571	
 A9582 lodine I-123 lobenguane, diagnostic, per study dose, up to 15 millicuries A9584 lodine 1-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9587 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9588 Fluciclovine F-18, diagnostic, 1 millicurie A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 lodine I-131, iobenguane, 1 millicurie A9596 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9597 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie 	A9572	Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries
 A9584 Iodine 1-123 ioflupane, diagnostic, per study dose, up to 5 millicuries A9587 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9588 Fluciclovine F-18, diagnostic, 1 millicurie A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9596 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9597 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie 	A9580	
 A9587 Gallium Ga-68, dotatate, diagnostic, 0.1 millicurie A9588 Fluciclovine F-18, diagnostic, 1 millicurie A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9596 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9597 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie 	A9582	
 A9588 Fluciclovine F-18, diagnostic, 1 millicurie A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9596 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9597 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie 		
 A9589 Instillation, hexaminolevulinate hydrochloride, 100 mg A9590 Iodine I-131, iobenguane, 1 millicurie A9596 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9597 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie 		
 A9590 lodine I-131, iobenguane, 1 millicurie A9596 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9597 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie 		
 A9596 Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie A9597 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie 		
 A9597 Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie 		
identification, not otherwise classified Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified Strontium Sr-89 chloride, therapeutic, per millicurie Flortaucipir f 18 injection, diagnostic, 1 millicurie Fluorodopa f-18, diagnostic, per millicurie Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries Radium Ra-223 dichloride, therapeutic, per microcurie Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie		
A9598 Positron emission tomography radiopharmaceutical, diagnostic, for non-tumor identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie	A9597	
identification, not otherwise classified A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie		
A9600 Strontium Sr-89 chloride, therapeutic, per millicurie A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie	A9598	
A9601 Flortaucipir f 18 injection, diagnostic, 1 millicurie A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie	40600	
A9602 Fluorodopa f-18, diagnostic, per millicurie A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie		
A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie		
A9606 Radium Ra-223 dichloride, therapeutic, per microcurie A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie		' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
A9607 Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie		
A9609 Fludeoxyglucose f18 up to 15 millicuries		
A9699 Radiopharmaceutical, therapeutic, not otherwise classified		
A9800 Gallium ga-68 gozetotide, diagnostic, (locametz), 1 millicurie		

6 POSITRON EMISSION TOMOGRAPHY (PET)



6.1 GENERAL INFORMATION AND RULES

Maximum reimbursement amounts are for the complete procedure (professional and technical/administrative components) excluding the tracer. Medicaid will reimburse for the professional/technical administrative component of a PET scan and separate reimbursement will be made for the PET scan tracer. To receive reimbursement for only the technical/administrative component, see modifier –TC Technical Component.

<u>78608</u>	Brain imaging, positron emission tomography (PET); metabolic evaluation
<u>78609</u>	perfusion evaluation
<u>78811</u>	Positron emission tomography (PET) imaging; limited area (eg, chest, head/neck)
<u>78812</u>	skull base to mid-thigh
<u> 78813</u>	whole body
<u>78814</u>	Positron emission tomography (PET) with concurrently acquired computed tomography
	(CT) for attenuation correction and anatomical localization imaging; limited area (eg,
	chest, head/neck)
<u>78815</u>	skull base to mid-thigh
<u>78816</u>	wh <mark>ole</mark> body

7 MEDICINE

7.1 IMMUNIZATIONS

Immunization procedures include the supply of material and administration.

For dates of service on or after 7/1/03 when immunization materials are supplied by the Vaccine for Children Program (VFC), bill using the procedure code that represents the immunization(s) administered and append modifier –SL State Supplied Vaccine to receive the VFC administration fee. See Modifier –SL for further information.

NOTE: The maximum fees for immunization injection codes are adjusted periodically by the State to reflect the estimated acquisition cost of the antigen. Insert actual acquisition cost per dose in amount charged field on claim form. For codes listed **BR** in the Fee Schedule, also attach an itemized invoice to claim form including the dose administered.

To meet the reporting requirements of immunization registries, vaccine distribution programs and reporting systems (eg, Vaccine Adverse Event Reporting System) the exact vaccine product administered needs to be reported. Multiple codes for a particular vaccine are provided in CPT when the schedule (number of doses or timing) differs for two or more products of the same vaccine type (eg, hepatitis A, Hib) or the vaccine product is available in more than one chemical formulation, dosage, or route of administration.

Reimbursement for drugs (including vaccines and immune globulins) furnished by provider to their patients is based on the acquisition cost to the provider of the drug dose administered to the patient. For all drugs furnished in this fashion it is expected that the provider will maintain auditable records of the actual itemized invoice cost of the drug, including the numbers of doses

eMedNY > Procedure Codes



of the drug represented on the invoice.

New York State Medicaid does not intend to pay more than the acquisition cost of the drug dosage, as established by invoice, to the provider. Regardless of whether an invoice must be submitted to Medicaid for payment, the provider is expected to limit his or her Medicaid claim amount to the actual invoice cost of the drug dosage administered.

Separate codes are available for combination vaccines (eg, DTP-Hib, DtaP-Hib, HepB-Hib). It is inappropriate to code each component of a combination vaccine separately. If a specific vaccine code is not available, the unlisted procedure code should be reported, until a new code becomes available.

-SL <u>State Supplied Vaccine</u>: (Used to identify administration of vaccine supplied by the Vaccine for Children's Program (VFC for children under 19 years of age). When administering vaccine supplied by the state (VFC Program), you **must** append modifier –SL State Supplied Vaccine to the procedure code number representing the vaccine administered. Omission of this modifier on claims for recipients under 19 years of age will cause your claim to deny. (Reimbursement will not exceed \$17.85, the administration fee for the Vaccine for Children Program.)

7.2 IMMUNE GLOBULINS

Codes 90291-90399 identify the immune globulin product only and are reported in addition to the administration codes 96365-96368 as appropriate.

90291	Cytomegalovirus immune globulin (CMV-lgIV), human, for intravenous use
90371	Hepatitis B immune globulin (HBIg), human, for intramuscular use
90375	Rabies immune globulin (RIg), human, for intramuscular and/or subcutaneous use
90376	Rabies immune globulin, heat-treated (RIg-HT), human, for intramuscular and/or
	subcutaneous use
90377	Rabies immune globulin, heat- and solvent/detergent-treated (RIg-HT S/D), human, for
	intramuscular and/or subcutaneous use
90384	Rho(D) immune globulin (Rhlg), human, full-dose, for intramuscular use
90385	Rho(D) immune globulin (Rhlg), human, mini-dose, for intramuscular use
90386	Rho(D) immune globulin (RhlgIV), human, for intravenous use
90389	Tetanus immune globulin (Tlg), human, for intramuscular use
90393	Vaccinia immune globulin, human, for intramuscular use
90396	Varicella-zoster immune globulin, human, for intramuscular use
90399	Unlisted immune globulin

7.3 IMMUNIZATION ADMINISTRATION FOR VACCINES/TOXOIDS

90460	Immunization administration through 18 years of age via any route of administration,
	with counseling by physician or other qualified health care professional; first or only
	component of each vaccine or toxoid administered)
90471	Immunization administration (includes percutaneous, intradermal, subcutaneous, or

eMedNY > Procedure Codes



	intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)
90472	Immunization administration (includes percutaneous, intradermal, subcutaneous, or
	intramuscular injections); each additional vaccine (single or combination vaccine/toxoid)
	(List separately in addition to code for primary procedure))
90473	Immunization administration by intranasal or oral route; one vaccine (single or
	combination vaccine/toxoid)
90474	Immunization administration by intranasal or oral route; each additional vaccine (single
	or combination vaccine/toxoid) (List separately in addition to code for primary
	procedure))

7.4 VACCINES/TOXOIDS

For administration of vaccines supplied by VFC, including influenza and pneumococcal administration, providers will be required to bill vaccine administration code 90460. Providers must continue to bill the specific vaccine code with the "SL" modifier on the claim (payment for "SL" will be \$0.00). If an administration code is billed without a vaccine code with "SL", the claim will be denied. For reimbursement purposes, the administration of the components of a combination vaccine will continue to be considered as one vaccine administration. More than one vaccine administration is reimbursable under 90460 on a single date of service.

90585	Bacillus Calmette-Guerin vaccine (BCG) for tuberculosis, live, for percutaneous use
90586	Bacillus Calmette-Guerin vaccine (BCG) for bladder cancer, live, for intravesical use
90589	Chikungunya virus vaccine, live attenuated, for intramuscular use
90611	Smallpox and monkeypox vaccine, attenuated vaccinia virus, live, non-replicating,
	preservative free, 0.5 mL dosage, suspension, for subcutaneous use
90622	Vaccinia (smallpox) virus vaccine, live, lyophilized, 0.3 mL dosage, for percutaneous use
90632	Hepatitis A vaccine, adult dosage, for intramuscular use
90633	Hepatitis A vaccine, pediatric/adolescent dosage-2 dose schedule, for intramuscular use
90636	Hepatitis A and hepatitis B vaccine (HepA-HepB), adult dosage, for intramuscular use
90647	Hemophilus influenza B vaccine (Hib), PRP-OMP conjugate (3 dose schedule), for
	intramuscular use
90648	Hemophilus influenza B vaccine (Hib), PRP-T conjugate (4 dose schedule), for
	intramuscular use
90649	Human Papilloma virus (HPV) vaccine, types 6, 11, 16, 18 (quadrivalent) 3 dose schedule,
	for intramuscular use
90650	Human Papilloma virus (HPV) vaccine, types 16, 18, bivalent, 3 dose schedule, for
	intramuscular use
90651	Human Papillomavirus vaccine types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonavalent (9Vhpv),
	2 or 3 dose schedule, for intramuscular use
90653	Influenza vaccine, inactivated (IIV), subunit, adjuvanted, for intramuscular use
90654	Influenza vaccine, trivalent (IIV3), split virus, preservative-free, for intradermal use
90655	Influenza virus vaccine, trivalent, split virus, preservative-free, 0.25 mL dosage, for
	intramuscular use
90656	Influenza virus vaccine, trivalent, split virus, preservative-free, 0.5 mL dosage, for
	intramuscular use

eMedNY > Procedure Codes



90657	Influenza virus vaccine, trivalent, split virus, 0.25 mL dosage, for intramuscular use
90658	Influenza virus vaccine, trivalent, split virus, 0.5 mL dosage, for intramuscular use
90660	Influenza virus vaccine, trivalent, live, for intranasal use
90672	Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal use
90661	Influenza virus vaccine, trivalent (ccIIV3), derived from cell cultures, subunit, preservative
	and antibiotic free, 0.5 mL dosage, for intramuscular use
90674	Influenza virus vaccine; quadrivalent (ccIIV4), derived from cell cultures, subunit,
	preservative and antibiotic free, 0.5 mL dosage, for intramuscular use
90756	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit,
	antibiotic free, 0.5 ml dosage, for intramuscular use
90673	Influenza virus vaccine, trivalent, derived from recombinant DNA (RIV3), hemagglutinin
30073	(HA) protein only, preservative and antibiotic free, for intramuscular use
90662	Influenza virus vaccine, split virus, preservative free, enhanced immunogenicity via
30002	increased antigen content, for intramuscular use
90670	Pneumococcal conjugate vaccine, 13 valent, for intramuscular use
90671	Pneumococcal conjugate vaccine, 15 valent (PCV15), for intramuscular use
90677	Pneumococcal conjugate vaccine, 20 valent (PCV20), for intramuscular use
90675	Rabies vaccine, for intramuscular use
90676	Rabies vaccine, for intradermal use
90678	Respiratory syncytial virus vaccine, preF, subunit, bivalent, for intramuscular use
90679	Respiratory syncytial virus vaccine, preF, recombinant, subunit, adjuvanted, for
90079	intramuscular use
90680	Rotavirus vaccine, pentavalent, 3 dose schedule, live, for oral use
90681	Rotavirus vaccine, peritavaient, 3 dose schedule, live, for oral use
90682	Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA,
90002	hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use
90685	Influenza virus vaccine, quadrivalent, split virus, preservative free, 0.25 mL dosage, for
30003	intramuscular use
90686	Influenza virus vaccine, quadrivalent, split virus, preservative free, 0.5 mL dosage, for
30000	intramuscular use
90687	Influenza virus vaccine, quadrivalent (IIV4), split virus, 0.25 mL dosage, for intramuscular
30001	use
90688	Influenza virus vaccine, quadrivalent, split virus, 0.5 mL dosage, for intramuscular use
90694	Influenza virus vaccine, quadrivalent, (allV4), inactivated, adjuvanted, preservative free,
30034	0.5 mL dosage, for intramuscular use.
90690	Typhoid vaccine, live, oral
90691	Typhoid vaccine, Iive, oral Typhoid vaccine, Vi capsular polysaccharide (ViCPs), for intramuscular use
90696	Diphtheria, tetanus toxoids, acellular pertussis vaccine and poliovirus vaccine,
30030	inactivated (DtaP-IPV), when administered to children 4 through 6 years of age, for
	intramuscular use
90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine,
50051	Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine
	(DTaP-IPV-Hib-HepB), for intramuscular use
90698	Diphtheria, tetanus toxoids, acellular vaccine, haemophilus influenza Type B, and
50050	Dipricilena, tetarias toxolas, aceitalai vaceine, naemoprilias ilinaenza Type B, and

eMedNY > Procedure Codes



	poliovirus vaccine, inactivated (DtaP – Hib – IPV), for intramuscular use
90700	Diphtheria, tetanus toxoids, and acellular pertussis vaccine (DTaP), when administered
	to individuals younger than 7 years, for intramuscular use
90702	Diphtheria and tetanus toxoids (DT) absorbed when administered to individuals
30702	·
00707	younger than 7 years, for intramuscular use
90707	Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use
90710	Measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use
90713	Poliovirus vaccine, inactivated, (IPV), for subcutaneous or intramuscular use
90714	Tetanus and diphtheria toxoids (Td) absorbed, preservative free, when administered to
	individuals 7 years or older, for intramuscular use
90715	Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to
	individuals 7 years or older, for intramuscular use
90716	Varicella virus vaccine, live, for subcutaneous use
90717	Yellow fever vaccine, live, for subcutaneous use
90723	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Hepatitis B, and poliovirus
	vaccine, inactivated (DTaP-HepB-IPV), for intramuscular use
90732	Pneumococcal polysaccharide vaccine, 23-valent, adult or immunosuppressed patient
	dosage, when administered to individuals 2 years or older, for subcutaneous or
	intramuscular use
90733	Meningococcal polysaccharide vaccine, serogroups A,C,Y,W-135,quadrivalent (MPSV4),
	for subcutaneous use
90734	Meningococcal conjugate vaccine, serogroups A, C, Y and W-135 (quadrivalent) (MCV4
30.0.	or MenACWY) for intramuscular use
90619	Meningococcal conjugate vaccine, serogroups A, C, W, Y, quadrivalent, tetanus toxoid
30013	carrier (MenACWY-TT), for intramuscular use
90623	
90023	Meningococcal pentavalent vaccine, conjugated Men A, C, W, Y- tetanus toxoid carrier,
	and Men B-FHbp, for intramuscular use
90620	Meningococcal recombinant protein and outer membrane vesicle vaccine, Serogroup B
	(MenB-4C), 2 dose schedule, for intramuscular use
90621	Meningococcal recombinant lipoprotein vaccine, Serogroup B (MenB-FHbp), 2 or 3
	dose schedule, for intramuscular use
90736	Zoster (shingles) vaccine, live, for subcutaneous injection
90750	Zoster (shingles) vaccine (HZV), recombinant, subunit, adjuvanted, for intramuscular use
90738	Japanese encephalitis virus vaccine, inactivated, for intramuscular use
90739	Hepatitis B vaccine (HepB), CpG-adjuvanted, adult dosage, 2 dose or 4 dose schedule,
30733	for intramuscular use
90740	Hepatitis B vaccine, dialysis or immunosuppressed patient dosage (3 dose schedule), for
90740	
00740	intramuscular use
90743	Hepatitis B vaccine, adolescent (2 dose schedule), for intramuscular use
90744	Hepatitis B vaccine, pediatric/adolescent dosage (3 dose schedule), for intramuscular
	use
90746	adult dosage (3 dose schedule), for intramuscular use
90759	Hepatitis B vaccine (HepB), 3-antigen (S, Pre-S1, Pre-S2), 10 mcg dosage, 3 dose
	schedule, for intramuscular use

eMedNY > Procedure Codes



90747	dialysis or immunosuppressed patient dosage (4 dose schedule), for
90748	Hepatitis B and Hemophilus influenza B vaccine (HepB –Hib), for intramuscular use
90749	Unlisted vaccine/toxoid

8 JCODE DRUGS

NOTE: The maximum fees for these drugs are adjusted periodically by the State to reflect the estimated acquisition cost. Insert actual acquisition cost per dose in amount charged field on claim form. For codes listed BR also attach itemized invoice to claim form.

Reimbursement for drugs (including vaccines and immune globulins) furnished by practitioners to their patients is based on the acquisition cost to the provider of the drug dose administered to the patient. For all drugs furnished in this fashion it is expected that the provider will maintain auditable records of the actual itemized invoice cost of the drug, including the numbers of doses of the drug represented on the invoice.

New York State Medicaid does not intend to pay more than the acquisition cost of the drug dosage, as established by invoice, to the provider. Regardless of whether an invoice must be submitted to Medicaid for payment, the practitioner is expected to limit his or her Medicaid claim amount to the actual invoice cost of the drug dosage administered.

Codes followed by an ^ do not require an NDC to be provided when billed.

8.1 MISCELLANEOUS DRUGS

J0129	Abatacept, 10 mg, (not for self-administered)
J0134	Acetaminophen (fresenius kabi) not therapeutically equivalent to J0131, 10 mg
J0136	Acetaminophen (b braun) not therapeutically equivalent to J0131, 10 mg
J0137	Acetaminophen (hikma) not therapeutically equivalent to j0131, 10 mg
J0180	Agalsidase beta, 1 mg
J0185	Aprepitant, 1 mg
J0202	Alemtuzumab, 1 mg
J0206	Allopurinol sodium, 1 mg
J0207	Amifostine, 500 mg
J0208	Sodium thiosulfate (pedmark), 100 mg
J0215	Alefacept (Amevive), 0.5 mg
J0218	Olipudase alfa-rpcp, 1mg
J0219	Avalglucosidase alfa-ngpt, 4 mg
J0221	Alglucosidase alfa, (lumizyme), 10 mg
J0223	Givosiran, 0.5 mg
J0224	Lumasiran, 0.5 mg
J0225	Vutrisiran, 1 mg
J0256	Alpha 1proteinase inhibitor (human), not otherwise specified, 10 mg
J0401	Aripiprazole, extended release, 1 mg
J0456	Azithromycin, 500 mg
J0491	Anifrolumab-fnia, 1 mg





	J0517	Benralizumab, 1 mg
	J0565	Bezlotoxumab, 10 mg
	J0567	Cerliponase alfa, 1 mg
	J0584	Burosumab-twza, 1 mg
	J05 <mark>85</mark>	Onabotulinumtoxina, 1 unit
	J0 <mark>586</mark>	Abobotulinumtoxina, 5 units
	J0587	Rimabotulinumtoxinb, 100 units
	<mark>J05</mark> 98	C1 esterase inhibitor (human), cinryze, 10 units
A	J 0 599	C1 esterase inhibitor (human), (haegarda), 10 units
	J0611	Calcium gluconate (wg critical care), per 10 ml
V	J0640	Leucovorin calcium, 50 mg
	J0641	Levoleucovorin, not otherwise specified, 0.5 mg
	J0642	Levoleucovorin (Khapzory), 0.5 mg
	J0696	Ceftriaxone sodium, per 250 mg
	J0697	Sterile cefuroxime sodium, per 750 mg
	J0712	Ceftaroline fosamil, 10 mg
	J0717	Certoloizumab pegol, 1 mg (must be administered under direct physician supervision,
		not for self-administration)
	J0736	Clindamycin phosphate, 300 mg
	J0737	Clindamycin phosphate (baxter), not therapeutically equivalent to j0736, 300 mg
	J0739	Cabotegravir, 1mg, fda approved prescription, only for use as hiv pre-exposure
		prophylaxis (not for use as treatment for hiv)
	J0740	Cidofovir, 375 mg
	J0741	Cabotegravir and rilpivirine, 2mg/3mg
	J0795	Corticorelin ovine triflutate, 1 mcg
	J0875	Dalbavancin, 5 mg
	J0877	Daptomycin (hospira), not therapeutically equivalent to J0878, 1 mg
	J0878	Daptomycin, 1 mg
	J0881	Darbepoetin alfa, 1 mcg (non-ESRD use)
	J0882	Darbepoetin alfa, 1 mcg (for ESRD on dialysis)
	J0885	Epoetin alfa, (non-ESRD use), 1000 units
	J0893	Decitabine (sun pharma) not therapeutically equivalent to J0894, 1 mg
	J0894	Decitabine, 1 mg
	J0896	Luspatercept-aamt, 0.25 mg
	J0897	Denosumab, 1 mg
	J1050	Medroxyprogesterone acetate, 1 mg
		(J1050 Should not be billed in addition to the all-inclusive clinic rate)
	J1100	Dexamethasone sodium phosphate, 1 mg
	J1190	Dexrazoxane HCl, per 250 mg
	J1201	Cetirizine hydrochloride, 0.5 mg
	J1260	Dolasetron mesylate, 10 mg
	J1300	Eculizumab, 10 mg
	J1301	Edaravone, 1 mg
	J1302	Sutimlimab-jome, 10 mg





J1303	Ravulizumab-cwvz, 10 mg
J1305	Evinacumab-dgnb, 5mg
J1306	Inclisiran, 1 mg
J1322	Elosulfase alfa, 1 mg
J1426	Casimersen, 10 mg
J1427	Viltolarsen, 10 mg
J1428	Eteplirsen, 10 mg
J1429	Golodirsen, 10 mg
J1436	Etidronate disodium, per 300 mg
J1437	Ferric derisomaltose, 10 mg
J1438	Etanercept, 25 mg, (not for self-administration)
J1440	Fe <mark>cal microbio</mark> ta, live - jslm, 1 ml
J1442	Filgrastim (g-csf), excludes biosimilars, 1 microgram
J1447	Tbo-filgrastim, 1 microgram
J1448	T <mark>rila</mark> ciclib, 1mg
J1449	Eflapegrastim-xnst, 0.1mg
J1450	Fluconazole, 200 mg
J1452	Fomivirsen sodium, intraocular, 1.65 mg
J1453	Fosaprepitant, 1 mg
J1454	Fosnetupitant 235 mg and palonestron 0.25 mg
J1458	Galsulfase, 1 mg
J1459	Immune globulin (Privigen), intravenous, non-lyophilized (e.g. liquid), 500 mg
J1460	Gamma globulin, intramuscular, 1 cc
J1551	Immune globulin (Cutaquig), 100 mg
J1554	Immune globulin (Asceniv), 500 mg
J1555	Immune globulin, (Cuvitru), 100 mg
J1556	Immune globulin Bivigam, 500 mg
J1557	Immune globulin, (gammaplex), intravenous, non-lyophilized (e.g., liquid), 500 mg
J1558	Immune globulin (xembify), 100 mg
J1560	Gamma globulin, intramuscular, over 10 cc
J1561	Immune globulin, (gamunex-C/gammaked), non-lyophilized (e.g. liquid), 500 mg
J1562	Immune globulin (Vivaglobin), 100 mg
J1566	Immune globulin, intravenous, lyophilized (e.g. powder), not otherwise specified, 500
	mg
J1568	Immune globulin, (Octagam), intravenous, non-lyophilized (e.g. liquid), 500 mg
J1569	Immune globulin, (gammagard liquid), non-lyophilized, (e.g. liquid), 500 mg
J1570	Ganciclovir sodium, 500 mg
J1572	Immune globulin, (flebogamma/flebogamma DIF), intravenous, non-lyophilized (e.g. liquid), 500 mg
J1574	Ganciclovir sodium (exela) not therapeutically equivalent to J1570, 500 mg
J1575	Immune Globulin/Hyaluronidase (HYQVIA), 100 mg
J1576	Immune globulin (panzyga), intravenous, non-lyophilized (e.g., liquid), 500 mg
J1595	Glatiramer acetate, 20 mg
J1599	Immune globulin, intravenous, non-lyophilized (e.g. liquid), not otherwise specified, 500

eMedNY > Procedure Codes



		mg
	J1611	Glucagon hydrochloride (fresenius kabi), not therapeutically equivalent to J1610, per 1
		mg
	J1626	Granisetron HCl, 100 mcg
	J1627	Granisetron, extended-release, 0.1 mg
	J1628	Guselkumab, 1 mg
ì	J1631	Haloperidol decanoate, per 50 mg
	J1640	Hemin, 1 mg
1	J1652	Fondaparinux sodium, 0.5 mg
4	J1655	Tinzaparin sodium, 1000 IU
	J1726	Hydroxyprogesterone caproate, (Makena), 10 mg
	J1729	Hydroxyprogesterone caproate, not otherwise specified, 10 mg
	J1738	M <mark>elox</mark> icam, 1mg
	J1740	Ibandronate sodium, 1 mg
	J1741	Ibuprofen, 100 mg
	J1743	Idursulfase, 1 mg
	J1745	Infliximab (Remicade), 10 mg
	J1746	Ibalizumab-uiyk, 10 mg
	J1747	Spesolimab-sbzo, 1 mg
	J1750	Iron dextran, 50 mg
	J1786	Imiglucerase, 10 units
	J1823	Inebilizumab-cdon, 1 mg
	J1826	Interferon beta-1a, 30 mcg
	J1830	Interferon beta-1b, 0.25 mg (not for self-administration)
	J1930	Lanreotide, 1 mg
	J1932	Lanreotide, (cipla), 1 mg
	J1943	Aripoprazole lauroxil, (Aristada Initio), 1 mg
	J1944	Aripoprazole lauroxil, (Aristada), 1 mg
	J1950	Leuprolide acetate (for depot suspension), per 3.75 mg
	J1951	Leuprolide acetate for depot suspension (Fensolvi), per 0.25 mg
	J1952	Leuprolide injectable, camcevi, 1 mg
	J1954	Lutrate depot 7.5 mg
	J2182	Mepolizumab, 1 mg
	J2311	Naloxone hydrochloride (zimhi), 1 mg
	J2315	Naltrexone, 1 mg
	J2323	Natalizumab, 1 mg
	J2326	Nusinersen, 0.1 mg
	J2327	Risankizumab-rzaa, intravenous, 1 mg
	J2329	Ublituximab-xiiy, 1mg
	J2350	Ocrelizumab, 1 mg
	J2353	Octreotide, depot form for intramuscular injection, 1 mg
	J2355	Oprelvekin, 5 mg
	J2356	Tezepelumab-ekko, 1 mg
	J2358	Olanzapine, long-acting, 1 mg

eMedNY > Procedure Codes



J2405	Ondansetron HCl, per 1 mg
J2406	Oritavancin (kimyrsa), 10 mg
J2407	Oritavancin, 10 mg
J2425	Palifermin, 50 mcg
J2426	Paliperidone palmitate extended release, 1 mg
J2427	Paliperidone palmitate extended release (invega hafyera, or invega trinza), 1 mg
J2430	Pamidronate disodium, per 30
J2469	Palonosetron HCI (Aloxi), 25 mcg
J2502	Pasireotide long acting, 1mg
J2504	Pegademase bovine, 25 IU
J2506	Pegfilgrastim, excludes biosimilar, 0.5 mg
J 251 3	Pentastarch, 10% solution, 100 ml
J2545	Pentamidine isethionate, inhalation solution, FDA-approved final product, non-
	compounded, administered through DME, unit dose form, per 300 mg
J2562	Plerixafor, 1 mg
J2597	Desmopressin acetate, per 1 mcg
J2680	Fluphenazine decanoate, up to 25 mg
J2770	Quinupristin/dalfopristin, 500 mg (150/350)
J2777	Faricimab-svoa, 0.1 mg
J2779	Ranibizumab, via intravitreal implant (susvimo), 0.1 mg
J2783	Rasburicase, 0.5 mg
J2786	Reslizumab, 1 mg
J2793	Rilonacept, 1 mg
J2794	Risperidone, (Risperdal consta), 0.5 mg
J2796	Romiplostim, 10 micrograms
J2797	Rolapitant, 0.5 mg
J2798	Risperidone (perseris), 0.5 mg
J2840	Sebelipase alfa, 1 mg
J2860	Siltuximab, 10 mg
J2997	Alteplase recombinant, 1 mg
J2998	Plasminogen, human-tvmh, 1 mg
J3032	Eptinezumab-jjmr, 1 mg
J3090	Tedizolid phosphate, 1 mg
J3110	Teriparatide, 10 mcg
J3240	Thyrotropin alpha (Thyrogen), 0.9 mg., provided in 1.1 mg vial
J3241	Teprotumumab-trbw, 10 mg
J3245	Tildrakizumab, 1 mg
J3285	Treprostinil, 1 mg
J3299	Triamcinolone acetonide (xipere), 1 mg
J3304	Triamcinolone acetonide, preservative free, extended-release, 1 mg
J3305	Trimetrexate glucoronate, per 25 mg
J3316	Triptorelin, extended-release, 3.75 mg
J3358	Ustekinumab, for intravenous injection, 1 mg
J3380	Vedolizumab, intravenous, 1 mg
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

eMedNY > Procedure Codes



J3385	Velaglucerase alfa, 100 units
J3397	Vestronidase alfa-vjbk, 1 mg
J3398	Voretigene neparvovec-rzyl, 1 billion vector genomes
J3399	Onasemnogene abeparvovec-xioi, per treatment, up to 5x10^15 vector genomes
J3472	Hyaluronidase, ovine, preservative free, per 1000 USP units
J3 4 90	Unclassified drugs
J3590	Unclassified biologics
J3591	Unclassified Drug or Biological used for ESRD on dialysis
J 7 030	Infusion, normal saline solution (or water), 1000 cc
J7040	Infusion, normal saline solution (or water), sterile (500 ml = 1 unit)
J7042	5% dextrose/normal saline (500 ml = 1 unit)
J 70 50	Infusion, normal saline solution (or water), 250 cc
J7060	5% dextrose/water (500 ml = 1 unit)
J7070	Infusion, D5W, 1000 cc
J7100	Infusion, Dextran 40, 500 ml
J7110	Infusion, Dextran 75, 500 ml
J7120	Ringers lactate infusion, up to 1000 cc
J7121	5% Dextrose in lactated ringers infusion, up to 1000 cc
J7131	Hypertonic saline solution, 1 ml
J7168	Prothrombin complex concentrate (human), Kcentra, per IU of factor IX activity
J7169	Coagulation Factor xa (recombinant), inactivated-zhzo (andexxa), 10 mg
J7170	Emicizumab-kxwh; 0.5 mg
J7175	Factor X, (human), 1 IU
J7179	von Willebrand factor (recombinant), (vonvendi), 11U
J7180	Factor XIII (antihemophilic factor, human), 1 IU
J7181	Factor XIII a-subunit,(recombinant),per IU
J7182	Factor VIII, (antihemophilic factor; recombinant),(novoeight),per IU
J7185	Factor VIII, (antihemophilic factor; recombinant) (Xyntha), per IU
J7186	Antihemophilic factor VIII/von Willebrand factor complex (human), per factor VIII IU
J7187	Von Willebrand Factor Complex (Humate-P) per IU VWF: RCO
J7188	Factor VIII (antihemophilic factor, recombinant), (obizur) per i.u
J7189	Factor VIIA (antihemophilic factor, recombinant), per 1 microgram
J7190	Factor VIII antihemophilic factor; human, per IU
J7191	Factor VIII, antihemophilic factor (porcine), per IU
J7192	Factor VIII (antihemophilic factor; recombinant), per IU, not otherwise specified
J7193	Factor IX (antihemophilic factor; purified, non-recombinant), per IU
J7194	Factor IX, complex, per IU
J7195	Factor IX (antihemophilic factor, recombinant), per IU, not otherwise
J7197	specified Antithrombin III (human), per IU
J7197 J7198	Anti-inhibitor, per IU
J7198 J7199	Hemophilia clotting factor; not otherwise classified
J7199 J7200	Factor IX,(antihemophilic factor; recombinant), rixubis, per iu
J7200 J7201	Factor IX, fc fusion protein (recombinant), per iu
JIZUI	ractor by te rasion protein (recombinanty, per la

eMedNY > Procedure Codes



J7202	Factor IX, albumin fusion protein, (recombinant), idelvion, 1 IU
J7204	Factor VIII, Antihemophilic factor (recombinant), (esperoct), glycopegylated-exei, per iu
J7205	Factor VIII Fc fusion protein (recombinant), per iu
J7207	Factor VIII, (antihemophilic factor, recombinant), pegylated, 1 IU
J7208	Factor VIII, (antihemophilic factor, recombinant), pegylated-aucl, 1 IU
J7209	Factor VIII, (antihemophilic factor, recombinant), (nuwiq), 1 IU
J7210	Factor VIII, (antihemophilic factor, recombinant), (afstyla), 1 IU
J7211	Factor VIII, (antihemophilic factor, recombinant), (kovaltry), 1 IU
J 7 212	Factor viia (antihemophilic factor, recombinant)-jncw (sevenfact), 1 microgram
J7213	Coagulation factor ix (recombinant), ixinity, 1 i.u.
J7294	Segesterone acetate and ethinyl estradiol 0.15mg, 0.013mg per 24 hours; yearly vaginal
	system, each
J7295	Ethinyl estradiol and etonogestrel 0.015mg, 0.12mg per 24 hours; monthly vaginal ring,
	each
J7296	Levonorgestrel-releasing intrauterine contraceptive system,(kyleena), 19.5 mg
J7297	Levonorgestrel-releasing intr <mark>aut</mark> erine contraceptive system, 52 mg, 3 year duration
J7298	Levonorgestrel-releasing intrauterine contraceptive system, 52 mg, 5 year duration
J7300	Intrauterine copper contraceptive
J7301	Levonorgestrel-releasing intrauterine contraceptive system, 13.5 mg
J7306	Levonorgestrel (contraceptive) implant system, including implants and supplies
J7307	Etonogestrel (contraceptive) implant system, including implant and supplies
J7310	Ganciclovir, 4.5 mg, long-acting implant
J7311	Fluocinolone acetonide, intravitreal implant, (Retisert), 0.01 mg
J7313	Fluocinolone acetonide, intravitreal implant, (Iluvien), 0.01 mg
J7345	Aminolevulinic acid hcl for topical administration, 10% gel, 10 mg
J7351	Bimatoprost, intracameral implant, 1 microgram
J7402	Mometasone furoate sinus implant, (sinuva), 10 micrograms
J7501	Azathioprine, parenteral, 100 mg
J7504	Lymphocyte immune globulin, antithymocyte globulin, equine, parenteral, 250 mg
J7505	Muromonab-CD3, parenteral, 5 mg
J7999	Compounded drug, not otherwise classified
J8498	Antiemetic drug, rectal/suppository, not otherwise specified

8.2 ORAL CHEMOTHERAPY DRUGS

J8501	Aprepitant, oral, 5 mg
J8540	Dexamethasone, oral, 0.25 mg
J8597	Antiemetic drug, oral, not otherwise specified
J8650	Nabilone, oral, 1 mg

8.3 INJECTABLE CHEMOTHERAPY DRUGS

(Maximum fee is for chemotherapy drug only and does not include the administration fees listed above)

NOTE: The maximum fees for these drugs are adjusted periodically by the State to reflect the





current acquisition cost. Insert acquisition cost per dose in amount charged field on claim form. For codes listed BR, also attach itemized invoice to claim form.

Reimbursement for drugs furnished by providers to their patients is based on the acquisition cost to the provider of the drug dose administered to the patient. For all drugs furnished in this fashion it is expected that the provider will maintain auditable records of the actual itemized invoice cost of the drug, including the numbers of doses of the drug represented on the invoice.

New York State Medicaid does not intend to pay more than the acquisition cost of the drug dosage, as established by invoice, to the provider. Regardless of whether an invoice must be submitted to Medicaid for payment, the provider is expected to limit his or her Medicaid claim amount to the actual invoice cost of the drug dosage administered.

Codes followed by an ^ do not require an NDC to be provided when billed.

J9000	Doxorubicin HCl (Adriamycin), 10 mg
J9015	Aldesleukin, per single use vial
J9017	Arsenic t <mark>riox</mark> ide (Trisenox), 1 mg
J9019	Asparaginase (Erwinaze), 1,000 iu
J9020	Asparaginase (Elspar) 10,000 Units
J9021	Asparaginase, recombinant, (rylaze), 0.1 mg
J9022	Atezolizumab, 10 mg
J9023	Avelumab, 10 mg
J9025	Azacitidine, 1 mg
J9027	Clofarabine, 1 mg
J9030	BCG live (Intravesical Instillation),1 mg
J9032	Belinostat, 10 mg (BR)
J9033	Bendamustine HCL (Treanda), 1 mg
J9034	Bendamustine HCL (Bendeka), 1 mg
J9035	Bevacizumab, 10 mg
J9036	Bendamustine HCL, 1 mg
J9037	Belantamab mafodontin-BLMF, 0.5 mg
J9039	Blinatumomab, 1 microgram
J9040	Bleomycin sulfate (Lenoxane), 15 units
J9041	Bortezomib, 0.1 mg
J9042	Injection, brentuximab vedotin, 1 mg
J9043	Cabazitaxel, 1 mg
J9045	Carboplatin, 50 mg
J9046	Bortezomib, (dr. reddy's), not therapeutically equivalent to J9041, 0.1 mg
J9048	Bortezomib (fresenius kabi), not therapeutically equivalent to J9041, 0.1 mg
J9049	Bortezomib (hospira), not therapeutically equivalent to J9041, 0.1 mg
J9047	Carfilzomib, 1 mg
J9050	Carmustine, 100 mg
J9055	Cetuximab, 10 mg
J9056	Bendamustine hydrochloride (vivimusta), 1 mg





	J9057	Injection, copanlisib, 1 mg
	J9058	Bendamustine hydrochloride (apotex), 1 mg
	J9059	Bendamustine hydrochloride (baxter), 1 mg
	J9060	Cisplatin, powder or solution, per 10 mg
	J9061	Amivantamab-vmjw, 2 mg
	J9063	Mirvetuximab soravtansine-gynx, 1 mg
	J9065	Cladribine, per 1 mg
	J9070	Cyclophosphamide, 100 mg
7	J9071	Cyclophosphamide, (auromedics), 5 mg
	J9073	Cyclophosphamide (ingenus), 5 mg
	J9074	Cyclophosphamide (sandoz), 5 mg
	J 907 5	Cyclophosphamide, not otherwise specified, 5mg
	J9098	Cytarabine liposome, 10 mg
	J9100	Cytarabine, 100 mg
	J9118	Calaspargase pegol-mknl, 10 units
	J9119	Cemiplimab-rwlc, 1 mg
	J9120	Dactinomycin (Cosmegen), 0.5 mg
	J9130	Dacarbaz <mark>ine,</mark> 100 mg
	J9144	Daratumumab, 10 mg and hyaluronidase-fihj
	J9145	Daratumumab, 10 mg
	J9150	Daunorubicin HCl, 10 mg
	J9151	Daunorubicin citrate, liposomal formulation, 10 mg
	J9153	Injection, liposomal, 1 mg daunorubicin and 2.27 mg cytarabine
	J9155	Degarelix, 1 mg
	J9165	Diethylstilbestrol diphosphate, 250 mg
	J9171	Docetaxel, 1 mg
	J9173	Injection, durvalumab, 10 mg
	J9175	Elliotts' B solution, 1 ml
	J9176	Elotuzumab, 1 mg
	J9177	Enfortumab vedotin-ejfv 0.25mg
	J9178	Epirubicin HCl, 2 mg
	J9179	Eribulin mesylate, 0.1 mg
	J9181	Etoposide, 10 mg
	J9185	Fludarabine phosphate, 50 mg
	J9190	Fluorouracil, 500 mg
	J9196	Gemcitabine hcl (accord)
	J9198	Gemcitabine hydrochloride, (infugem), 100 mg
	J9200	Floxuridine (FUDR), 500 mg
	J9201	Gemcitabine HCl, not otherwise specified, 200 mg
	J9202	Goserelin acetate implant per 3.6 mg
	J9203	Gemtuzumab ozogamicin, 0.1 mg
	J9204	Mogamulizumab-kpkc, 1 mg
	J9205	Irinotecan liposome, 1 mg
	J9206	Irinotecan, 20 mg

eMedNY > Procedure Codes



J9207	Ixabepilone, 1 mg
J9208	Ifosfomide, 1 g
J9209	Mesna, 200 mg
J9210	Emapalumab-lxsg, 1 mg
J9211	Idarubicin HCl, 5 mg
J9212	Interferon alfacon-1, recombinant, 1 mcg
J9213	Interferon, alfa-2A, recombinant, 3 million units
J9214	Interferon, alfa-2B, recombinant, 1 million units
J9215	Interferon, alfa-N3, (human leukocyte derived), 250,000 IU
J9216	Interferon, gamma-1B, 3 million units
J9217	Leuprolide acetate (for depot suspension), 7.5 mg
J9218	Leuprolide acetate, per 1 mg
J9219^	Le <mark>upr</mark> olide acetate implant, 65 mg
J9223	Lurbinectedin, 0.1 mg
J9225	Histrelin implant (Vantas), 50 mg
J9226	Histrelin implant (Supprelin LA), 50 mg
J9227	Isatuximab-irfc, 10 mg
J9228	Ipilimumab, 1 mg
J9229	Injection, inotuzumab ozogamicin, 0.1 mg
J9230	Mechlorethamine HCI, (Nitrogen Mustard), 10 mg
J9245	Melphalan HCl, 50 mg
J9246	Melphalan (evomela), 1 mg
J9250	Methotrexate sodium, 5 mg
J9259	Paclitaxel protein-bound particles (american regent) not therapeutically equivalent to
	j9264, 1 mg
J9260	Methotrexate sodium, 50 mg
J9261	Nelarabine, 50 mg
J9262	Omacetaxine mepesuccinate, 0.01 mg
J9263	Oxaliplatin (Eloxatin), 0.5 mg
J9264	Paclitaxel protein-bound particles, 1 mg
J9266	Pegaspargase, per single dose vial
J9267	Paclitaxel, 1mg
J9268	Pentostatin, per 10 mg
J9269	Tagraxofusp-erzs, 10 mcg
J9270	Plicamycin, 2.5 mg
J9271	Pembrolizumab, 1 mg
J9272	Dostarlimab-gxly, 10 mg
J9273	Tisotumab vedotin-tftv, 1 mg
J9274	Tebentafusp-tebn, 1 mcg
J9280	Mitomycin, 5 mg
J9281	Mitomycin pyelocalyceal instillation, 1 mg
J9285	Olaratumab, 10 mg
J9293	Mitoxantrone HCl, per 5 mg
10204	D 1 1

Pemetrexed, hospira 10mg

J9294

eMedNY > Procedure Codes



J9295	Necitumumab, 1 mg
J9296	Pemetrexed (accord) 10mg
J9297	Pemetrexed (sandoz) 10mg
J9298	Nivolumab and relatlimab-rmbw, 3 mg/1 mg
J9299	Nivolumab, 1 mg
J9301	Obinutuzumab, 10 mg
J9302	Ofatumumab, 10 mg
J9303	Panitumumab, 10 mg
J9304	Pemetrexed (pemfexy), 10 mg
J9305	Pemetrexed, 10 mg
J9306	Pertuzumab (Perjeta) 1 mg
J9307	Pralatrexate, 1 mg
J9308	Ra <mark>mu</mark> cirumab, 5 mg
J9309	Polatuzumab vedotin-piiq, 1 mg
J9311	I <mark>njec</mark> tion, r <mark>ituxi</mark> mab 10 mg and hyaluronidase
J9312	Rituximab, 10 mg
J9313	Moxetumomab pasudotox-tdfk, 0,01 mg
J9314	Pemetrexed (teva) 10mg
J9316	Pertuzumab, trastuzumab, and hyaluronidase-zzxf, per 10 mg
J9317	Sacituzumab govitecan-hziy, 2.5 mg
J9318	Romidepsin, non-lyophilized, 0.1 mg
J9319	Romidepsin, lyophilized, 0.1 mg
J9320	Streptozocin, 1 g
J9322	Pemetrexed (bluepoint) not therapeutically equivalent to j9305, 10 mg
J9323	Pemetrexed ditromethamine, 10 mg
J9325	Talimogene laherparpvec, per 1 million plaque forming units
J9328	Temozolomide, 1 mg
J9330	Temsirolimus, 1 mg
J9331	Sirolimus protein-bound particles, 1 mg
J9332	Efgartigimod alfa-fcab, 2mg
J9340	Thiotepa, 15 mg
J9347	Tremelimumab-actl, 1 mg
J9348	Naxitamab-gqgk, 1 mg
J9349	Tafasitamab-cxix, 2 mg
J9350	Mosunetuzumab-axgb, 1 mg
J9351	Topotecan, 0.1 mg
J9352	Trabectedin, 0.1 mg
J9353	Margetuximab-cmkb, 5 mg
J9354	Ado-trastuzuman emtansine (Kadcyla) 1 mg
J9355	Trastuzumab, excludes biosimilar,10 mg
J9356	Trastuzumab, 10 mg and hyaluronidase-oysk
J9357	Valrubicin, intravesical, 200 mg
J9358	Fam-trastuzumab deruxtecan-nxki,1mg
J9359	Loncastuximab tesirine-lpyl, 0.075 mg

eMedNY > Procedure Codes



J9360	Vinblastine sulfate, 1 mg
J9370	Vincristine sulfate, 1 mg
J9371	Vincristine sulfate liposome (Marqibo), 1 mg
J9380	Teclistamab-cqyv, 0.5 mg
J9381	Teplizumab-mzwv, 5 mcg
J9 <mark>390</mark>	Vinorelbine tartrate, 10 mg
J9393	Fulvestrant (teva) not therapeutically equivalent to J9395, 25 mg
J9394	Fulvestrant (fresenius kabi) not therapeutically equivalent to J9395, 25 mg
J9395	Fulvestrant, 25 mg
J9400	Ziv-aflibercept (Zaltrap), 1 mg
J9600	Porfimer sodium, 75 mg
J 999 9	Not Otherwise Classified, Antineoplastic Drugs

9 Q CODES

Q0138	Ferumoxytol, for treatment of iron deficiency anemia, 1 mg (non-ESRD use)
Q2017	Teniposide, 50 mg
Q2041	Axicabtagene Ciloleucel, up to 200 million autologous Anti-CD19 CAR positive viable t
	cells, including leukapheresis and dose preparation procedures, per therapeutic dose
Q2042	Tisagenlecleucel, up to 600 million car-positive viable t cells, including leukapheresis
	and dose preparation procedures, per infusion
Q2043	Sipuleucel-t (Provenge) minimum of 50 million autologous CD54+ cells activated with
	PAP-GM-CSF, including leukapheresis and all other preparatory procedures, per
	infusion
Q2050	Doxorubicin hydrochloride, liposomal, not otherwise specified, 10 mg
Q2053	Brexucabtagene autoleucel, up to 200 million autologous anti-cd19 car positive viable t
	cells, including leukapheresis and dose preparation procedures, per therapeutic dose
Q2054	Lisocabtagene maraleucel, up to 110 million autologous anti-cd19 car-positive viable t
	cells, including leukapheresis and dose preparation procedures, per therapeutic dose
Q2055	Idecabtagene vicleucel, up to 460 million autologous b-cell maturation antigen (bcma)
	directed car-positive t cells, including leukapheresis and dose preparation procedures,
	per therapeutic dose
Q2056	Ciltacabtagene autoleucel, up to 100 million autologous b-cell maturation antigen
	(bcma) directed car-positive t cells, including leukapheresis and dose preparation
	procedures, per therapeutic dose
Q5101	Filgrastim-sndz, biosimilar, (zarxio), 1 microgram
Q5103	Inflectra (Infliximab-dyyb), biosimilar, 10 mg
Q5104	Renflexis (Infliximab-abda), biosimilar, 10 mg
Q5107	Bevacizumab-awwb; 10 mg
Q5111	Pegfilgrastim-cbqv, biosimilar, 0.5 mg
Q5112	Trastuzumab-dttb; 10 mg
Q5113	Trastuzumab-pkrb; 10 mg
Q5114	Trastuzumab-dkst; 10 mg

eMedNY > Procedure Codes



Q5115	Rituximab-abbs, 10 mg
Q5116	Trastuzumab-qyyp; 10 mg
Q5117	Trastuzumab-anns; 10 mg
Q5118	Bevacizumab-bvzr; 10 mg
Q5119	Rituximab-pvvr; 10 mg
Q5120	Pegfilgrastim-bmez; 0.5 mg
Q5121	Infliximab-axxq; 10 mg
Q5123	Rituximab-arrx, 10 mg
Q5125	Filgrastim-ayow, 1 mcg
Q5126	Bevacizumab-maly, 10 mg
Q5127	Pegfilgrastim-fpgk (stimufend), biosimilar, 0.5 mg
Q5128	Cimerli, 0.1 mg
Q5129	Vegzelma, 10 mg
Q5130	Fylnetra, 0.5 mg
Q5131	Adalimumab-aacf (idacio), biosimilar, 20 mg

10 S CODES

S0013	Esketamine, nasal spray, 1 mg
S0189	Testosterone pellet, 75 mg
S0190	Mitepristone, oral, 200 mg
	(when administered for medically necessary non-surgical abortion)
S0191	Misoprostol, oral, 200 mg
	(when administered for medically necessary non-surgical abortion)
S9435^	Medical foods for inborn errors of metabolism
	(Reimbursement limited to Inborn Metabolic Disease Centers or Medical Directors of
	Inborn Metabolic Disease Centers)

11 HYDRATION, THERAPEUTIC, PROPHYLACTIC, DIAGNOSTIC INJECTIONS AND INFUSIONS, AND CHEMOTHERAPY AND OTHER HIGHLY COMPLEX DRUG OR HIGHLY COMPLEX BIOLOGIC AGENT ADMINISTRATION

11.1.1 HYDRATION

96360	Intravenous infusion, hydration; initial, 31 minutes to 1 hour			·
96361	each additional hour (List separately in addition to cod	le for	primary pr	ocedure)

11.1.2 THERAPEUTIC, PROPHYLACTIC, AND DIAGNOSTIC INJECTIONS AND INFUSIONS (EXCLUDES CHEMOTHERAPY AND OTHER HIGHLY COMPLEX DRUG OR HIGHLY COMPLEX BIOLOGIC AGENT ADMINISTRATION)

96365	Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug);
	initial, up to 1 hour
96366	each additional hour (List separately in addition to code for primary procedure)
96367	additional sequential infusion of a new drug/substance, up to 1 hour (List
	separately in addition to code for primary procedure)

eMedNY > Procedure Codes



96368	concurrent infusion (List separately in addition to code for primary procedure)
96369	Subcutaneous infusion for therapy or prophylaxis (specify substance or drug); initial, up
	to 1 hour, including pump set-up and
96371	additional pump set-up with establishment of new subcutaneous infusion site(s)
	(List separately in addition to code for primary procedure)
96372	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug);
	subcutaneous or intramuscular

11.1.3 CHEMOTHERAPY AND OTHER HIGHLY COMPLEX DRUG OR HIGHLY COMPLEX BIOLOGIC AGENT ADMINISTRATION

Intravenous chemotherapy injections are administered by a physician, a nurse practitioner or by a qualified assistant under supervision of the physician or nurse practitioner.

11.1.3.1 INJECTION AND INTRAVENOUS INFUSION CHEMOTHERAPY AND OTHER HIGHLY COMPLEX DRUG OR HIGHLY COMPLEX BIOLOGIC AGENT ADMINISTRATION

96405	Chemotherapy administration; intralesional, up to and including 7 lesions
96406	intr <mark>ale</mark> sional, more than 7 lesions
96409	intravenous; push technique, single or initial substance/drug
96413	infusion technique, up to one hour, single or initial substance/drug
96415	each additional hour (List separately in addition to primary procedure)
96416	initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use
	of a portable or implantable pump

11.1.3.2 INTRA-ARTERIAL CHEMOTHERAPY AND OTHER HIGHLY COMPLEX DRUG OR HIGHLY COMPLEX BIOLOGIC AGENT ADMINISTRATION

96420	Chemotherapy administration, intra-arterial; push technique
96422	infusion technique, up to 1 hour
96423	infusion technique, each additional hour (List separately in addition to primary
	procedure)
96425	infusion technique, initiation of prolonged infusion (more than 8 hours), requiring
	the use of a portable or implantable pump

11.1.3.3 OTHER INJECTION AND INFUSION SERVICES

96521	Refilling and maintenance of portable pump
96522	Refilling and maintenance of implantable pump or reservoir for drug delivery, systemic
	(eg, intravenous, intra-arterial)
96542	Chemotherapy injection, subarachnoid or intraventricular via subcutaneous reservoir,
	single or multiple agents
96549	Unlisted chemotherapy procedure
J9999	Not otherwise classified, antineoplastic drugs

11.2 GASTROENTEROLOGY

91010 Esophageal motility (manometric study of the esophagus and/or gastroesophageal junction) study with interpretation and report;

eMedNY > Procedure Codes



91013	with stimulation or perfusion (eg, stimulant, acid or alkali perfusion)
91020	Gastric motility (manometric) studies
91022	Duodenal motility (manometric) study
91030	Esophagus, acid perfusion (Bernstein) test for esophagitis
91034	Esophagus, gastroesophageal reflux test; with nasal catheter pH electrode(s) placement, recording, analysis and interpretation
91035	with mucosal attached telemetry pH electrode placement, recording, analysis and interpretation
	(91034, 91035 are for patients with esophageal reflux who have already undergone
	endoscopy and manometry/motility studies, or for those patients who are unable to
	undergo conventional tests or in whom conventional tests have proven inconclusive.
	Th <mark>ese tests are</mark> not covered for screening for Barrett's Esophagus)
91037	Esophageal function test, gastroesophageal reflux test with nasal catheter intraluminal
	impedance electrode(s) placement, recording, analysis and interpretation;
91038	prolonged (greater than 1 hour, up to 24 hours)
91040	Esophageal balloon distension provocation study
91065	Breath h <mark>ydr</mark> ogen or methane test (eg. for detection of lactase deficiency, fructose
	intolerance, bacterial overgrowth, or oro-cecal gastrointestinal transit)
91110	Gastrointestinal track imaging, intraluminal (eg, capsule endoscopy), esophagus
	through ileum, with physician interpretation and report
91120	Rectal sensation, tone, and compliance test (ie, response to graded balloon distention)
91122	Anorectal manometry
	OTHER PROCEDURES
91200	Liver elastography, mechanically induced shear wave (eg. vibration), without imaging,
	with interpretation and report
91299	Unlisted diagnostic gastroenterology procedure

11.3 OPHTHALMOLOGY

11.3.1 GENERAL OPHTHALMOLOGICAL SERVICES

11.3.1.1 NEW PATIENT

92002	Ophthalmological services, medical examination, and evaluation with initiation of
	diagnostic and treatment program; intermediate, new patient (with/without refraction)
92004	comprehensive, new patient, 1 or more visits (with/without refraction)

11.3.1.2 ESTABLISHED PATIENT

92012	Ophthalmological services: medical examination and evaluation, with initiation or
	continuation of diagnostic and treatment program; intermediate, established patient
	(with/without refraction)
92014	comprehensive, established patient, 1 or more visits (with/without refraction)

11.3.2 SPECIAL OPHTHALMOLOGICAL SERVICES

92020 Gonioscopy (separate procedure)

eMedNY > Procedure Codes



92025 92060	Computerized corneal topography, unilateral or bilateral, with interpretation and report Sensorimotor examination with multiple measurements of ocular deviation (eg,
	restrictive or paretic muscle with diplopia) with interpretation and report (separate procedure)
92081	Visual field examination, unilateral or bilateral, with interpretation and report; limited
32001	examination (eg, tangent screen, Autoplot, arc perimeter, or single stimulus level
	automated test, such as Octopus 3 or 7 equivalent)
92082	intermediate examination (eg, at least 2 isopters on Goldmann perimeter, or semiquantitative, automated suprathreshold screening program, Humphrey
92083	suprathreshold automatic diagnostic test, Octopus program 33) extended examination (eg, Goldmann visual fields with at least 3 isopters plotted
32003	and static determination within the central 30 degrees, or quantitative, automated threshold perimetry, Octopus program G-1, 32 or 42, Humphrey visual field analyzer full threshold programs 30-2, 24-2, or 30/60-2)
92132	Scanning computerized ophthalmic diagnostic imaging, anterior segment, with
	int <mark>e</mark> rpret <mark>atio</mark> n and report, un <mark>ilat</mark> eral or bilateral
92133	Scanning computerized ophthalmic diagnostic imaging, posterior segment, with
0010.4	interpretation and report, unilateral or bilateral; optic nerve
92134	retina
92136	Ophthalmic biometry by partial coherence interferometry with intraocular lens power calculation (one or both eyes)
	calculation (one or both eyes)
11.3.2.1	OPHTHALMOSCOPY
92230	Fluorescein angioscopy with interpretation and report
92235	Fluorescein angiography (includes multiframe imaging) with interpretation and report, unilateral or bilateral
92240	Indocyanine-green angiography (includes multiframe imaging) with interpretation and report, unilateral or bilateral
92242	Fluorescein angiography and indocyanine-green angiography (includes multiframe
	imaging) performed at the same patient encounter with interpretation and report,
	unilateral or bilateral
92250	Fundus photography with interpretation and report (one or both eyes)
92260	Ophthalmodynamometry (one or both eyes)
	OTHER SPECIALIZED SERVICES
92265	Needle oculoelectromyography, 1 or more extraocular muscles, 1 or both eyes, with interpretation and report
92270	Electro-oculography with interpretation and report
92273	Electroretinography (ERG), with interpretation and report; full field (ie, ffERG, flash ERG,
32273	Ganzfeld (ERG)
92274	multifocal (mfERG)
92286	Anterior segment imaging with interpretation and report; with specular microscopy and
	endothelial cell analysis
92287	with fluorescein angiography



11.4 SPECIAL OTORHINOLARYNGOLOGIC SERVICES

11 / 1	VECTIBLII AD FLINICTIONI TECTO	WITH ELECTRICAL	DECORDING /EC	ENIC
11.4.1	VESTIBULAR FUNCTION TESTS.	WITH ELECTRICAL	. KECOKDING (EG	ı, ENG)

Tympanometry and reflex threshold measurements

Screening test, pure tone, air only

Caloric vestibular test with recording, bilateral; bithermal (ie, one warm and one cool 92537 irrigation in each ear for a total of four irrigations) 92538 monothermal (ie, one irrigation in each ear for a total of two irrigations) 92540 Basic vestibular evaluation, includes spontaneous nystagmus test with eccentric gaze fixation hystagmus, with recording, positional nystagmus test, minimum of 4 positions, with recording, optokinetic nystagmus test, bidirectional foveal and peripheral stimulation, with recording, and oscillating tracking test, with recording 92541 Spontaneous nystagmus test, including gaze and fixation nystagmus, with recording 92542 Positional nystagmus test, minimum of 4 positions, with recording 92544 Optokinetic nystagmus test, bidirectional, foveal or peripheral stimulation, with recording 92545 Oscillating tracking test, with recording 92546 Sinusoidal vertical axis rotational testing 92517 Vestibular evoked myogenic potential (VEMP) testing, with interpretation and report; cervical (cVEMP) ocular (oVEMP) 92518 92519 cervical (cVEMP) and ocular (oVEMP)

11.4.2 AUDIOLOGIC FUNCTION TESTS

92550

92551

JLJJ1	Screening test, pure torie, an only
92552	Pure tone audiometry (threshold); air only
92553	air and bone
92555	Speech audiometry threshold;
92556	with speech recognition
92557	Comprehensive audiometry threshold evaluation and speech recognition
	(92553 and 92556 combined)
92563	Tone decay test
92565	Stenger test, pure tone
92567	Tympanometry (impedance testing)
92568	Acoustic reflex testing; threshold
92570	Acoustic immittance testing, includes tympanometry (impedance testing), acoustic
	reflex threshold testing, and acoustic reflex decay testing
92571	Filtered speech test
92650	Auditory evoked potentials; screening of auditory potential with broadband stimuli,
	automated analysis
92651	for hearing status determination, broadband stimuli, with interpretation and
	report
92652	for threshold estimation at multiple frequencies, with interpretation and report

Distortion product evoked otoacoustic emissions; limited evaluation (to confirm the

neurodiagnostic, with interpretation and report

92653

92587

eMedNY > Procedure Codes



presence or absence of hearing disorder, 3-6 frequencies) or transient evoked otoacoustic emissions, with interpretation and report

92588 comprehensive diagnostic evaluation (quantitative analysis of outer hair cell function by cochlear mapping, minimum of 12 frequencies), with interpretation and report

11.4.3 EVALUATIVE AND THERAPEUTIC SERVICES

92601	Diagnostic analysis of cochlear implant, patient younger than 7 years of age; with
	programming
92602	subsequent reprogramming
92603	Diagnostic analysis of cochlear implant, age 7 years or older; with programming
92604	subsequent reprogramming

CARDIOVASCULAR

11.5	CARDIOVASCULAR
11.5.1	CARDIOGRAPHY
93000	Electrocardiogram, routine ECG with at least 12 leads; with interpretation and report
93005	tra <mark>cing</mark> only, without in <mark>ter</mark> pretation and report
93015	Cardiovascular stress test using maximal or submaximal treadmill or bicycle exercise,
	continuous electrocardiographic monitoring, and/or pharmacological stress; with
	supervision, interpretation and report
93017	supervision only without interpretation and report
93024	Ergonovine provocation test
93025	Microvolt T-wave alternans for assessment of ventricular arrhythmias
93040	Rhythm ECG, one to three leads; with interpretation and report
93224	External electrocardiographic recording up to 48 hours by continuous rhythm recording
	and storage; includes recording, scanning analysis with report, review and
	interpretation by a physician or other qu <mark>alifie</mark> d health care professional
93225	recording (includes connection, recording, and disconnection)
93242	External electrocardiographic recording for more than 48 hours up to 7 days by
	continuous rhythm recording and storage; recording (includes connection and
	initial recording)
93246	External electrocardiographic recording for more than 7 days up to 15 days by
	continuous rhythm recording and storage; recording (includes connection and
	initial recording)
93228	External mobile cardiovascular telemetry with electrocardiographic recording,
	concurrent computerized real time data analysis and greater than 24 hours of
	accessible ECG data storage (retrievable with query) with EGC triggered and patient
	selected events transmitted to a remote attended surveillance center for up to 30 days;
	review and interpretation with report by a physician or other qualified health care
	professional.
93229	technical support for connection and patient instructions for use, attended
	surveillance, analysis and transmission of daily and emergent data reports as
	prescribed by a physician or other qualified health care professional.
93268	External patient and, when performed, auto activated electrocardiographic rhythm

eMedNY > Procedure Codes



	derived event recording with symptom-related memory loop with remote download capability up to 30 days, 24-hour attended monitoring; includes transmission, review
	and interpretation by a physician or other qualified health care professional
93270	recording (includes connection, recording, and disconnection)
93271	transmission download and analysis
93278	Signal-averaged electrocardiography (SAECG), with or without ECG
11.5.2 C	ARDIOVASCULAR DEVICE MONITORING-IMPLANTABLE AND WEARABLE DEVICES
93279	Programming device evaluation (in person) with iterative adjustment of the implantable
95219	device to test the function of the device and select optimal permanent programmed
	values with analysis, review and report by a physician or other qualified health care
	professional; single lead pacemaker system or leadless pacemaker system in one
	cardiac chamber
93280	dual lead pacemaker system
93281	multiple lead pacemaker system
93282	single lead transvenous implantable defibrillator system
93283	dual lead transvenous implantable defibrillator system
93284	multiple lead transvenous implantable defibrillator system
93260	implantable subcutaneous lead defibrillator system
93285	subcutaneous cardiac rhythm monitor system
93288	Interrogation device evaluation (in person) with analysis, review and report by a
	physician or other qualified health care professional, includes connection, recording
	and disconnection per patient encounter; single, dual, or multiple lead pacemaker
	system, or leadless pacemaker system
93289	single, dual, or multiple lead transvenous implantable defibrillator system,
	including analysis of heart rhythm derived data elements
93261	implantable subcutaneous lead defibrillator system
93290	implantable cardiovascular physiologic monitor system, including analysis of 1 or
	more recorded physiologic cardiovascular data elements from all internal and

subcutaneous cardiac rhythm monitor system, including heart rhythm derived data analysis

wearable defibrillator system

Transtelephonic rhythm strip pacemaker evaluation(s) single, dual, or multiple lead pacemaker system, includes recording with and without magnet application with analysis, review and report(s) by a physician or other qualified health care professional, up to 90 days

external sensors

Interrogation device evaluation(s) (remote), up to 90 days; single, dual, or multiple lead pacemaker system, or leadless pacemaker system with interim analysis, review(s) and report(s) by a physician or other qualified health care professional

single, dual, or multiple lead implantable defibrillator system with interim analysis, review(s) and report(s) by a physician or other qualified health care professional Interrogation device evaluation(s), (remote) up to 30 days; implantable cardiovascular

physiologic monitor system, including analysis of 1 or more recorded physiologic

eMedNY > Procedure Codes



cardiovascular data elements from all internal and external sensors, analysis, review(s) and report(s) by a physician or other qualified

93298 subcutaneous cardiac rhythm monitor system, including analysis of recorded heart rhythm data, analysis, review(s) and report(s) by a physician or other qualified health care professional

11.5.3 PHRENIC NERVE STIMULATION

- Therapy activation of implanted phrenic nerve stimulator system, including all interrogation and programming
- Interrogation and programming (minimum one parameter) of implanted phrenic nerve stimulator system
- 93152 Interrogation and programming of implanted phrenic nerve stimulator system during polysomnography
- 93153 Interrogation and programming of implanted phrenic nerve stimulator system during polysomnography

11.5.4 ECHOCARDIOGRAPHY

For procedure codes 93303-93350, See Radiology Section General Instructions and General Information and Rules. When more than one of these procedures are performed during the same visit, reimbursement shall be limited to the greater fee plus 60% of the lesser fee(s).

93303	Transthoracic echocardiography for congenital cardiac anomalies; complete
93304	follow-up or limited study
93306	Echocardiography, transthoracic, real-time with image documentation (2D), includes M-
	mode recording, when performed, complete, with spectral Doppler echocardiography,
	and with color flow Doppler echocardiography
93307	Echocardiography, transthoracic, real-time with image documentation (2D), includes M-
	mode recording, when performed, complete, without spectral or color Doppler
	echocardiography
93308	follow-up or limited study
93312	Echocardiography, transesophageal, real time with image documentation (2D) (with or
	without M-mode recording); including probe placement, image acquisition,
	interpretation and report
93314	image acquisition, interpretation and report only
93315	Transesophageal echocardiography for congenital cardiac anomalies; including probe
	placement, image acquisition, interpretation and report
93317	image acquisition, interpretation and report only
93318	Echocardiography, transesophageal (TEE) for monitoring purposes, including probe
	placement, real time 2-dimensional image acquisition and interpretation leading to
	ongoing (continuous) assessment of (dynamically changing) cardiac pumping function
	and to therapeutic measures on an immediate time basis
93319	3D echocardiographic imaging and postprocessing during transesophageal
	echocardiography, or during transthoracic echocardiography for congenital cardiac
	anomalies, for the assessment of cardiac structure(s) (eg, cardiac chambers and valves,

eMedNY > Procedure Codes



	left atrial appendage, interatrial septum, interventricular septum) and function, when
	performed (List separately in addition to code for echocardiographic imaging)
93320	Doppler echocardiography, pulsed wave and/or continuous wave with spectral display;
	complete
93321	follow-up or limited study
93325	Doppler echocardiography color flow velocity mapping (List separately in addition to
	codes for echocardiography)
93350	Echocardiography, transthoracic, real-time with image documentation (2D, with or
	without M-mode recording), during rest and cardiovascular stress test using treadmill,
	bicycle exercise and/or pharmacologically induced stress, with interpretation and report
93351	including performance of continuous electrocardiographic monitoring, with
	supervision by a physician or other qualified health care professional
93598	Cardiac output measurement(s) thermodilution or other indicator dilution method,
	performed during cardiac catheterization for the evaluation of congenital heart defects
	(List separately in addition to code for primary procedure)

11.5.5 INTRACARDIAC ELECTROPHYSIOLOGICAL PROCEDURES/STUDIES

- Electrophysiologic evaluation of subcutaneous implantable defibrillator (includes defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia, termination, and programming or reprogramming of sensing or therapeutic parameters)
- 93660 Evaluation of cardiovascular function with tilt table evaluation, with continuous ECG monitoring and intermittent blood pressure monitoring, with or without pharmacological intervention

11.5.6 NONINVASIVE PHYSIOLOGIC STUDIES AND PROCEDURES

93701	Bioimpedance-derived physiologic cardiovascular analysis
93724	Electronic analysis of antitachycardia pacemaker system (includes electrocardiographic
	recording, programming of device, induction and termination of tachycardia via
	implanted pacemaker, and interpretation of recordings)
93740	Temperature gradient studies
93750	Interrogation of ventricular assist device (vad), in person, with physician or other
	qualified health care professional analysis of device parameters (eg, drivelines, alarms,
	power surges), review of device function (eg, flow and volume status, septum status,
	recovery), with programming, if performed, and
93770	Determination of venous pressure
93784	Ambulatory blood pressure monitoring, utilizing report-generating software, automated,
	worn continuously for 24 hours or longer; including recording, scanning analysis,
	interpretation and report

11.5.7 OTHER PROCEDURES

recording only

93786

93797 Physician or other qualified health care professional services for outpatient cardiac rehabilitation; without continuous ecg monitoring (per session)

eMedNY > Procedure Codes



93798 with continuous ECG monitoring (per session)

11.6 NONINVASIVE VASCULAR DIAGNOSTIC STUDIES

For procedure codes 93880- 93990, see Radiology Section General Instructions and General Information and Rules

11.6.1 CEREBROVASCULAR ARTERIAL STUDIES

93880 D	olex scan of extracranial arteries; complete bilateral study
93882	unilateral or limited study
93886 T	nscranial Doppler study of the intracranial arteries; complete study
93888	limited study
93890	vasoreactivity study
93892	emboli detection without intravenous microbubble injection
93893	emboli detection with intravenous microbubble injection
93998	Unlisted noninvasive vascular diagnostic study

11.7 EXTREMITY ARTERIAL STUDIES (INCLUDING DIGITS)

Limited bilateral noninvasive physiologic studies of upper or lower extremity arteries, (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus bidirectional, Doppler waveform recording and analysis at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus volume plethysmography at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries with transcutaneous oxygen tension measurements 1-2 levels)

Complete bilateral non-invasive physiologic studies of upper or lower extremity arteries, 3 or more levels (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental blood pressure measurements with bidirectional Doppler waveform recording and analysis, at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental volume plethysmography at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental transcutaneous oxygen tension measurements at 3 or more level(s), or single level study with provocative functional maneuvers (eg, measurements with postural provocative tests, or measurements with reactive hyperemia)

Noninvasive physiologic studies of lower extremity arteries, at rest and following treadmill stress testing, (ie, bidirectional Doppler waveform or volume plethysmography recording and analysis at rest with ankle/brachial indices immediately after and at timed intervals following performance of a standardized protocol on a motorized treadmill plus recording of time of onset of claudication or other symptoms, maximal walking time, and time to recovery) complete bilateral study

93925 Duplex scan of lower extremity arteries or arterial bypass grafts; complete bilateral study

93926 unilateral or limited study

93930 Duplex scan of upper extremity arteries or arterial bypass grafts; complete bilateral

eMedNY > Procedure Codes



study

93931 unilateral or limited study

11.7.1 EXTREMITY VENOUS STUDIES (INCLUDING DIGITS)

Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study

93971 unilateral or limited study

11.7.2 VISCERAL AND PENILE VASCULAR STUDIES

Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; complete study

93976 limited study

93978 Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; complete

study

93979 unilateral or limited study

93980 Duplex scan of arterial inflow and venous outflow of penile vessels; complete study

93981 follow-up or limited study

11.7.3 EXTREMITY ARTERIAL VENOUS STUDIES

93985	Duplex scan of arterial flow and venous outflow for preoperative vessel assessment
	prior to creation of hemodialysis access; complete bilateral study
93986	complete unilateral study

Duplex scan of hemodialysis access (including arterial inflow, body of access and

venous outflow)

11.8 PULMONARY

11.8.1 PULMONARY DIAGNOSTIC TESTING AND THERAPIES

Codes 94010-94729 include laboratory procedure(s), interpretation, and physician's services (except surgical and anesthesia services), unless otherwise stated.

94010	Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate	
	measurement(s), with or without maximal voluntary ventilation	

94011 Measurement of spirometric forced expiratory flows in an infant or child through 2 years of age

Measurement of spirometric forced expiratory flows, before and after bronchodilator, in an infant or child through 2 years of age

94013 Measurement of lung volumes (ie, functional residual capacity [FRC], forced vital capacity [FVC], and expiratory reserve volume [ERV] in an infant or child through 2 years of age

Patient-initiated spirometric recording per 30-day period of time; includes reinforced education, transmission of spirometric tracing, data capture, analysis of transmitted data, periodic recalibration and review and interpretation by a physician or other qualified health care professional

recording (includes hook-up, reinforced education, data transmission, data

eMedNY > Procedure Codes



	capture, trend analysis, and periodic recalibration)
94060	Bronchodilation responsiveness, spirometry as in 94010, pre-and post-bronchodilator administration
94070	Bronchospasm provocation evaluation, multiple spirometric determinations as in 94010,
3 1010	with administered agents (eg., antigen(s), cold air, methacholine)
94150	Vital capacity, total (separate procedure)
94200	Maximum breathing capacity, maximal voluntary ventilation
94375	Respiratory flow volume loop
94617	Exercise test for bronchospasm, including pre- and post-spirometry and pulse oximetry;
	with electrocardiographic recording(s)
94619	without electrocardiographic recordings.
94618	Pulmonary stress testing (eg, 6-minute walk test), including measurement of heart rate,
	ox <mark>imetry, and oxygen titration, when performed</mark>
94621	Cardiopulmonary exercise testing including measurements of minute ventilation, CO2
	production, O2 uptake and electrocardiographic recordings
94625	Physician or other qualified health care professional services for outpatient pulmonary
	rehabilitation; without continuous oximetry monitoring (per session)
94626	with continuous oximetry monitoring (per session)
94640	Pressurized or non-pressurized inhalation treatment for acute airway obstruction or for
	sputum induction for diagnostic purposes (eg, with aerosol generator, nebulizer,
	metered dose inhaler or intermittent positive pressure breathing (IPPB) device)
94642	Aerosol inhalation of pentamidine for pneumocystis pneumonia treatment or
	prophylaxis
94664	Demonstration and/or evaluation of patient utilization of an aerosol generator,
	nebulizer, metered dose inhaler or IPPB device
94680	Oxygen uptake, expired gas analysis; rest and exercise, direct, simple
94681	including C02 output, percentage oxygen extracted
94690	rest, indirect (separate procedure)
94726	Plethysmography for determination of lung volumes and, when performed, airway resistance
94727	Gas dilution or washout for determination of lung volumes and, when performed,
	distribution of ventilation and closing volumes
94728	Airway resistance by impulse oscillometry
94729	Diffusing capacity (eg, carbon monoxide, membrane)

11.9 ALLERGY AND CLINICAL IMMUNOLOGY

ALLERGY SENSITIVITY TESTS: the performance and evaluation of selective cutaneous and mucous membrane tests in correlation with the history, physical examination, and other observations of the patient. The number of tests performed should be judicious and dependent upon the history, physical findings, and clinical judgment. All patients should not necessarily receive the same tests nor the same number of sensitivity tests. Maximum fees include observation and interpretation of the tests by an allergist.

11.9.1 ALLERGY TESTING

eMedNY > Procedure Codes



95060 Ophthalmic mucous membrane tests 95065 Direct nasal mucous membrane test

11.9.2 ALLERGEN IMMUNOTHERAPY

Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy; single or multiple antigens (specify number of doses)

11.9.3 SENSITIVITY TESTING

86485 Skin test; candida

86486 unlisted antigen, each 86490 coccidioidomycosis 86510 histoplasmosis

86580 tuberculosis, intradermal

12 NEUROLOGY AND NEUROMUSCULAR PROCEDURES

12.1 ROUTINE ELECTROENCEPHALOGRAPHY (EEG)

Electroencephalogram (EEG) extended monitoring; 41-60 minutes
61-119 minutes
Electroencephalogram (EEG); including recording awake and drowsy
including recording awake and asleep
recording in coma or sleep only
Insertion by physician or other qualified health care professional of sphenoidal electrodes for electroencephalographic (EEG) recording

12.2 RANGE OF MOTION TESTING

95851 Range of motion measurements and report (separate procedure); each extremity (excluding hand) or each trunk section (spine)
95852 hand, with or without comparison with normal side
95857 Cholinesterase inhibitor challenge test for myasthenia gravis

12.3 ELECTROMYOGRAPHY

95860	Needle electromyography; one extremity with or without related paraspinal areas
95861	two extremities with or without related paraspinal areas
95863	three extremities with or without related paraspinal areas
95864	four extremities with or without related paraspinal areas
95865	larynx
95866	hemidiaphragm
95867	cranial nerve supplied muscle(s); unilateral
95868	bilateral
95869	thoracic paraspinal muscles (excluding T1 or T2)
95870	limited study of muscles in one extremity or non-limb (axial) muscles (unilateral or
	bilateral), other than thoracic paraspinal, cranial nerve supplied muscles, or
	sphincters

Provider Procedure Codes April 2024

eMedNY > Procedure Codes



95872	Needle electromyography using single fiber electrode, with quantitative measurement
	of jitter, blocking and/or fiber density, any/all sites of each muscle studied
95885	Needle electromyography, each extremity, with related paraspinal areas, when
	performed, done with nerve conduction, amplitude and latency/velocity study; limited
	(List separately in addition to primary procedure)
95886	complete, five or more muscles studied, innervated by three or more nerves or
	four or more spinal levels (List separately in addition to primary procedure)
95887	Needle electromyography, non-extremity (cranial nerve supplied or axial) muscle(s)
	done with nerve conduction, amplitude and latency/velocity study (List separately in
7 4	addition to primary procedure)

12.4 ISCHEMIC MUSCLE TESTING AND GUIDANCE FOR CHEMODENERVATION

95875 Ischemic limb exercise test with serial specimen(s) acquisition for muscle(s) metabolite(s)

12.5 NERVE CONDUCTION TESTS

95905	Motor and/or sensory nerve conduction, using preconfigured electrode array(s),
	amplitude and latency/velocity study, each limb, includes F-wave study when
	performed, with interpretation and report
95907	Nerve conduction studies; 1-2 studies
95908	3-4 studies
95909	5-6 studies
95910	7-8 studies
95911	9-10 studies
95912	11-12 studies
95913	13 or more studies

12.6 AUTONOMIC FUNCTION TESTS

95921	Testing of autonomic nervous system function; cardiovagal innervation
	(parasympathetic function), including two or more of the following: heart rate response
	to deep breathing with recorded R-R interval Valsalva ratio, and 30:15 ratio
95922	vasomotor adrenergic innervation (sympathetic adrenergic function), including
	beat-to-beat blood pressure and R-R interval changes during Valsalva maneuver
	and at least five minutes of passive tilt
95923	sudomotor, including one or more of the following: quantitative sudomotor axon
	reflex test (QSART), silastic sweat imprint, thermoregulatory sweat test, and
	changes in sympathetic skin potential

12.7 EVOKED POTENTIALS AND REFLEX TESTS

95925	Short-latency somatosensory evoked potential study, stimulation of any/all peripheral
	nerves or skin sites, recording from the central nervous system; in upper limbs
95926	in lower limbs
95938	in upper and lower limbs
95927	in the trunk or head

eMedNY > Procedure Codes



95928	Central motor evoked potential study (transcranial motor stimulation); upper limbs
95929	lower limbs
95939	in upper and lower limbs
95930	Visual evoked potential (VEP) checkerboard or flash testing, central nervous system
	except glaucoma, with interpretation and report
95933	Orbicularis oculi (blink) reflex, by electrodiagnostic testing
95937	Neuromuscular junction testing (repetitive stimulation, paired stimuli), each nerve, any
	one method
12.8	SPECIAL EEG TESTS

95700	Electroencephalogram (EEG), continuous recording, with video when performed, setup,
	patient education, and takedown when performed, administered in person by EEG
	te <mark>chn</mark> ologist, minimum of 8 channels
95705	Electroencephalogram (EEG), without video, review of data, technical description by
	EEG technologist, 2-12 hours; unmonitored
95706	with intermittent monitoring and maintenance
95707	with continuous, real-time monitoring and maintenance
95708	Electroencephalogram (EEG), without video, review of data, technical description by
	EEG technologist, each increment of 12-26 hours; unmonitored
95709	with intermittent monitoring and maintenance
95710	with continuous, real-time monitoring and maintenance
95711	Electroencephalogram with video (VEEG), review of data, technical description by EEG
	technologist, 2-12 hours; unmonitored
95712	with intermittent monitoring and maintenance
95713	with continuous, real-time monitoring and maintenance
95714	Electroencephalogram with video (VEEG), review of data, technical description by EEG
	technologist, each increment of 12-26 hours; unmonitored
95715	with intermittent monitoring and maintenance
95716	with continuous, real-time monitoring and maintenance

12.9 NEUROSTIMULATORS, ANALYSIS-PROGRAMMING

<u>95980</u>	Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse
	amplitude and duration, configuration of wave form, battery status, electrode
	selectability, output modulation, cycling, impedance and patient measurements) gastric
	neurostimulator pulse generator/transmitter; intraoperative, with programming
<u>95981</u>	subsequent, without reprogramming
<u>95982</u>	subsequent, with reprogramming

12.10 OTHER PROCEDURES

95990 Refilling and maintenance on implantable pump or reservoir for drug delivery, spinal (intrathecal, epidural) or brain (intraventricular), includes electronic analysis of pump, when performed

12.11 MOTION ANALYSIS

eMedNY > Procedure Codes



96002	Dynamic surface electromyography, during walking or other functional activities, 1-12
	muscles

96003 Dynamic fine wire electromyography, during walking or other functional activities, 1 muscle

12.12 FUNCTIONAL BRAIN MAPPING

Neurofunctional testing selection and administration during noninvasive imaging functional brain mapping, with test administered entirely by a physician or other qualified health care professional (ie, psychologist), with review of test results and report

13 ADAPTIVE BEHAVIOR TREATMENT

13.1 ADAPTIVE BEHAVIOR ASSESSMENTS

- Behavior identification assessment, administered by a physician or other qualified health care professional, each 15 minutes of the physician's or other qualified health care professional's time face-to face with patient and/or guardian(s) administering assessments and discussing findings and recommendations, and non-face-to-face analyzing past data, scoring/interpreting the assessment, and preparing the report/treatment plan
- Behavior identification-supporting assessment, administered by one technician under the direction of a physician or other qualified health care professional, each 15 minutes of the physician or other qualified health care professional, face-to face with the patient, each 15 minutes

13.2 ADAPTIVE BEHAVIOR TREATMENT

- 97153 Adaptive behavior treatment by protocol, administered by technician under the direction of a physician or other qualified health are professional, face-to-face with one patient, each 15 minutes
- 97154 Group adaptive behavior treatment by protocol, administered by technician under the direction of a physician or other qualified health care professional, face-to-face with two or more patients, each 15 minutes
- 97155 Adaptive behavior treatment with protocol modification, administered by physician or other qualified health care professional, which may include simultaneous direction of technician, face-to-face with home patient, each 15 minutes
- 97156 Family adaptive behavior treatment guidance, administered by physician or other qualified health care professional (with or without the patient present), face-to-face with guardians(s)/caregiver(s), each 15 minutes
- 97157 Multiple-family group adaptive behavior treatment guidance, administered by physician or other qualified health care professional (without the patient present), face-to-face with multiple sets of guardians/caregivers, each 15 minutes
- 97158 Group adaptive behavior treatment with protocol modification, administered by



physician or other qualified health care professional, face-to-face with multiple patients, each 15 minutes

14 CENTRAL NERVOUS SYSTEM ASSESSMENTS/TESTS (e.g., NEURO-COGNITIVE, MENTAL STATUS, SPEECH TESTING)

14.1 ASSESSMENT OF APHASIA AND COGNITIVE PERFORMANCE TESTING

- Assessment of aphasia (includes assessment of expressive and receptive speech and language function, language comprehension, speech production ability, reading, spelling, writing, eg, by Boston Diagnostic Aphasia Examination) with interpretation and report, per hour
- Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; first hour
- 96113 each additional 30 minutes (List separately in addition to code for primary procedure)

14.2 PSYCHOLOGICAL/NEUROPSYCHOLOGICAL TESTING

- Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [eg, acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; first hour
- 96121 each additional hour (List separately in addition to code for primary procedure)
 96132 Neuropsychological testing evaluation services by physician or other qualified health
 care professional, including integration of patient data, interpretation of standardized
 test results and clinical data, clinical decision making, treatment planning and report,
 and interactive feedback to the patient, family member(s) or caregiver(s), when
 performed; first hour
- 96133 each additional hour (List separately in addition to code for primary procedure)
 96136 Psychological or neuropsychological test administration and scoring by physician or
 other qualified health care professional, two or more tests, any method; first 30
 minutes
- 96137 each additional 30 minutes (List separately in addition to code for primary procedure)

15 MISCELLANEOUS ORDERED AMBULATORY SERVICES

36430	Transfusion, blood or blood components
36511	Therapeutic apheresis; for white blood cells
36512	for red blood cells

eMedNY > Procedure Codes



	36513 36514	for platelets for plasma pheresis
	36515	with extracorporeal immunoadsorption and plasma reinfusion
	36516	with extracorporeal selective adsorption or selective filtration and plasma reinfusion
	36522	Photopheresis, extracorporeal (For technical component see Modifier –TC)
	38242	Allogeneic lymphocyte infusions
	54240	Penile plethysmography
4	59 020	Fetal contraction stress test
	59025	Fetal non-stress test
V	98960	Education and training for patient self-management by a qualified, nonphysician health
		care professional using a standardized curriculum, face-to-face with the patient (could
		in <mark>clud</mark> e caregiver/family) each 30 minutes; individual patient
	98961	2-4 patients
	98962	5-8 patients
	99170	Anogenital examination magnified, in childhood for suspected trauma, including image
		recording when performed
		(99170 should not be billed in addition to the all-inclusive clinic rate or emergency
	00105	room rate)
	99195	Phlebotomy, therapeutic (separate procedure)
	99429	Unlisted preventive medicine
	99459	Pelvic examination (List separately in addition to code for primary procedure) Ambulance service, neonatal transport, base rate, emergency transport, one way
	A0225	(Service limited to Hospital Based Ordered Ambulatory with a 740 specialty (Regional
		Perinatal Transportation))
	A4264	Permanent implantable contraceptive intratubal occlusion device(s) and delivery system
	G0108	Diabetes outpatient self-management training services, individual, per 30 minutes
	G0109	group session (2 or more), per 30 minutes
	G2023	Specimen collection for severe acute respiratory syndrome coronavirus 2 (sars-cov-2)
		(coronavirus disease [covid-19]), any specimen source).
	S9445	Patient education, not otherwise classified, non-physician provider, individual, per
		session (The initial lactation counseling session should be a minimum of 45 minutes.
		Follow up sessions(s) should be a minimum of 30 minutes. Three sessions within 12-
		month period immediately following delivery.)
	S9446	Patient education, not otherwise classified, non-physician provider, group, per session
		(Up to a maximum of eight participants in a group session. 60-minute minimum session
		length. One prenatal and one postpartum class per recipient per pregnancy.)
	T2101	Human breast milk processing, storage and distribution only
		(T2101 is for institutional billing only)

16 REHABILITATION SERVICES

Inclusion of Modifier **GN** (Services delivered under an outpatient speech-language pathology plan of care), **GO** (Services delivered under an outpatient occupational therapy plan of care), or **GP**

eMedNY > Procedure Codes



(Services delivered under an outpatient physical therapy plan of care) is required when billing for rehabilitation services.

16.1 SPEECH LANGUAGE PATHOLOGY

92507#	Treatment of speech, language, voice, communication, and/or auditory processing
	disorder; individual, (includes aural rehabilitation); (each half hour)
92521	Evaluation of speech fluency (eg, stuttering, cluttering)
92522	Evaluation of speech sound production (eg, articulation, phonological process, apraxia,
	dysarthria)
92523	with evaluation of language comprehension and expression (eg, receptive and
	expres <mark>sive</mark> language)
92524	Behavioral and qualitative analysis of voice and resonance

16.2 PHYSICAL THERAPY SERVICES/OCCUPATIONAL THERAPY

97530# Therapeutic activities, direct (one-on-one) patient contact by the provider (use of dynamic activities to improve functional performance), each 15 minutes (up to a maximum of 2 hours)

17 USE OF THE OPERATING ROOM

For information regarding the application process required for the Hospital-Based Ambulatory Surgery Program, please contact the hospital services representative in the appropriate OHSM Area Office for consultation. Current addresses and telephone numbers for the OHSM Area Offices are provided in the Inquiry Section of the manual.