NEW YORK STATE MEDICAID PROGRAM

PHARMACY

PROCEDURE CODES

Table of Contents

| 4.0 | GENERAL INFORMATION AND INSTRUCTIONS | 2 |
|-----|--|----|
| | | _ |
| 4.1 | ALLOWABLE NON-PRESCRIPTION DRUGS/OTC DRUGS | 4 |
| 4.2 | ENTERAL AND PARENTERAL THERAPY | 11 |
| 4.3 | MEDICAL/SURGICAL SUPPLIES | 15 |
| 4.4 | HEARING AID BATTERY | 32 |
| 4.5 | COMPOUNDED PRESCRIPTIONS | 33 |
| 4.6 | PHARMACISTS AS IMMUNIZERS | 34 |

OTC/SUPPLY CODES

4.0 GENERAL INFORMATION AND INSTRUCTIONS

| | , | • | 0 | , | • | | |
|--|---|---|---|---|---|--|--|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

1. Prior approval, dispensing validation, and prior authorization:

- a. "_____" underlined code numbers indicate that prior approval is required, utilizing form eMedNY 361501.
- b. When the description is preceded by a "#", Medicaid Eligibility Verification System (MEVS) dispensing validation is required.
- c. When the description is preceded by a "*", voice interactive telephone prior authorization is required. The prescriber must write the prior authorization number on the fiscal order and the dispenser completes the authorization process by calling (866) 211-1736.
- 2. Where the letters "PA" appear in the price column, the actual price must be determined at the time of prior approval.

3. MMIS Modifiers:

- a. The modifier 'DD' is no longer in use, effective for dates of service on and after April 1, 2002.
- b. The modifier 'BO', Orally administered enteral nutrition, must be added to the five-digit alph-numeric code as indicated, effective April 1, 2003.

4. Unlisted/By Report Items:

- a. Reimbursement for unlisted Supply Items is limited to the lower of:
 - -The actual acquisition cost (by invoice to the provider) plus 50%; or
 - -The usual and customary charge to the general public.
- b. Effective January 1, 2005, reimbursement for Enteral Therapy indicated By Report is limited to the lower of:
 - -The actual acquisition cost (by invoice to the provider) plus 30%; or
 - -The usual and customary price charged to the general public.

- 5. Reimbursement for Enteral Therapy, Parenteral Therapy, listed Non-prescription Drugs and Medical/Surgical Supplies is limited to the lower of:
 - -The price as indicated in the New York State Fee Schedule; or
 - -The usual and customary price charged to the general public.
- 6. See Section 4.5 for compounded prescription billing instructions.
- Acquisition cost means the line item cost from a manufacturer or wholesaler net of any rebates, discounts or other valuable considerations, mailing, shipping, handling, insurance costs or any sales tax.
- 8. For items listed in section **4.3** <u>Medical/Surgical Supplies</u>, the quantity listed is the maximum allowed per month. If the fiscal order exceeds this amount, the provider must obtain prior approval.
- 9. "BY REPORT" (BR): When billing "By Report", appropriate documentation (e.g.: itemized invoice) indicating total cost of the item, and any other factors which may be pertinent, must be submitted with the claim.
- 10.**FILLING ORDERS:** An original fiscal order for Medical-Surgical Supplies may not be filled more than 60 days after it has been inititated by the ordering practitioner unless prior approval is required.

MAXIMUM QUANTITY/MO

4.1 ALLOWABLE NON-PRESCRIPTION DRUGS/OTC DRUGS

Non-prescription drugs included in the therapeutic categories listed in this section may be reimbursed in the New York State Medical Assistance Program; and as a reimbursement item of medical assistance shall be the lower of:

- (a) The provider's usual and customary price to the general public on the date of provision of service, but not to exceed the lower sale price, if any, in effect on that date; or
- (b) The maximum reimbursable price established and maintained as listed.

For non-prescription/OTC National Drug Codes (NDC's) refer to the New York State Medicaid Reimbursable Drug List (Microfiche). All non-prescription drugs may be refilled up to five times.

ANALGESIC AND ANTIPYRETIC

| Acetaminophen | |
|---------------------------|--------|
| Tablets | |
| 80 mg | 150 |
| 325 mg | 300 |
| 500 mg | 240 |
| Liquid | 600 ml |
| Drops | 75 ml |
| Suppositories | |
| 120-125 mg | 60 |
| 300-325 mg | 60 |
| 600-650 mg | 60 |
| Acetylsalicylic acid | |
| Tablets 81 mg | 180 |
| 325 mg | 500 |
| Tablets, enteric coated | |
| 325 mg | 500 |
| Suppositories 300- 325 mg | 60 |
| 650 mg | 60 |
| Tablets, buffered | 500 |
| Ibuprofen | |
| Tablets 200 mg | 500 |
| Syrup 100 mg/5 ml | 300 |

| DESCRIPTION | MAXIMUM QUANTITY/MO |
|---|---|
| ANTACID | |
| Aluminum hydroxide gel Suspension Tablets Aluminum hydroxide, magnesium trisilicate, alginic acid and sodium bicarbonate tablets Aluminum hydroxide gel with magnesium hydroxide or trisilicate | 2400 ml 500 500 |
| and/or simethicone and/or other antacid preparations: Suspension Tablets Cimetidine | 1775 ml 500 |
| Tablet 200mg Suspension 200mg Famotidine | 200 3550 ml |
| Tablet 10 mg Tablet 20 mg Chewable 10mg with Calcium carbonate and/or Magnesium hydroxide and/or other antacid preparations 10 mg | 200 150 500 300 |
| Nizatidine tablet 75mg Omeprazole Mag tablet 20mg Ranitidine Tablet 75mg Tablet 150mg | 150 84 150 150 |
| Sodium bicarbonate tablets 650 mg ANTI-DIARRHEAL | 500 |
| Loperamide HC1 liquid 1 mg/5 ml Polycarbophil tablets 500 mg Bismuth Subsalicylate Tablets 262 mg Liquid 262 mg/15 ml | 600 500 ml 500 2400 ml |
| <u>ANTIHISTAMINE</u> | |
| Brompheniramine tablets 4 mg 24's Brompheniramine tablets 4 mg Chlorpheniramine tablets 4 mg 24's Chlorpheniramine tablets 4 mg Diphenhydramine capsules 25 mg Liquid 12.5 mg/5 ml | 24 500 24 500 500 600 ml |

| DESCRIPTION | MAXIMUM QUANTITY/MO |
|---|--|
| Loratadine tablet 10 mg Loratadine/P-ephedrine 12 hour Loratadine/P-ephedrine 24 hour Loratadine Syrup | 100 60 30 960 ml |
| ANTI-VERTIGO | |
| Dimenhydrinate tablets 50 mg 12's Dimenhydrinate tablets 50 mg | 12 500 |
| ARTIFICIAL TEARS AND OCCULAR/ORAL LUBRICANTS | |
| Lubricant ophthalmic ointment Artificial tears ml/UD Saliva substitute (squeeze or spray sol) Sodium chloride ophthalmic | 18 G 75 ml 900 ml |
| Ointment 5% Solution 2% 5% | 18 G 75 ml 75 ml |
| CARDIOVASCULAR | |
| Nicotinic acid tablets 50 mg 100 mg 500 mg | 500 500 500 |
| CHRONIC RENAL DISEASE | |
| Calcium tablets (500 mg elemental Ca) 1.25 G Basic aluminum carbonate gel Capsules 400-600 mg Tablets 300-600 mg Suspension 400-600 mg/5 ml Calcium carbonate/simethicone 6.5 G/0.5 G (7 G) packets | 300 500 2500 1775 ml 150 |
| COUGH AND COLD | |
| Phenylephrine HC1 Nasal Solution 1/8% Guaifenesin syrup 120 ml Guaifenesin syrup Guaifenesin w/decongestant and/or antitussive drops Guaifenesin capsules/tablets 600 mg Non-Narcotic antitussants and/or antihistamine and/or expectorant and/or decongestant and/or combination syrup 120 | 150 ml 120 ml 1185 ml 150 ml 120 120 ml |

| DESCRIPTION | MAXIMUM QUANTITY/MO |
|--|---|
| Non-Narcotic antitussants and/or antihistamine and/or expector and/or decongestant and/or combination syrup | ant 1185 ml |
| Antihistamine and decongestant syrup | 600 ml |
| Oxymetazoline HC1 nasal solution Non-Narcotic antitussants and/or upper respiratory combination | 150 ml ns of 120 |
| antihistamines and decongestant tabs and caps | 120 |
| Decongestant syrup Decongestant tablets 30 mg | 600 ml 120 |
| Sodium chloride nasal drops/spray 0.4 – 0.9% | 250 ml |
| DERMATOLOGICAL | |
| Abreva topical antiviral cream | 4 G |
| Aluminum acetate conc. Sol Bacitracin ointment | 2365 ml 150 G |
| Benzoyl peroxide | 150 G |
| Gel 5% | 225 G |
| 10% | 225 G |
| Lotion 5% 10% | 300 ml 300 ml |
| Hydrocortisone cream 1% | 150 G |
| Ointment 1% | 150 G |
| Lotion 1% | 300 ml |
| Tolnaftate Cream/Gel 1% | 75 G |
| Powder 1% Solution 1% | 225 G 50 ml |
| Antifungal vaginal cream w/applicator | 45 G |
| Antifungal vaginal suppositories | 7 |
| <u>EMETICS</u> | |
| Ipecac syrup | 50 ml |
| FAMILY PLANNING (See Section 4.3) | |
| Contraceptive suppositories Contraceptive jelly kit w/applicator Contraceptive jelly Contraceptive cream Jelly disposable applicator Contraceptive foam kit small Contraceptive foam kit | 60 114 G 570 G 575 G 50 200 G 450 G |

| DESCRIPTION | MAXIMUM QUANTITY/MO |
|---|--|
| FECAL SOFTENER AND LAXATIVE | |
| Milk of Magnesia Suspension Tablets Heavy mineral oil | 2365 ml 500 2365 ml |
| Capsules 100 mg Syrup 20 mg/5 ml Solution 10 mg/ml Bisacodyl suppositories 10 mg 12's Bisacodyl suppositories 10 mg Bisacodyl tablets, delayed release 5 mg Bulk laxatives, psyllium and/or methylcellulose, karaya gum, combinations, etc. | 500 2365 ml 600 ml 12 250 500 2400 G |
| Barium enema prep kit Senna tablets Sugar-free psyllium powder Polycarbophil tablets 500 mg Disposable enema Disposable enema, docusate sodium | 5 500 1500 G 500 6750 ml 3000 ml |
| HEMATINIC | |
| Ferrous Salts tablets 300 - 325 mg Liquid Drops Polysaccharide Iron Complex 150mg Polysaccharide Iron Complex 150mg w/Vitamin-Min | 500 2365 ml 250 ml 500 500 |
| INSULIN | |
| The maximum fees for insulin are adjusted periodically by the current cost. Refer to the New York State Department of Hea Reimbursable Drugs. | |
| INSULIN, BIOSYNTHETIC HUMAN | |
| Insulin injection U-100 Insulin suspension, isophane U-100 Insulin zinc suspension 70%/30% Insulin injection U-100 | 50 ml 50 ml 50 ml |
| 3 ml Cartridge 1.5 ml Cartridge Insulin suspension, isophane U-100 | 45 ml 45 ml |
| 3 ml Cartridge | 45 ml |

3 ml Cartridge

1.5 ml Cartridge

45 ml

| DESCRIPTION | MAXIMUM QUANTITY/MO |
|--|---|
| Insulin suspension isophane 70% with insulin injection 30% U-10 3 ml Cartridge 1.5 ml Cartridge | 45 ml 45 ml |
| PEDICULOCIDE | |
| Pyrethrins (0.17 - 0.33%) w/piperonylbutoxide (2 - 4%) Liquid Permethrin creme rinse 1% | 600 mg 300 mg |
| SMOKING CESSATION AGENTS | |
| Transdermal Nicotine 0-7 mg 8-15 mg 16 mg and above Nicotine Gum 2 mg 108's and larger 48's and 50's Nicotine Gum 4 mg 108's and larger 48's and 50's | 30 30 30 540 50 540 50 |
| <u>VITAMIN/MINERAL</u> | |
| ACD drops Solution with Iron Multi-Vitamin Solution (drops) with Iron Capsules or Tablets with minerals Solution w/or w/o minerals 240 ml Solution w/or w/o minerals | 250 ml 250 ml 250 ml 250 ml 500 500 240 ml 2365 ml |
| Therapeutic vitamins, w/or w/o minerals, capsules or tablets Prenatal vitamins capsules or tablets Ascorbic Acid | 500 500 |
| 100 mg 250 mg 500 mg Calcium w/ or w/o Vitamin D | 500 500 500 |
| 500 mg 600 - 650 mg Calcium Citrate 950 mg Pyridoxine HC1 tablets (Vitamin B6) | 500 500 200 |
| 25 mg 50 mg 100 mg | 500 500 500 |

| DESCRIPTION | MAXIMUM QUANTITY/MO |
|--|------------------------------------|
| Thiamine HC1 tablets (Vitamin B1) 50 mg 100 mg Vitamin D2 8000 IU/ml Vitamin A 10000 IU Capsules Magnesium tablets | 500 500 300 ml 500 500 |
| <u>UNCLASSIFIED</u> | |
| Pediatric Electrolyte Sol, Oral Glucose tablets Glucose gel | 5000 ml 60 465 gm |

<u>CODE</u> <u>DESCRIPTION</u> <u>QUANTITY</u>

4.2 ENTERAL AND PARENTERAL THERAPY

ENTERAL FORMULAE AND ENTERAL SUPPLIES

Enteral feeding supply kits (B4034-B4036) include whatever supplies are necessary to administer the specific type of feeding and maintain the feeding site. This includes, but is not limited to: syringes, measuring containers, tip adapters, anchoring device, gauze pads, protective-dressing wipes, tape, and tube cleaning brushes.

| B4034 B4035 | #Enteral feeding supply kit; syringe, per day #Enteral feeding supply kit; pump fed, per day | up to 30/mo up to 30/mo |
|----------------|--|----------------------------|
| B4036 | #Enteral feeding supply kit; gravity fed, per day | up to 30/mo |
| B4081 | #Nasogastric tubing with stylet | up to 1/mo |
| B4082 | #Nasogastric tubing without stylet | up to 2/mo |
| B4083 | #Stomach tube - Levine type | up to 2/mo |
| B4087 | #Gastrostomy/jejunostomy tube, standard, any material, | up to 1/mo |
| | any type, each | |
| B4088 | #Gastrostomy/jejunostomy tube, low-profile, any material, | up to 1/3mo |
| | any type, each (for patients who cannot tolerate the size of a standard gastrostomy tube or who have experienced failure of a standard gastrostomy tube. This code is for replacement in the patient's home and should not be billed when the tube is replaced in the physician's office, ER or facility with an all inclusive rate This kit includes tube/ button/ port, syringes, all extensions and/or decompression tubing and obturator if indicated) | |
| B4100 | #Food thickener, administered orally, per ounce | up to 180/mo |

- 1. Enteral nutritional therapy is covered for nasogastric, jejunostomy or gastrostomy tube feeding or as a liquid oral nutritional therapy when there is a documented diagnostic condition where caloric and dietary nutrients from food cannot be absorbed or metabolized (the inability to sustain oneself nutritionally by eating food) and the condition is one where enteral nutritional therapy is generally considered by the medical community as the treatment of choice to produce medical benefit. Medical necessity for enteral nutritional therapy must be substantiated by documented physical findings and/or laboratory data. The therapy must be an integral component of a documented medical treatment plan and ordered in writing by an authorized prescriber. It is the responsibility of the prescriber to maintain documentation in the recipient's record regarding the medical necessity for enteral nutritional therapy. Standard milk-based infant formulas are not reimbursable by Medicaid. Non-standard infant formulas are reimbursable by Medicaid under the appropriate enteral therapy code.
- **2.** The calculation for pricing enteral formula is as follows: Number of calories per can divided by 100 equals the number of caloric units per can.
- **3.** Effective April 1, 2003, enteral formula requires voice interactive prior authorization, as indicated by the "*" next to the code description. The prescriber must write the prior authorization number on the fiscal order and the dispenser completes the authorization process by calling (866) 211-1736.

The NYS Medicaid Program Enteral Formula Prior Authorization Dispenser Worksheet is available at:

http://www.emedny.org/ProviderManuals/DME/communications.html

| CODE | DESCRIPTION | QUANTITY |
|--------|--|----------------------------------|
| ENTER/ | AL FORMULAE AND ENTERAL SUPPLIES (continued) | |
| B4149 | *Enteral formula, manufactured blenderized natural foods with intact nutrients, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit | up to 600 caloric units/mo |
| B4150 | *Enteral formula, nutritionally complete with intact nutrients, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit | up to 600 caloric units/mo |
| B4152 | *Enteral formula, nutritionally complete, calorically dense (equal to or greater than 1.5 kcal/ml) with intact nutrients, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit | up to 600 caloric units/mo |
| B4153 | *Enteral formula, nutritionally complete, hydrolyzed proteins (amino acids and peptide chain), includes fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit | up to 600 caloric units/mo |
| B4154 | *Enteral formula, nutritionally complete, for special metabolic needs, excludes inherited disease of metabolism, includes altered composition of proteins, fats, carbohydrates, vitamins and/or minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit | up to 600 caloric units/mo |
| B4155 | *Enteral formula, nutritionally incomplete/modular nutrients, includes specific nutrients, carbohydrates (e.g. glucose polymers), proteins/amino acids (e.g. glutamine, arginine), fat (e.g. medium chain triglycerides) or combination, administered through an enteral feeding tube, 100 calories = 1 unit | up to 300 caloric units/mo |
| | Products categorized under codes B4154, B4155, B4157, B4 bursable using "By Report" rules when the charge is greate | |
| B4157 | *Enteral formula, nutritionally complete, for special metabolic needs for inherited disease of metabolism, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit | up to 600 caloric units/mo |

| CODE | DESCRIPTION | QUANTITY | | | |
|---|--|----------------------------------|--|--|--|
| ENTERAL FORMULAE AND ENTERAL SUPPLIES (continued) | | | | | |
| B4158 | *Enteral formula, for pediatrics, nutritionally complete with intact nutrients, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber and/or iron, administered through an enteral feeding tube, 100 calories = 1 unit | up to 600 caloric units/mo | | | |
| B4159 | *Enteral formula, for pediatrics, nutritionally complete soy based with intact nutrients, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber and/or iron, administered through an enteral feeding tube, 100 calories = 1 unit | up to 600 caloric units/mo | | | |
| B4160 | *Enteral formula, for pediatrics, nutritionally complete calorically dense (equal to or greater than 0.7 kcal/ml) with intact nutrients, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit | up to 600 caloric units/mo | | | |
| B4161 | *Enteral formula, for pediatrics, hydrolyzed/amino acids and peptide chain proteins, includes fats, carbohydrates, vitamins and minerals, may include fiber, administered through and enteral feeding tube, 100 calories = 1 unit | up to 600 caloric units/mo | | | |
| B4162 | *Enteral formula, for pediatrics, special metabolic needs for inherited disease of metabolism, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit | up to 600 caloric units/mo | | | |
| <u>B9998</u> | Not otherwise classified enteral supplies (e.g., flavor packets, liquid vitamin E) | | | | |
| S8265 | #Haberman feeder for cleft lip/palate | up to 2/month | | | |
| <u>PAREN</u> | TERAL FORMULAE AND PARENTERAL SUPPLIES | | | | |
| B4164 | Parenteral nutrition solution; carbohydrates (dextrose), | 50% or less | | | |
| B4168 | (500 ml = 1 unit) – home mix Parenteral nutrition solution; amino acid, 3.5%,(500 ml = mix | = 1 unit) – home | | | |
| B4172 | Parenteral nutrition solution; amino acid, 5.5% through unit) – home mix | 7%, (500 ml = 1 | | | |
| B4176 | Parenteral nutrition solution; amino acid, 7% through 8. unit) – home mix | 5%, (500 ml = 1 | | | |
| B4178 | Parenteral nutrition solution; amino acid, greater than 8 unit) – home mix | 3.5% (500 ml = 1 | | | |

| CODE | <u>DESCRIPTION</u> | QUANTITY |
|--------|---|--------------------|
| | | |
| B4180 | Parenteral nutrition solution; carbohydrates (dextrose), | greater than |
| | 50% (500 ml = 1 unit) home mix | |
| B4185 | Parenteral nutrition solution, per 10 grams lipids | |
| B4189 | Parenteral nutrition solution; compounded amino acid | |
| | carbohydrates with electrolytes, trace elements, and vit | , |
| | preparation, any strength,10 to 51 grams of protein – pr | |
| B4193 | Parenteral nutrition solution; compounded amino acid | |
| | carbohydrates with electrolytes, trace elements, and vi | • |
| D 440= | including preparation, any strength,52 to 73 grams of p | - |
| B4197 | Parenteral nutrition solution; compounded amino acid | |
| | carbohydrates with electrolytes, trace elements, and vi | • |
| D 4400 | including preparation, any strength, 74 to 100 grams of | • |
| B4199 | Parenteral nutrition solution; compounded amino acid | |
| | carbohydrates with electrolytes, trace elements and vit | |
| B4216 | preparation, any strength, over 100 grams of protein – | |
| D4210 | Parenteral nutrition; additives (vitamins, trace elements electrolytes) – home mix, per day | s, neparin, |
| B4220 | Parenteral nutrition supply kit, premix, per day | |
| B4222 | Parenteral nutrition supply kit, premix, per day | |
| B4224 | Parenteral nutrition administration kit, per day | |
| B5000 | Parenteral nutrition solution; compounded amino acid | and |
| Воооо | carbohydrates with electrolytes, trace elements, and vi | |
| | including preparation, any strength, renal – (Amirosyn | |
| | Renamine) – premix | iti , itopinanino, |
| B5100 | Parenteral nutrition solution; compounded amino acid | and |
| | carbohydrates with electrolytes, trace elements, and vis | |
| | including preparation, any strength, hepatic - (Freamin | • |
| | Hepatamine) - premix | , |
| B5200 | Parenteral nutrition solution; compounded amino acid | and |
| | carbohydrates with electrolytes, trace elements, and vi | tamins, |
| | including preparation, any strength, stress - (branch cl | hain amino |
| | acids) – premix | |
| B9999 | Not otherwise classified parenteral supplies | |

<u>CODE</u> <u>DESCRIPTION</u> <u>QUANTITY</u>

4.3 MEDICAL/SURGICAL SUPPLIES

ADHESIVE TAPE/REMOVER

| A4450 | Tape, non-waterproof, per 18 square inches | (up to 300) |
|-------|--|-------------|
| A4452 | Tape, waterproof, per 18 square inches | (up to 100) |
| A4455 | Adhesive remover or solvent (for tape, cement or | (up to 40) |
| | other adhesive), per ounce | |

<u>ANTISEPTICS</u>

| A4244 | Alcohol or peroxide, per pint | (up to 5) |
|-------|---|----------------|
| A4245 | Alcohol wipes, per box(100's) | each (up to 5) |
| A4246 | Betadine or pHisoHex solution, per pint | (up to 3) |

BREAST PUMPS

E0602/E0603 include all necessary supplies and collection containers (kit). Rental of hospital grade breast pumps is limited to Durable Medical Equipment vendors.

| E0602 E0603 | Breast pump, manual, any type #Breast pump, electric (AC and/or DC), any type | each (up to 1) each (up to 1) |
|----------------|--|----------------------------------|
| CANES | /CRUTCHES/ACCESSORIES | |
| A4635 A4636 | Underarm pad, crutch, replacement, each Replacement, handgrip, cane, crutch or walker, each | each (up to 2) each (up to 2) |
| A4637 E0100 | Replacement, tip, cane, crutch, or walker, each #Cane, includes canes of all materials, adjustable or fixed, with tip | each (up to 5) each (up to 1) |
| E0105 | #Cane, quad or three-prong, includes canes of all materials, adjustable or fixed, with tips (over 31" height, no rotation option) | each (up to 1) |
| E0110 | Crutches, forearm, includes crutches of various materials, adjustable or fixed, pair, complete with tips and handgrips (over 23" height, no rotation option) | pair (up to 1) |
| E0111 | Crutch, forearm, includes crutches of various materials, adjustable or fixed, each, with tip and handgrip (over 23" height, no rotation option) | each (up to 1) |
| E0112 | Crutches, underarm, wood, adjustable or fixed, pair, with pads, tips and handgrips | pair (up to 1) |

| CODE | DESCRIPTION | QUANTITY |
|--------------|--|---------------------|
| E0113 | Crutch, underarm, wood, adjustable or fixed, each, with pad, tip and handgrip | each (up to 1) |
| E0114 | Crutches, underarm, other than wood, adjustable or fixed, pair, with pads, tips and handgrips | pair (up to 1) |
| E0116 | Crutch, underarm, other than wood, adjustable or fixed, with pad, tip, handgrip, with or without shock absorber, each | each (up to 1) |
| INCONT | NENCE APPLIANCES AND CARE SUPPLIES | |
| A4310 | Insertion tray without drainage bag and without catheter (accessories only) | each (up to 10) |
| A4311 | Insertion tray without drainage bag with indwelling catheter, Foley type, two-way latex with coating (Teflon, silicone, silicone elastomer or hydrophilic, etc.) | each (up to 10) |
| A4314 | Insertion tray with drainage bag with indwelling catheter, Foley type, two-way latex with coating (Teflon, silicone, silicone elastomer or hydrophilic, etc.) | each (up to 10) |
| A4320 | Irrigation tray with bulb or piston syringe, any purpose | each (up to 30) |
| A4322 | Irrigation syringe, bulb or piston, each | each (up to 50) |
| A4326 | Male external catheter with integral collection chamber, any type, each | each (up to 2) |
| A4331 | Extension drainage tubing, any type, any length, with connector/adaptor, for use with urinary leg bag or urostomy pouch, each | each (up to 5) |
| A4333 | Urinary catheter anchoring device, adhesive skin attachment, each | each (up to 5) |
| A4334 | Urinary catheter anchoring device, leg strap, each | each (up to 12) |
| <u>A4335</u> | Incontinence supply; miscellaneous | up to 1/month |
| A4338 | Indwelling catheter; Foley type, two-way latex with coating (Teflon, silicone, silicone elastomer, or hydrophilic, etc.), each | each (up to 10) |
| A4344 | Indwelling catheter, Foley type, two-way, all silicone | each (up to 10) |
| A4346 | Indwelling catheter, Foley type, three-way for continuous irrigation, each | each (up to 10) |
| A4349 | Male external catheter, with or without adhesive, disposable, each | each (up to 60) |
| A4351 | Intermittent urinary catheter; straight tip, with or without coating (Teflon, silicone, silicone elastomer, or hydrophilic, etc.), each | each (up to 250) |

| CODE | DESCRIPTION | QUANTITY |
|--------------------------------|---|--|
| <u>A4352</u> | Intermittent urinary catheter; coude (curved) tip, with or without coating (Teflon, sil-icone, silicone elastomeric, or hydrophilic, etc.), each (for self-catheterization) | each (up to 250) |
| A4353 | Intermittent urinary catheter, with insertion supplies | each |
| A4354 | Insertion tray with drainage bag but without catheter | (up to 60) each (up to 30) |
| EXTERN | NAL URINARY SUPPLIES | |
| A4356 | External urethral clamp or compression device (not to be used for catheter clamp),each | each (up to) |
| A4357 | Bedside drainage bag, day or night, with or without anti-reflux device, with or without tube, each | each (up to 10) |
| A4358 | Urinary drainage bag; leg or abdomen, vinyl, with or without tube, with straps, each | each (up to 30) |
| OSTOM | Y SUPPLIES | |
| A4361 A4362 | Ostomy faceplate, each Skin barrier; solid 4x4 or equivalent, each | each (up to15) each (up to 25) |
| A4363 A4364 A4456 | Ostomy clamp, any type, replacement only, each Adhesive, liquid, or equal, any type, per ounce Adhesive remover, wipes, any type, each | each (up to 5) each (up to 20) each (up to 50) |
| A4366 A4367 | Ostomy vent, any type, each Ostomy belt, each | each (up to 10) each |
| A4368 A4369 | Ostomy filter, any type, each Ostomy skin barrier, liquid (spray, brush, etc.), per ounce | each (up to 40) each (up to 22) |
| A4371 A4372 | Ostomy skin barrier, powder, per ounce Ostomy skin barrier, solid 4x4 or equivalent, standard wear, with built-in convexity, each | each (up to 21) each (up to15) |
| A4373 | Ostomy skin barrier, with flange (solid, flexible or acccordian), with built-in convexity, any size, each | each(up o15) |
| A4376 | #Ostomy pouch, drainable, with faceplate attached, rubber, each | each (up to 2) |
| A4377 | Ostomy pouch, drainable, for use on faceplate, plastic, each | each (up to 15) |
| A4378 | #Ostomy pouch, drainable, for use on faceplate, rubber, each | each (up to 2) |
| A4379 | Ostomy pouch, urinary, with faceplate attached, plastic | each (up to 15) |

| CODE | DESCRIPTION | QUANTITY |
|-------|---|------------------|
| A4380 | #Ostomy pouch, urinary, with faceplate attached, rubber, each | each (up to 2) |
| A4381 | Ostomy pouch, urinary, for use on faceplate, plastic, each | each (up to 10) |
| A4382 | Ostomy pouch, urinary, for use on faceplate, heavy plastic, each | each (up to 15) |
| A4383 | #Ostomy pouch, urinary, for use on faceplate, | each (up to 2) |
| A4385 | Ostomy skin barrier, solid 4x4 or equivalent, extended wear, without built-in convexity, each | each (up to 15) |
| A4387 | Ostomy pouch closed, with barrier attached, with built-in convexity (1 piece), each | each (up to 15) |
| A4388 | Ostomy pouch, drainable, with extended wear barrier attached, without built-in convexity (1 piece) each | each (up to 15) |
| A4389 | Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each | each (up to 15) |
| A4390 | Ostomy pouch, drainable, with extended wear barrier attached, with built-in convexity (1 piece), each | each (up to 15) |
| A4391 | Ostomy pouch, urinary, with extended wear barrier attached, (1 piece), each | each (up to 15) |
| A4392 | Ostomy pouch, urinary, with standard wear barrier attached, with built-in convexity (1 piece), each | each (up to 15) |
| A4393 | Ostomy pouch, urinary, with extended wear barrier attached, with built-in convexity (1 piece), each | each (up to 15) |
| A4394 | Ostomy deodorant, with or without lubricant, for use in ostomy pouch, per fluid ounce | each (up to 8) |
| A4395 | Ostomy deodorant for use in ostomy pouch, solid, per tablet | each (up to 60) |
| A4396 | #Ostomy belt with peristomal hernia support | each (up to 2) |
| A4397 | Ostomy irrigation supply; sleeve, each | each (up to 125) |
| A4398 | Ostomy irrigation supply; bag, each | each (up to 125) |
| A4399 | Ostomy irrigation supply; cone/catheter, including brush | each (up to 1) |
| A4400 | Ostomy irrigation set | each (up to 30) |
| A4402 | Lubricant, per ounce | (up to 20) |
| A4404 | Ostomy ring, each | each (up to 15) |
| A4405 | Ostomy skin barrier, non-pectin based, paste, per ounce | each (up to 18) |
| A4406 | Ostomy skin barrier, pectin-based, paste, per ounce | each (up to 18) |

| CODE | DESCRIPTION | QUANTITY |
|-----------------------|--|------------------------------------|
| A4407 | Ostomy skin barrier, with flange (solid, flexible, or accordion), extended wear, with built-in convexity, 4 x 4 inches or smaller, each | each (up to 10) |
| A4408 | Ostomy skin barrier, with flange (solid, flexible, or accordion), extended wear, with built-in convexity, larger than 4 x 4 inches, each | each (up to 10) |
| A4409 | Ostomy skin barrier, with flange (solid, flexible or accordion), extended wear, without built-in convexity, 4 x 4 inches or smaller, each | each (up to 10) |
| A4410 | Ostomy skin barrier, with flange (solid, flexible or accordion), extended wear, without built-in convexity, larger than 4 x 4 inches, each | each (up to 10) |
| A4411 | Ostomy skin barrier, solid 4x4 or equivalent, extended wear, with built-in convexity, each | each (up to 10) |
| A4412 | Ostomy pouch, drainable, high output, for use on a barrier with flange (2 piece system), without filter, each (used after ostomy surgery) | each (up to 15) |
| A4413 | Ostomy pouch, drainable, high output, for use on a barrier with flange (2 piece system), with filter, each (used after ostomy surgery) | each (up to 15) |
| A4414 | Ostomy skin barrier, with flange (solid, flexible or accordion), without built-in convexity, 4 x 4 inches or smaller, each | each (up to 20) |
| A4415 | Ostomy skin barrier, with flange (solid, flexible or accordion), without built-in convexity, larger than 4 x4 inches, each | each (up to 20) |
| A4416 | Ostomy pouch, closed, with barrier attached, with filter (one piece), each | each (up to 60) |
| A4417 | Ostomy pouch, closed, with barrier attached, with built-in convexity, with filter (one piece), each | each (up to 60) |
| A4418 | Ostomy pouch, closed; without barrier attached, with filter (one piece), each | each (up to 60) |
| A4419 | Ostomy pouch, closed; for use on barrier with non-locking flange, with filter (two piece), each | each (up to 60) |
| A4420 | Ostomy pouch, closed; for use on barrier with locking flange (two piece), each | each (up to 60) |
| <u>A4421</u> A4423 | Ostomy supply; miscellaneous Ostomy pouch, closed; for use on barrier with | each (up to 15) each (up to 60) |
| A4424 | locking flange, with filter (two piece), each Ostomy pouch, drainable, with barrier attached, with filter (one piece), each | each (up to 20) |
| A4425 | Ostomy pouch, drainable; for use on barrier with non-locking flange, with filter (two piece system), each | each (up to 20) |

| CODE | DESCRIPTION | QUANTITY |
|------------------|---|-------------------------------|
| A4426 | Ostomy pouch, drainable; for use on barrier with locking flange (two piece system), each | each (up to 20) |
| A4427 | Ostomy pouch, drainable; for use on barrier with locking flange, with filter (two piece system), each | each (up to 20) |
| A4458 | #Enema bag with tubing, reusable | each (up to 1) |
| A5051 | Pouch, closed; with barrier attached (1 piece), each | each (up to 60) |
| A5052 | Pouch, closed; without barrier attached (1 piece), each | each (up to 60) |
| A5053 | Pouch, closed; for use on faceplate, each | each (up to 60) |
| A5054 | Pouch, closed; for use on barrier with flange (2 piece), each | each (up to |
| A5055 | Stoma cap | 60) each |
| A5061 | Pouch, drainable; with barrier attached (1 piece), each | each |
| | | (up to 150) |
| A5062 | Pouch, drainable; without barrier attached (1 piece), | each |
| A E O G O | each | (up to 150) |
| A5063 | Pouch, drainable, for use on barrier with flange (2 piece system), each | each (up to 50) |
| A5071 | Pouch, urinary; with barrier attached (1 piece), each | each (up to 50) |
| A5072 | Pouch, urinary; without barrier attached (1 piece) each | each (up to 50) |
| A5073 | Pouch, urinary; for use on barrier with flange (2 | each |
| A5081 | piece), each Continent device; plug for continent stoma | (up to 50) each (up to 31) |
| A5082 | Continent device; catheter for continent stoma | each (up to 1) |
| A5093 | Ostomy accessory; convex insert | each (up to 5) |
| <u>ADDITIO</u> | NAL INCONTINENCE APPLIANCES/SUPPLIES | |
| A5105 | # Urinary suspensory; with or without leg bag, with or without tube, each | each (up to 5) |
| A5112 | Urinary leg bag; latex | each (up to 5) |
| A5113 | Leg strap; latex, replacement only, per set | pair |
| . = | | (up to 2 pair) |
| A5114 | Leg strap; foam or fabric, replacement only, per set | pair |
| A5120 | Skin barrier, wipes or swabs, each (only covered for | (up to 2 pair) each |
| | ostomy patients for ostomy care) | (up to 100) |
| A5121 | Skin barrier; solid, 6x6 or equivalent, each | each (up to 25) |
| A5122 | Skin barrier; solid, 8x8 or equivalent, each | each (up to 25) |
| A5126 | Adhesive or non-adhesive; disc or foam pad | each (up to 30) |
| A5131 | Appliance cleaner, incontinence and ostomy | each (up to 1) |
| | appliances, per 16 ounce. | |

| CODE | DESCRIPTION | QUANTITY |
|--------------|--|------------------|
| A5200 | Percutaneous catheter/tube anchoring device, adhesive skin attachment | each (up to 30) |
| COMMC | DE ACCESSORIES | |
| E0160 | #Sitz type bath, or equipment, portable, used with or without commode | each (up to 1) |
| E0167 | #Pail or pan for use with commode chair | each (up to 1) |
| E0275 | Bed pan, standard, metal or plastic | each (up to 1) |
| E0276 | #Bed pan, fracture, metal or plastic | each (up to 1) |
| E0325 | #Urinal; male, jug-type, any material | each (up to 1) |
| E0326 | #Urinal; female, jug-type, any material | each (up to 1) |
| DIABET | C DIAGNOSTICS | |
| A4233 | #Replacement battery, alkaline (other than j cell), for use with medically necessary home blood glucose monitor owned by patient, each | each (up to 2) |
| A4234 | #Replacement battery, alkaline, j cell, for use with medically necessary home blood glucose monitor owned by patient, each | each (up to 1) |
| A4235 | #Replacement battery, lithium, for use with medically necessary home blood glucose monitor owned by patient, each | each (up to 1) |
| A4250 | Urine test or reagent strips or tablets, (100 tablets or strips) | each (up to 2) |
| A4252 | #Blood ketone test or reagent strip, each | each (up to 100) |
| A4256 | #Normal, low and high calibrator solution/chips | each (up to 1) |
| <u>E2100</u> | Blood glucose monitor with integrated voice synthesizer | each (up to 1) |
| A9275 | #Home glucose disposable monitor, includes test strips | each (up to 2) |

Disposable glucometers are reimbursable when the ordering practitioner documents in the patient's file one of these diagnoses or situations: person newly diagnosed with diabetes, diagnosed with gestational diabetes, diagnosed with Type 2 diabetes, in medical need of a treatment plan change from a traditional to disposable home glucometer, in medical need of an emergency replacement glucometer while awaiting prior approval of a tradtional glucometer, or a child who requires tesing in school. Disposable glucometers are not reimbursable as a back-up glucometer.

Medicaid payment is only available for either a traditional glucometer or adisposable glucometer. If a disposable glucometer is dispensed, no additional strips are reimbursable.

| CODE | DESCRIPTION | QUANTITY |
|--------------|--|------------------------|
| DIABET | IC DAILY CARE | |
| A4206 | Syringe with needle, sterile 1cc, each | each (up to 200) |
| A4207 | Syringe with needle, sterile 2cc, each | each (up to 200) |
| A4208 | Syringe with needle, sterile 3cc, each | each (up to 200) |
| A4209 | Syringe with needle, sterile 5cc or greater, each | each (up to 200) |
| <u>A4211</u> | Supplies for self-administered injections | each |
| | (limited to supplies not otherwise listed) | |
| A4213 | Syringe, sterile, 20cc or greater, each | each (up to 200) |
| A4215 | Needle, sterile, any size, each | each (up to 200) |
| A4230 | #Infusion set for external insulin pump, non | each(up to 30) |
| | needle cannula type | (two month supply) |
| A4231 | #Infusion set for external insulin pump, needle | each (up to 24) |
| | type | (two-month supply) |
| A4232 | #Syringe with needle for external insulin pump, | each (up to 30) |
| | sterile, 3cc | (two month supply) |
| A4244 | Alcohol or peroxide, per pint | (up to 5) |
| A4245 | Alcohol wipes, per box (100's) | each (up to 5) |
| A4258 | Spring-powered device for lancet, each | each (up to 2) |
| A4259 | Lancets, per box of 100 | each (up to 2) |
| A4657 | Syringe with or without needle, each (any size) | each unit |
| | | (up to 200 units per |
| | | month) |
| S5560 | #Insulin delivery device, reusable pen; 1.5ml size | up to 1 |
| S5561 | #Insulin delivery device, reusable pen; 3ml size | up to 1 |
| S8490 | Insulin syringes (100 syringes, any size) | 100's (up to 2) |
| | (low dose, 0.3cc – 0.5cc) | |
| FAMILY | PLANNING PRODUCTS (See Section 4.1) | |
| | | 1 / 4 |
| A4266 | Diaphragm for contraceptive use | each (up to 1) |
| A 4007 | (kit, e.g., All Flex, Coil, Flat Spring) | (····· t- 400) |
| A4267 | Contraceptive supply, condom, male, each | each (up to 108) |
| A4268 | Contraceptive supply, condom, female, each | each(up to 108) |
| GLOVES | <u> </u> | |
| | are reimbursable only when medically necessary for the | • |
| | bursable as personal protective equipment for employ | |
| | or tray (e.g., catheter or tracheostomy). Sterile gloves a | ire only reimburseable |
| when me | edically necessary. | |
| A4927 | #Gloves, non-sterile, per 100 | 100's (up to 1) |
| V1021 | #Gloves storile nor pair | pair up to 30 |

A4930 #Gloves, sterile, per pair

pair, up to 30

| CODE | DESCRIPTION | QUANTITY |
|----------------------------------|--|---|
| HEAT A | PPLICATION | |
| E0210 E0215 E0220 E0238 | #Electric heat pad, standard #Electric heat pad, moist Hot water bottle Non-electric heat pad, moist | each (up to 1) each (up to 1) each (up to 1) each (up to 1) |
| SYNTHE | ETIC SHEEP SKIN AND DECUBITUS CARE | |
| E0188 E0191 | Synthetic sheepskin pad Heel or elbow protector, each | each (up to 1) each (up to 5) |
| MASTE | CTOMY CARE | |
| L8000 L8001 | Breast prosthesis, mastectomy bra Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, unilateral | each (up to 5) each (up to 5) |
| L8002 | Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral | each (up to 5) |
| L8020 | Breast prosthesis, mastectomy form | up to 2 (each side) |
| L8030 | Breast prosthesis, silicone or equal, without integral adhesive | up to 2 (each side) |
| L8031 | Breast prosthesis, silicone or equal, with integral adhesive | up to 2 (each side) |
| S8460 | Camisole, post-mastectomy | each (up to 5) |
| RESPIR | ATORY/TRACHEOSTOMY CARE SUPPLIES | |
| NOTE: S | Supplies/parts are for patient-owned equipment only | |
| <u>A4481</u> | Tracheostoma filter, any type, any size, each (i.e., "artificial nose," heat and moisture exchanger, Thermavent, Humid-vent, Povox stomafilter, Bruce-Foam stomafilter). If ventilator-dependent, included in monthly ventilator rental fee. | each (up to 30) |
| A4605 | Tracheal suction catheter, closed system, each (for mechanical ventilation patient) | each (up to 15) |
| A4614 A4615 | Peak expiratory flow meter, hand held Cannula, nasal | each (up to 1) each (up to 4) |
| A4616 | Tubing, (oxygen), per foot (for patient owned respiratory equipment) | each (up to 30) |
| A4619 | Face tent Variable concentration mask | each (up to 4) |
| A4620 A4623 | Tracheostomy, inner cannula | each (up to 4) each (up to 5) |
| A4624 | Tracheal suction catheter, any type, other than closed system, each (tray) | each (up to 250) |

| CODE | DESCRIPTION | <u>QUANTITY</u> |
|-------|--|-----------------|
| A4625 | Tracheostomy care kit for new tracheostomy | each (up to 90) |

Consists of all necessary supplies for tracheostomy care. Includes but not limited to: tray, gloves, brush, gauze sponges, gauze tracheostomy dressing, pipe cleaners, cotton tip applicators, 30" twill tape, gauze roll and tracheostomy tube holder.

| A4626 | Tracheostomy cleaning brush | each (up to 2) |
|-------|---|-----------------|
| A4628 | Oropharyngeal suction catheter, each (e.g., Yankauer) | each (up to 5) |
| A4629 | Tracheostomy care kit for established tracheostomy | each (up to 90) |

Consists of all necessary supplies for tracheostomy care. Includes but not limited to: tray, gloves, brush, gauze sponges, gauze tracheostomy dressing, pipe cleaners, cotton tip applicators, 30" twill tape and tracheostomy tube holder.

| A7000 A7002 | Canister, disposable, used with suction pump, each Tubing, used with suction pump, each | each (up to 5) each (up to 30) |
|----------------|---|--------------------------------|
| A7003 | (suction connection tubes) Administration kit, with small volume nonfiltered pneumatic nebulizer, disposable | each (up to 2) |
| A7004 | Small volume nonfiltered pneumatic nebulizer, disposable | each (up to 5) |
| A7005 | #Administration set, with small volume non filtered pneumatic nebulizer, non-disposable | each (up to 1) |
| A7007 | Large volume nebulizer, disposable, unfilled, used with aerosol compressor | each (up to 5) |
| A7013 | Filter, disposable, used with aerosol compressor | each (up to 5) |
| A7014 | Filter, non-disposable, used with aerosol compressor or ultrasonic generator | each (up to 1) |
| A7015 | Aerosol mask, used with DME nebulizer | each (up to 1) |
| A7038 | Filter, disposable, used with positive airway pressure device | each (up to 5) |
| A7039 | Filter, nondisposable, used with positive airway pressure device | each (up to 5) |
| A7523 | Tracheostomy shower protector, each | each (up to 1) |
| A7525 | Tracheostomy mask, each | each (up to 4) |
| E0605 | #Vaporizer, room type (coverable for treatment of respiratory illness; warm or cool mist) | each (up to 1) |
| L8512 | Gelatin capsules or equivalent, for use with tracheoesophageal voice prosthesis, replacement only, per 10 | each (up to 9) |
| L8513 | Cleaning device used with tracheoesophageal voice prosthesis, pipet, brush, or equal, replacement only, each | each (up to 6) |
| S8100 | #Holding chamber or spacer for use with an inhaler or nebulizer; without mask | each (up to 2) |

| CODE | DESCRIPTION | QUANTITY |
|---------------------|--|----------------------------------|
| S8101 | #Holding chamber or spacer for use with an inhaler or nebulizer; with mask | each (up to 2) |
| <u>S8189</u> | Tracheostomy supply, not otherwise classified | up to 1/month |
| SUPPO | RT GOODS | |
| A4463 A4495 | Surgical dressing holder, reusable, each #Surgical stockings thigh length (compression 18-35 mmHg) | each (up to 5) each (up to 4) |
| A4500 | #Surgical stockings below knee length (compression 18-35 mmHg) | each (up to 4) |
| A4510 | #Surgical stockings full length, each (e.g., pregnancy support, compression 18-35 mmHg) | each (up to 2) |
| A4565 | Slings | each (up to 1) |
| A4570 | Splint Conviced flexible non edimetable (feem celler) | each |
| L0120 | Cervical, flexible, non-adjustable (foam collar) | each (up to 1) |
| <u>THERMOMETERS</u> | | |
| A4931 A4932 | Oral thermometer, reusable, any type, each Rectal thermometer, reusable, any type, each | each (up to 1) each (up to 1) |

UNDERPADS/DIAPERS

Diapers and underpads are covered only when medical need may be demonstrated. Diapers will not be covered when incontinence occurs as part of the normal developmental process, i.e., under age three. The dispenser must maintain documentation of measurements (e.g., waist/hip size, weight) which supports reimbursement for the specific size of diaper dispensed, and may not bill multiple sizes for the same recipient.

| <u>A4335</u> | Incontinence supply; miscellaneous | up to 1/month |
|--------------|---|---------------|
| A4554 | #Disposable underpads, all sizes, (e.g., Chux's) | each |
| | | (up to 300) |
| T4521 | #Adult sized disposable incontinence product, | each |
| | brief/diaper, small, each (waist/hip 20"-34") | (up to 250) |
| T4522 | #Adult sized disposable incontinence product, | each |
| | brief/diaper, medium, each (waist/hip 28"-47") | (up to 250) |
| T4523 | #Adult sized disposable incontinence product, | each |
| | brief/diaper, large, each (waist/hip 40"-59") | (up to 250) |
| T4524 | #Adult sized disposable incontinence product, | each |
| | brief/diaper, extra large, each (waist/hip 60"-62") | (up to 250) |
| T4529 | #Pediatric sized disposable incontinence product, | each |
| | brief/diaper, small/medium size, each (12-23 lbs) | (up to 250) |
| T4530 | #Pediatric sized disposable incontinence product, | each |
| | brief/diaper, large size, each (24-35 lbs) | (up to 250) |
| | | |

| CODE | DESCRIPTION | QUANTITY |
|----------------|--|---------------------|
| T4533 | #Youth sized disposable incontinence product, brief/diaper, each (>35 lbs) | each (up to 250) |
| T4535 | #Disposable liner/shield/guard/pad/undergarment, for incontinence, each | each (up to 250) |
| T4537 | #Incontinence product, protective underpad, reusable, bed size, each | each (up to 3) |
| T4539 | #Incontinence product, diaper/brief, reusable, any size, each | each (up to 5) |
| T4540 | #Incontinence product, protective underpad, reusable, chair size, each | each (up to 3) |
| <u>T4543</u> | Disposable incontinence product, brief/diaper, bariatric, each (waist/hip >62") | each (up to 250) |
| WOUNE | DRESSINGS | |
| A6010 | #Collagen based wound filler, dry form, per gram of collagen | up to 30 |
| A6011 | #Collagen based wound filler, gel/paste, per gram of collagen | up to 30 |
| A6021 A6022 | #Collagen dressing, pad size 16 sq. in. or less, each #Collagen dressing, pad size more than 16 sq. in. but | up to 5 up to 5 |
| | less than or equal to 48 sq. in., each | · |
| A6023 | #Collagen dressing, pad size more than 48 sq. in., each | up to 5 |
| A6024 | #Collagen dressing wound filler, per 6 inches | up to 3 |
| A6196 | Alginate or other fiber gelling dressing, wound cover, pad size 16 sq. in. or less, each dressing | up to 30 |
| A6197 | Alginate or other fiber gelling dressing, wound cover, | up to 30 |
| 7,0107 | pad size more than 16 but less than or equal to 48 sq. in., each dressing | up 10 00 |
| A6198 | Alginate or other fiber gelling dressing, wound cover, pad size more than 48 sq. in., each dressing | up to 15 |
| A6199 | Alginate or other fiber gelling dressing, wound filler, per 6 inches | up to 60 |
| A6203 | Composite dressing, pad size 16 sq. in. or less, with any size adhesive border, each dressing | up to 30 |
| A6204 | Composite dressing, pad size more than 16 but less than or equal to 48 sq. in., with any size adhesive border, each dressing | up to 30 |
| A6205 | Composite dressing, pad size more than 48 sq. in., with any size adhesive border, each dressing | up to 15 |
| A6206 | Contact layer, 16 sq. in., or less, each dressing | up to 30 |
| A6207 | Contact layer, more than 16 but less than or equal to 48 sq. in., each dressing | up to 30 |
| A6208 | Contact layer, more than 48 sq. in., each dressing | up to 15 |

| CODE | DESCRIPTION | QUANTITY |
|-------|--|-----------|
| A6209 | Foam dressing, wound cover, pad size 16 sq. in, or less, without adhesive border, each dressing | up to 30 |
| A6210 | Foam dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing | up to 30 |
| A6211 | Foam dressing, wound cover, pad size more than 48 sq. in., without adhesive border, each dressing | up to 30 |
| A6212 | Foam dressing, wound cover, pad size 16 sq. in. or less, with any size adhesive border, each dressing | up to 30 |
| A6213 | Foam dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., with any size adhesive border, each dressing | up to 30 |
| A6214 | Foam dressing, wound cover, pad size more than 48 sq. in., with any size adhesive border, each dressing | up to 15 |
| A6216 | Gauze, non-impregnated, non-sterile, pad size 16 sq. in. or less, without adhesive border, each dressing | up to 120 |
| A6217 | Gauze, non-impregnated, non-sterile, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing | up to 120 |
| A6218 | Gauze, non-impregnated, non-sterile, pad size more than 48 sq. in., without adhesive border, each dressing | up to 60 |
| A6219 | Gauze, non-impregnated, pad size 16 sq. in. or less, with any size adhesive border, each dressing | up to 120 |
| A6220 | Gauze, non-impregnated, pad size more than 16 but less than or equal to 48 sq. in., with any size adhesive border, each dressing | up to 30 |
| A6221 | Gauze, non-impregnated, pad size more than 48 sq. in., with any size adhesive border, each dressing | up to 15 |
| A6222 | Gauze, impregnated, other than water, normal saline, or hydrogel, pad size 16 sq. in. or less, without adhesive border, each dressing | up to 30 |
| A6223 | Gauze, impregnated, other than water, normal saline, or hydrogel, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing | up to 60 |
| A6224 | Gauze, impregnated, other than water, normal saline, or hydrogel, pad size more than 48 sq. in., without adhesive border, each dressing | up to 15 |
| A6228 | Gauze, impregnated, water or normal saline, pad size 16 sq. in. or less, without adhesive border, each dressing | up to 30 |
| A6229 | Gauze, impregnated, water or normal saline, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing | up to 30 |

| CODE | DESCRIPTION | QUANTITY |
|----------------|---|----------------------|
| A6230 | Gauze, impregnated, water or normal saline, pad size more than 48 sq. in., without adhesive border, each dressing | up to 30 |
| A6231 | Gauze, impregnated, hydrogel, for direct wound contact, pad size 16 sq. in. or less, each dressing | up to 30 |
| A6232 | Gauze, impregnated, hydrogel, for direct wound contact, pad size greater than 16 sq. in. but less than or equal to 48 sq. in., each dressing | up to 30 |
| A6233 | Gauze, impregnated, hydrogel, for direct wound contact, pad size more than 48 sq. in., each dressing | up to 30 |
| A6234 | Hydrocolloid dressing, wound cover pad size 16 sq. in. or less, without adhesive border, each dressing | up to 30 |
| A6235 | Hydrocolloid dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in. without adhesive border, each dressing | up to 30 |
| A6236 | Hydrocolloid dressing, wound cover, pad size more than 48 sq. in., without adhesive border, each dressing | up to 30 |
| A6237 | Hydrocolloid dressing, wound cover, pad size 16 sq. in. or less, with any size adhesive border, each dressing | up to 30 |
| A6238 | Hydrocolloid dressing, wo, pad size more than 16 but less than or equal to 48 und coversq. in. with any size adhesive border, each dressing | up to 30 |
| A6239 | Hydrocolloid dressing, wound cover, pad size more than 48 sq. in., with any size adhesive border, each dressing | up to 30 |
| A6240 | Hydrocolloid dressing, wound filler, paste, per fluid ounce | up to 20 |
| A6241 A6242 | Hydrocolloid dressing, wound filler, dry form, per gram Hydrogel dressing, wound cover, pad size 16 sq. in. or less, without adhesive border, each dressing | up to 25 up to 30 |
| A6243 | Hydrogel dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing | up to 30 |
| A6244 | Hydrogel dressing, wound cover, pad size more than 48 sq. in., without adhesive border, each dressing | up to 30 |
| A6245 | Hydrogel dressing, wound cover, pad size 16 sq. in. or less, with any size adhesive border, each dressing | up to 30 |
| A6246 | Hydrogel dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., with any size adnesive border, each dressing | up to 30 |
| A6247 | Hydrogel dressing, wound cover, pad size more than 48 sq. in., with any size adhesive border, each dressing | up to 30 |
| A6248 | Hydrogel dressing, wound filler, gel, per fluid ounce | up to 30 |

| CODE | DESCRIPTION | QUANTITY |
|-----------------------|--|----------------------|
| A6251 | Specialty absorptive dressing, wound cover, pad size 16 sq. in. or less, without adhesive border, each dressing | up to 30 |
| A6252 | Specialty absorptive dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing | up to 30 |
| A6253 | Specialty absorptive dressing wound cover, pad size more than 48 sq. in., without adhesive border, each dressing | up to 30 |
| A6254 | Specialty absorptive dressing, wound cover, pad size 16 sq. in. or less, with any size adhesive border, each dressing | up to 30 |
| A6255 | Specialty absorptive dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., with any size adhesive border, each dressing | up to 30 |
| A6256 | Specialty absorptive dressing, wound cover, pad size more than 48 sq. in., with any size adhesive border, each dressing | up to 30 |
| A6257 A6258 | Transparent film, 16 sq. in. or less, each dressing Transparent film, more than 16 but less than or equal to 48 sq. in., each dressing | up to 30 up to 30 |
| A6259 <u>A6261</u> | Transparent film, more than 48 sq. in., each dressing Wound filler, gel/paste, per fluid ounce, not elsewhere classified | up to 30 up to 30 |
| <u>A6262</u> | Wound filler, dry form, per gram, not elsewhere classified | up to 30 |
| A6266 | Gauze, impregnated, other than water, normal saline, or zinc paste, any width, per linear yard | up to 30 |
| A6402 | Gauze, non-impregnated, sterile, pad size 16 sq. in. or less without adhesive border, each dressing | up to 180 |
| A6403 | Gauze, non-impregnated, sterile, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing | up to 120 |
| A6404 | Gauze, non-impregnated, sterile, pad size more than 48 sq. in., without adhesive border, each dressing | up to 30 |
| A6407 | Packing strips, non-impregnated, up to two inches in width, per linear yard | up to 30 |
| A6410 | Eye pad, sterile, each | up to 50 |
| A6411 | Eye pad, non-sterile, each | up to 50 |
| A6412 | Eye patch, occlusive, each | up to 30 |
| A6441 | Padding bandage, non-elastic, non-woven/non-knitted, width greater than or equal to three inches and less than five inches, per yard | up to 30 |

| CODE | DESCRIPTION | QUANTITY |
|-------|---|-----------|
| A6442 | Conforming bandage, non-elastic, knitted/woven, non-sterile, width less than three inches, per yard | up to 120 |
| A6443 | Conforming bandage, non-elastic, knitted/woven, non- sterile, width greater than or equal to three inches and less than five inches, per yard | up to 120 |
| A6444 | Conforming bandage, non-elastic, knitted/woven, non- sterile, width greater than or equal to five inches, per yard | up to 120 |
| A6445 | Conforming bandage, non-elastic, knitted/woven, sterile, width less than three inches, per yard | up to 120 |
| A6446 | Conforming bandage, non-elastic, knitted/woven, sterile, width greater than or equal to three inches and less than five inches, per yard | up to 120 |
| A6447 | Conforming bandage, non-elastic, knitted/woven, sterile, width greater than or equal to five inches, per yard | up to 120 |
| A6448 | Light compression bandage, elastic, knitted/ woven, width less than three inches, per yard | up to 90 |
| A6449 | Light compression bandage, elastic, knitted/woven, width greater than or equal to three iches and less than five inches, per yard | up to 90 |
| A6450 | Light compression bandage, elastic, knitted/ woven, width greater than or equal to five inches, per yard | up to 90 |
| A6451 | Moderate compression bandage, elastic, knitted/ woven, load resistance of 1.25 to 1.34 foot pounds at 50 percent maximum stretch, width greater than or equal to three inches and less than five inches, per yard | up to 90 |
| A6452 | High compression bandage, elastic, knitted/woven load resistance greater than or equal to 1.35 foot pounds at 50 percent maximum stretch, width greater than or equal to three inches and less than five inches, per yard | up to 15 |
| A6453 | Self-adherent bandage, elastic, non-knitted/non- woven, width less than three inches, per yard | up to 30 |
| A6454 | Self-adherent bandage, elastic, non-knitted/non- woven, width greater than or equal to three inches and less than five inches, per yard | up to 30 |
| A6455 | Self-adherent bandage, elastic, non-knitted/non- woven, width greater than or equal to five inches, per yard | up to 30 |
| A6456 | Zinc impregnated bandage, non-elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard | up to 24 |

| CODE | DESCRIPTION | QUANTITY |
|-------------------------|--|--|
| <u>A6457</u> | Tubular dressing with or without elastic, any width, per linear yard | up to 25 |
| VARIOL | IS MISCELLANEOUS | |
| A4216 A4217 A4221 | Sterile water, saline, and/or dextrose (diluent), 10ml Sterile water/saline, 500ml #Supplies for maintenance of drug infusion catheter, per week (list drug separately) (bill monthly) | up to 120 up to 10 each unit (up to 200 units per month) |

Use for all supplies necessary for maintenance of drug infusion catheters and external pumps, and/or supplies necessary for the administration of drugs (except insulin) not otherwise listed in the fee schedule.

| A4657 | Syringe with or without needle, each (any size) | each unit |
|--------------|---|------------------|
| | | (up to 200 units |
| | | per month) |
| <u>A4305</u> | Disposable drug delivery system, flow rate of 50ml or | once/month |
| | greater per hour | |
| <u>A4306</u> | Disposable drug delivery system, flow rate of less than | once/month |
| | 50 ml per hour | |
| <u>A4649</u> | Surgical supply; miscellaneous | once/month |
| A4660 | #Sphygmomanometer/blood pressure apparatus with | up to 1 |
| | cuff and stethoscope, kit, any type | |
| <u>A4670</u> | Automatic blood pressure monitor (semi or fully | one |
| | automatic) | |

Semi automatic – Hand cuff inflation (contraction of bulb) Coverage Criteria:

- Blood pressure monitors are covered when ordered by a qualified practitioner as part of a comprehensive treatment plan for patient monitoring and recording in the home.
- Hearing impairment or visual impairment
- Unable to teach patient to use manual monitor due to low literacy skills or learning impairment

Fully automatic - Push button operation

Coverage Criteria:

- · Patient meets criteria for semi-automatic monitor and
- Arthritis or other motor disorders involving the upper extremities

| <u> A9999</u> | Miscellaneous DME supply or accessory, not | once/month |
|---------------|--|----------------|
| | otherwise specified | |
| E0710 | Restraints, any type (body, chest, wrist or ankle) | each (up to 4) |

| CODE | DESCRIPTION | QUANTITY |
|--------------|--|-----------------------------------|
| K0552 | #Supplies for external drug infusion pump, syringe type cartridge, sterile, each | up to 30 |
| <u>T5999</u> | Supply, not otherwise specified (limited to the following previously state-defined codes): | 5012 (va. ta. 5) |
| | Plastic strips Basal thermometer | 50's (up to 5) each (up to 1) |
| | Sterile 6" wood applicator w/cotton tips Incentive spirometer | 100's (up to 1) each (up to 1) |
| S5001 | Nasal aspirator Prescription Drug, brand name | each (up to 1) Pharmacy PA |

4.4 HEARING AID BATTERY

| V5266 | Battery for use in hearing device (any type) | each (up to 24) |
|-------|--|-----------------|
| | (up to a two-month supply may be dispensed on one date | |
| | of service) | |

NOTE: To be priced by the State on a periodic basis at retail less 20 percent. When billing for batteries on the claim form the "Quantity Dispensed" field refers to the individual number of batteries dispensed not number of packages dispensed.

4.5 COMPOUNDED PRESCRIPTIONS

Claims for compounded prescriptions must be submitted using one of the following two options that became effective February 18, 2004. Reconstitution of a commercially available product is not considered compounding.

A compound is considered reimbursable only when the compound includes:

- A combination of any two or more legend drugs found on the List of Medicaid Reimbursable Drugs; or
- A combination of any legend drug(s) included on the List of Medicaid Reimbursable drugs and any other item(s) not commercially available as an ethical or proprietary product, or
- A combination of two or more products which are labeled: "Caution: For Manufacturing Purpose only."

Option 1 – Billing for Individual Components by NDC Number using NCPDP 3.2 or 5.1

- This option must be used when billing compounded controlled substances to comply with the Bureau of Controlled Substances standards.
- Submit claims for compounded prescriptions using the NDC code for each ingredient.
 These claims are eligible for the Electronic Claim Capture (ECC) option when submitted through the NCPDP format.
- Each ingredient must have a unique prescription number.
- For on-line submitted claims, NCPDP Compound Code Field (406-D6) must contain a value of 1.
- Each drug ingredient payable by New York Medicaid will be reimbursed at AWP-12% plus a dispensing fee: \$3.50 (if a brand drug) or \$4.50 (if a generic drug).
- Payment will only be made for NDCs covered on the List of Medicaid Reimbursable Drugs.

<u>OR</u>

Option 2 — Billing for a Compound as a Single Entity using NCPDP 5.1

- The entire prescription must have one unique prescription number.
- For on-line claims capture, Compound Code Field (406-D6) must contain a value of 1.
- In the Product Service ID Field (407-D7), enter NDC Code using all "9's".
- In the Product/Service ID Qualifier Field (436-E1) a value of 03 must be entered.
- A value of 1 must be entered in the Quantity Field.
- Reimbursement for each compound prescription billed using Option 2 is restricted to the usual and customary price charged to the general public for the total sum of the ingredients, up to the maximum reimbursable amount (MRA) for this option (\$50.00), plus a dispensing fee of \$3.50 and a compounding fee of \$0.75.
- There is no co-payment assessed using this option.
- The pharmacy must retain the prescription and documentation of ingredients, amounts and costs.

4.6 PHARMACISTS AS IMMUNIZERS

The administration of select vaccines by qualified pharmacists employed by, or under contract with, Medicaid enrolled pharmacies is reimbursable under NYS Medicaid. Administration of vaccines is conducted pursuant to NYS Education Law and regulations (8NYCRR63.9) which permits licensed pharmacists who obtain additional certification to administer influenza and pneumococcal vaccinations to adults 18 years of age and older.

Reimbursement is based on a patient specific or non-patient specific order. These orders must be kept on file at the pharmacy. The ordering prescriber's NPI is required on the claim for the claim to be paid.

Pharmacies must bill the administration and cost of the vaccine using the following **procedure codes**. NDCs are not to be used to bill the vaccine product. Reimbursement for the product is made at no more than the *actual* acquisition cost to the pharmacy. No dispensing fee or enrollee co-payment applies. Pharmacies must bill with a quantity of "1" and a day supply of "1".

| Administration of influenza A (H1N1) vaccine |
|--|
| Administration of seasonal influenza intranasal vaccine |
| Seasonal Influenza virus vaccine, preservative free, for intramuscular use |
| Seasonal Influenza virus vaccine, for intramuscular use |
| Seasonal Influenza, live, for intranasal use |
| Influenza A (H1N1) vaccine, all forms |
| Pneumococcal vaccine, for intramuscular use |
| Administration of seasonal influenza virus vaccine, intramuscular use |
| Administration of pneumococcal vaccine |
| |

+The maximum fees for these drugs are adjusted periodically by the State to reflect the estimated acquisition cost. Insert acquisition cost per dose in amount charged field on claim form.

~The H1N1 vaccine is being provided free by the Centers for Disease Control and Prevention. Therefore, while administration of the H1N1 vaccine is reimbursable by Medicaid, the vaccine product itself is not.