

# PHYSICIAN MEDICINE, DRUGS and DRUG ADMINISTRATION PROCEDURE CODES

eMedNY New York State Medicaid Provider Procedure  
Code Manu

**New York State Medicaid**

Office of Health Insurance

Department of Health

CONTACTS and LINKS:

eMedNY URL

<https://www.emedny.org/>

eMedNY Contact Information

(800) 343-9000

eMedNY: Billing Questions, Remittance Clarification, Request for Claim Forms, ePACES Enrollment, Electronic Claim Submission Support (eXchange, FTP), Provider Enrollment, Requests for paper prior approval forms

[eMedNY Contacts PDF](#)

## Table of Contents

1	<u>DOCUMENT CONTROL PROPERTIES</u>	6
2	<u>GENERAL INFORMATION AND INSTRUCTIONS</u>	6
3	<u>MMIS MODIFIERS</u>	9
4	<u>EVALUATION AND MANAGEMENT SERVICES</u>	11
4.1	<u>OFFICE OR OTHER OUTPATIENT SERVICES</u>	11
4.2	<u>Telemedicine services</u>	12
4.3	<u>HOSPITAL INPATIENT AND OBSERVATION SERVICES</u>	12
4.4	<u>CONSULTATIONS</u>	14
4.5	<u>EMERGENCY DEPARTMENT SERVICES</u>	15
4.6	<u>CRITICAL CARE SERVICES</u>	15
4.7	<u>NURSING FACILITY SERVICES</u>	15
4.8	<u>HOME OR RESIDENCE SERVICES</u>	16
4.9	<u>ESTABLISHED PATIENT</u>	17
4.10	<u>PROLONGED SERVICES</u>	17
4.11	<u>PREVENTIVE MEDICINE SERVICES (Well Visits)</u>	18
4.12	<u>COUNSELING RISK FACTOR REDUCTION AND BEHAVIOR CHANGE INTERVENTION</u>	18
4.13	<u>NON-FACE-TO-FACE SERVICES</u>	18
4.14	<u>NEWBORN CARE SERVICES</u>	19
4.15	<u>DELIVERY/BIRTHING ROOM ATTENDANCE AND RESUSCITATION SERVICES</u>	19
4.16	<u>INPATIENT NEONATAL INTENSIVE CARE SERVICES AND PEDIATRIC AND NEONATAL CRITICAL CARE SERVICES</u>	19
4.17	<u>OTHER EVALUATION AND MANAGEMENT SERVICES</u>	20
5	<u>LABORATORY SERVICES PERFORMED IN A PHYSICIAN'S OFFICE</u>	20
5.1	<u>GENERAL INFORMATION AND RULES</u>	20
5.2	<u>URINALYSIS</u>	20
5.3	<u>CHEMISTRY</u>	21
5.4	<u>HEMATOLOGY AND COAGULATION</u>	21
5.5	<u>IMMUNOLOGY</u>	21
5.6	<u>MICROBIOLOGY</u>	21
6	<u>DRUGS AND DRUG ADMINISTRATION</u>	22
6.1	<u>GENERAL INFORMATION AND RULES</u>	22
6.2	<u>IMMUNE GLOBULINS, SERUM OR RECOMBINANT PRODUCTS</u>	22
6.3	<u>IMMUNIZATION ADMINISTRATION FOR VACCINES/TOXOIDS</u>	23
6.4	<u>VACCINES, TOXOIDS</u>	23

6.5	<u>DRUGS ADMINISTERED OTHER THAN ORAL METHOD</u>	27
6.6	<u>HYDRATION, THERAPEUTIC, PROPHYLACTIC, DIAGNOSTIC INJECTIONS and INFUSIONS, AND CHEMOTHERAPY AND OTHER HIGHLY COMPLEX DRUG OR HIGHLY COMPLEX BIOLOGIC AGENT ADMINISTRATION</u>	42
7	<u>CHEMOTHERAPY DRUGS</u>	43
7.1	<u>GENERAL INFORMATION AND RULES</u>	43
8	<u>PSYCHIATRY SERVICES</u>	48
8.1	<u>GENERAL INFORMATION AND RULES</u>	48
8.2	<u>INTERACTIVE COMPLETITY</u>	49
8.3	<u>Psychiatric Diagnostic Procedures</u>	49
8.4	<u>PSYCHIATRIC DIAGNOSTIC PROCEDURES</u>	49
9	<u>DIALYSIS SERVICES</u>	49
9.1	<u>GENERAL INFORMATION AND RULES</u>	49
10	<u>GASTROENTEROLOGY</u>	51
11	<u>OPHTHALMOLOGY</u>	52
11.1	<u>GENERAL INFORMATION AND RULES</u>	52
11.2	<u>SUPPLY OF MATERIALS</u>	55
11.3	<u>OTHER PROCEDURES</u>	56
12	<u>SPECIAL OTORHINOLARYNGOLOGIC SERVICES</u>	56
13	<u>CARDIOVASCULAR</u>	58
13.1	<u>THERAPEUTIC SERVICES AND PROCEDURES</u>	58
13.2	<u>CARDIOGRAPHY</u>	59
13.3	<u>CARDIOVASCULAR MONITORING SYSTEM</u>	59
13.4	<u>CARDIOVASCULAR DEVICE MONITORING-IMPLANTABLE AND WEARABLE DEVICES</u>	60
13.5	<u>ECHOCARDIOGRAPHY</u>	61
13.6	<u>CARDIAC CATHETERIZATION</u>	62
13.7	<u>INTRACARDIAC ELECTROPHYSIOLOGICAL PROCEDURES/STUDIES</u>	65
13.8	<u>NONINVASIVE PHYSIOLOGIC STUDIES AND PROCEDURES</u>	66
13.9	<u>OTHER PROCEDURES</u>	67
14	<u>NONINVASIVE VASCULAR DIAGNOSTIC STUDIES</u>	67
14.1	<u>CEREBROVASCULAR ARTERIAL STUDIES</u>	67
14.2	<u>EXTREMITY ARTERIAL STUDIES (INCLUDING DIGITS)</u>	67
14.3	<u>EXTREMITY VENOUS STUDIES (INCLUDING DIGITS)</u>	68
14.4	<u>VISCERAL AND PENILE VASCULAR STUDIES</u>	68
14.5	<u>EXTREMITY ARTERIAL VENOUS STUDIES</u>	68

14.6	OTHER NONINVASIVE VASCULAR DIAGNOSTIC STUDIES	68
15	PULMONARY	68
15.1	PULMONARY DIAGNOSTIC TESTING, REHABILITATION, AND THERAPIES	68
16	ALLERGY AND CLINICAL IMMUNOLOGY	70
16.1	ALLERGY TESTING	70
16.2	SENSITIVITY TESTING	70
16.3	ALLERGEN IMMUNOTHERAPY	71
17	ENDOCRINOLOGY	71
18	NEUROLOGY AND NEUROMUSCULAR PROCEDURES	71
18.1	SLEEP TESTING	71
18.2	ROUTINE ELECTROENCEPHALOGRAPHY (EEG)	72
18.3	RANGE OF MOTION TESTING	72
18.4	ELECTROMYOGRAPHY	73
18.5	ISCHEMIC MUSCLE TESTING AND GUIDANCE FOR CHEMODENERVATION	73
18.6	NERVE CONDUCTION TESTS	73
18.7	INTRAOPERATIVE NEUROPHYSIOLOGY	73
18.8	AUTONOMIC FUNCTION TESTS	74
18.9	EVOKE POTENTIALS AND REFLEX TESTS	74
18.10	SPECIAL EEG TESTS	74
18.11	NEUROSTIMULATORS, ANALYSIS-PROGRAMMING	76
18.12	OTHER PROCEDURES	76
18.13	MOTION ANALYSIS	77
18.14	FUNCTIONAL BRAIN MAPPING	77
19	Medical genetics and genetic counseling services	77
20	CENTRAL NERVOUS SYSTEM ASSESSMENTS/TESTS (EG, NEURO-COGNITIVE, MENTAL STATUS, SPEECH TESTING)	77
21	PHOTODYNAMIC THERAPY	78
22	SPECIAL DERMATOLOGICAL PROCEDURES	78
23	OSTEOPATHIC MANIPULATIVE TREATMENT	79
24	SPECIAL SERVICES	79
24.1	MISCELLANEOUS SERVICES	79
24.2	OTHER SPECIAL SERVICES	81
25	MODERATE (CONSCIOUS) SEDATION	81
26	OTHER SERVICES AND PROCEDURES	81

## 1 DOCUMENT CONTROL PROPERTIES

Control Item	Value
Document Name	<b>Physician - Medicine, Drugs &amp; Drug Administration</b>
Document Control Number	2025-1
Document Type	Procedure Code Manual
Document Version	2025-V1
Document Status	
Effective date	April 2025

## 2 GENERAL INFORMATION AND INSTRUCTIONS

- A. **PRIMARY CARE:** Primary care is first contact care, the type furnished to individuals when they enter the health care system. Primary care is comprehensive in that it deals with a wide range of health problems, diagnosis and modes of treatment. Primary care is continuous in that an ongoing relationship is established with the primary care practitioner who monitors and provides the necessary follow-up care and is coordinated by linking patients with more varied specialized services when needed. Consultations and care provided on referral from another practitioner is not considered primary care.

- B. **CLASSIFICATION OF EVALUATION AND MANAGEMENT (E/M) SERVICES:** The Federal Health Care Finance Administration has mandated that all state Medicaid programs utilize the new Evaluation and Management coding as published in the American Medical Association's Physicians' Current Procedural Terminology.

LEVELS OF E/M SERVICES: Within each category or subcategory of E/M service, there are three to five levels of E/M services available for reporting purposes. Levels of E/M services are not interchangeable among the different categories or subcategories of service. For example, the first level of E/M services in the subcategory of office visit, new patient, does not have the same definition as the first level of E/M services in the subcategory of office visit, established patient. **The Evaluation and Management guidelines in the CPT book should be referenced when selecting the level of E/M codes.**

- C. **BY REPORT:** A service that is rarely provided, unusual, variable, or new may require a special report in determining medical appropriateness of the service. Pertinent information should include an adequate definition or description of the nature, extent, and need for the procedure, and the time, effort, and equipment necessary to provide the service. Additional items which may be included are: complexity of symptoms, final diagnosis, pertinent physical findings (such as size, locations, and number of lesion(s), if appropriate), diagnostic and therapeutic procedures (including major supplementary surgical procedures, if appropriate), concurrent problems, and follow-up care.

When the value of a procedure is to be determined "By Report" (BR), information concerning the nature, extent and need for the procedure or service, the time, the skill and the equipment necessary, is to be furnished. Appropriate documentation (eg, operative report, procedure description, and/or itemized invoices) should accompany all claims submitted.

Itemized invoices must document acquisition cost, the line item cost from a manufacturer or wholesaler net of any rebates, discounts or other valuable considerations.

- D. **CRITICAL CARE:** Represents extraordinary care by the attending physician in personal attendance in the care of a medical emergency, both directing and personally administering specific corrective measures after initial examination had determined the nature of the ailment. See codes 99291, 99292. **NOTE: Report Required for 99292.**
- E. **EVALUATION AND MANAGEMENT SERVICES (outpatient or inpatient):** Evaluation and management fees do not apply to preoperative consultations or follow-up visits as designated in accordance with the surgical fees listed in the SURGERY section of the State Medical Fee Schedule.

For additional information on the appropriate circumstances governing the billing of the hospital visit procedure codes see **PHYSICIAN SERVICES PROVIDED IN HOSPITALS.**

- F. **FAMILY PLANNING CARE:** In accordance with approval received by the State Director of the Budget, effective July 1, 1973 in the Medicaid Program, all family planning services are to be reported on claims using appropriate MMIS code numbers listed in this fee schedule in combination with modifier '-FP'.

This reporting procedure will assure to New York State the higher level of federal reimbursement which is available when family planning services are provided to Medicaid patients (90% instead of 50% for other medical care). It will also provide the means to document conformity with mandated federal requirements on provision of family planning services.

- G. **INJECTIONS:** are usually given in conjunction with a medical service. When an injection is the only service performed, a minimal service may be listed in addition to the injection.
- H. **SEPARATE PROCEDURE:** Certain of the listed procedures are commonly carried out as an integral part of a total service, and as such do not warrant a separate charge. When such a procedure is carried out as a separate entity, not immediately related to other services, the indicated value for "Separate Procedure" is applicable.

- I. **SEPARATE SERVICE:** If a significantly separately identifiable Evaluation and Management services (eg, office service, preventative medicine services) is performed, the appropriate E/M code should be reported in addition to the vaccine and toxoid codes.
- J. **MATERIALS SUPPLIED BY PHYSICIAN:** Supplies and materials provided by the physician, eg, sterile trays/drugs, **over and above** those usually included with the procedure(s), office visit or other services rendered may be listed separately. List drugs, trays, supplies and materials provided. Identify as 99070 or specific supply code.

**Payment for supplies and materials** furnished by practitioners to their patients is based on the acquisition cost to the practitioner. For all items furnished in this fashion it is expected that the practitioner will maintain auditable records of the actual itemized invoice cost represented on the invoice. New York State Medicaid does not intend to pay more than the acquisition cost, as established by invoice, to the practitioner. Regardless of whether an invoice must be submitted to Medicaid for payment, the practitioner is expected to limit his or her Medicaid claim amount to the actual invoice cost of the item provided.

- K. **PAYMENT FOR DRUGS (including vaccines and immune globulins):** furnished by practitioners to their patients is based on the acquisition cost to the practitioner of the drug dose administered to the patient. For all drugs furnished in this fashion it is expected that the practitioner will maintain auditable records of the actual itemized invoice cost of the drug, including the numbers of doses of the drug represented on the invoice. New York State Medicaid does not intend to pay more than the acquisition cost of the drug dosage, as established by invoice, to the practitioner. Regardless of whether an invoice must be submitted to Medicaid for payment, the practitioner is expected to limit his or her Medicaid claim amount to the actual invoice cost of the drug dosage administered.

**NOTE:** The maximum fees for these drugs are adjusted periodically by the State to reflect the estimated acquisition cost. Insert acquisition cost per dose in amount charged field on claim form. For codes listed as BR in the Fee Schedule, also attach an itemized invoice to claim form.

- L. **PAYMENT IN FULL:** Fees paid in accordance with the allowances in the Physician Fee Schedule shall be considered full payment for services rendered. No additional charge shall be made by a physician.
- M. **PRIOR APPROVAL:** Payment for those listed procedures where the MMIS code number is underlined is dependent upon obtaining the approval of the Department of Health prior to performance of the procedure. If such prior approval is not obtained, no reimbursement will be made.



- N. **DVS AUTHORIZATION (#):** Codes followed by # require an authorization via the dispensing validation system (DVS) before services are rendered.
- O. **BILLING GUIDELINES:** For additional general billing guidelines see the current CTP manual.
- P. **FEES:** The fees are listed in the Physician Medicine Fee Schedule, available at <http://www.emedny.org/ProviderManuals/Physician/index.html>

Listed fees are the maximum reimbursable Medicaid fees. Fees for the HIV Program and the PPAC Program can be found in the Enhanced Program fee schedule.

### 3 MMIS MODIFIERS

**Note:** NCCI associated modifiers are recognized for NCCI code pairs/related edits. For additional information please refer to the CMS website: <http://www.cms.hhs.gov/NationalCorrectCodInitEd/>

Under certain circumstances, the procedure code identifying a specific procedure or service must be expanded by two additional characters to further define or explain the nature of the procedure.

The circumstances under which such further description is required are detailed below along with the appropriate modifiers to be added to the basic code when the particular circumstance applies. Up to four modifiers are allowed on a claim line.

- 24 Unrelated Evaluation and Management Service by the Same Practitioner During a Postoperative Period: The practitioner may need to indicate that an evaluation and management service was performed during a postoperative period for a reason(s) unrelated to the original procedure. This circumstance may be reported by adding the modifier -24 to the appropriate level of E/M service. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)
- 25 Significant, Separately Identifiable Evaluation and Management Service by the Same Practitioner on the Day of a Procedure: (Effective 10/1/92) The practitioner may need to indicate that on the day a procedure or service identified by an MMIS code was performed, the patient's condition required a significant, separately identifiable E/M service above and beyond the usual preoperative and postoperative care associated with the procedure that was performed. The E/M service may be prompted by the symptom or condition for which the procedure and/or service was provided. As such, different diagnoses are not required for reporting of the E/M services on the same date. This circumstance may be reported by adding the modifier -25 to the appropriate level of E/M service. **NOTE:** This modifier is not used to report an E/M service that resulted in a decision to perform surgery. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)

- 26**     Professional Component: Certain procedures are a combination of a physician component and a technical component. When the physician component is reported separately, the service may be identified by adding the modifier –26 to the usual procedure number. (Reimbursement will not exceed 40% of the maximum State Medical Fee Schedule amount.)
- 50**     Bilateral Procedure: Unless otherwise identified in the listings, bilateral medical procedures and surgical procedures requiring a separate incision that are performed at the same operative session, or bilateral x-ray examinations should be identified by the appropriate procedure code describing the first procedure. To indicate a bilateral procedure was done add modifier -50 to the procedure number. (Reimbursement will not exceed 150% of the maximum State Medical Fee Schedule amount for medicine and surgery services or 160% of the maximum State Medical Fee Schedule amount for radiology services. One claim line is to be billed representing the bilateral procedure. Amount billed should reflect total amount due.)
- 77**     Repeat Procedure By Another Physician (or Practitioner): The physician may need to indicate that a basic procedure or service performed by another physician had to be repeated. This situation may be reported by adding modifier -77 to the repeated service. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)
- 79**     Unrelated Procedure or Service by the Same Practitioner During the Postoperative Period: The practitioner may need to indicate that the performance of a procedure or service during the postoperative period was unrelated to the original procedure. This circumstance may be reported by using the modifier -79 to the related procedure. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)
- AQ**     Physician Providing a Service in an Unlisted Health Professional Shortage Area (HPSA)
- EP**     Child/Teen Health Program (EPSDT Program): Service provided as part of the Medicaid Early Periodic Screening, Diagnosis and Treatment (EPSDT) Program or Child/Teen Health Program will be identified by adding the modifier -EP to the usual procedure number. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)
- FP**     Service Provided as Part of Family Planning Program: All Family Planning Services will be identified by adding the modifier -FP to the usual procedure code number. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)
- GT**     Via interactive audio and video telecommunication systems: Indicates services were performed via telemedicine. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)

- LT** Left Side: (Used to identify procedures performed on the left side of the body). Add modifier –LT to the usual procedure code number. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount. One claim line should be billed.) **(Use modifier –50 when both sides done at same operative session.)**
- RT** Right Side: (Used to identify procedures performed on the right side.) Add modifier –RT to the usual procedure code number. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount. One claim line should be billed). **(Use modifier –50 when both sides done at same operative session.)**
- SL** State Supplied Vaccine: (Used to identify administration of vaccine supplied by the Vaccine for Children's Program (VFC) for children under 19 years of age). When administering vaccine supplied by the state (VFC program), you **must** append modifier –SL State Supplied Vaccine to the procedure code number representing the vaccine administered. Omission of this modifier on claims for recipients under 19 years of age will cause your claim to deny. (Reimbursement will not exceed \$17.85, the administration fee for the VFC program.)

## 4 EVALUATION AND MANAGEMENT SERVICES

Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs.

### 4.1 OFFICE OR OTHER OUTPATIENT SERVICES

#### 4.1.1 NEW PATIENT

- 99202 Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and /or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.
- 99203 Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and /or examination and low level of medical decision making. When using time for code selection, 30 minutes must be met or exceeded.
- 99204 Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and /or examination and moderate level of medical decision making. When using time for code selection, 45 minutes must be met or exceeded.
- 99205 Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and /or examination and high level of medical decision making. When using time for code selection, 60 minutes must be met or exceeded.

#### 4.1.2 ESTABLISHED PATIENT

- 99211 Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional.
- 99212 Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/ or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 10 minutes must be met or exceeded.
- 99213 Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/ or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.
- 99214 Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/ or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
- 99215 Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/ or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.

#### **4.2 TELEMEDICINE SERVICES**

##### **4.2.1 BRIEF SYNCHRONOUS COMMUNICATION TECHNOLOGY SERVICE (EG, VIRTUAL CHECK-IN)**

- 98016 Brief communication technology-based service (eg, virtual check-in) by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related evaluation and management service provided within the previous 7 days nor leading to an evaluation and management service or procedure within the next 24 hours or soonest available appointment, 5-10 minutes of medical discussion

#### **4.3 HOSPITAL INPATIENT AND OBSERVATION SERVICES**

##### **4.3.1 INITIAL HOSPITAL INPATIENT OR OBSERVATION CARE**

###### **4.3.1.1 NEW OR ESTABLISHED PATIENT**

- 99221 Initial hospital inpatient or observation care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and straightforward or low-level medical decision making.  
When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.
- 99222 Initial hospital inpatient or observation care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making.  
When using total time on the date of the encounter for code selection, 55 minutes must be met or exceeded.
- 99223 Initial hospital inpatient or observation care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and high

level of medical decision making.

When using total time on the date of the encounter for code selection, 75 minutes must be met or exceeded.

#### **4.3.2 SUBSEQUENT HOSPITAL INPATIENT OR OBSERVATION CARE**

99231 Subsequent hospital inpatient or observation care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and straightforward or low level of medical decision making.

When using total time on the date of the encounter for code selection, 25 minutes must be met or executed.

99232 Subsequent hospital inpatient or observation care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making.

When using total time on the date of the encounter for code selection, 35 minutes must be met or executed.

99233 Subsequent hospital inpatient or observation care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and high level of medical decision making.

When using total time on the date of the encounter for code selection, 50 minutes must be met or executed

#### **4.3.3 HOSPITAL INPATIENT OR OBSERVATION OR CARE SERVICES (INCLUDING ADMISSION AND DISCHARGE SERVICES)**

99234 Hospital inpatient or observation care, for the evaluation and management of a patient including admission and discharge on the same date, which requires a medically appropriate history and/or examination and straightforward or low level of medical decision making

When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.

99235 Hospital inpatient or observation care, for the evaluation and management of a patient including admission and discharge on the same date, which requires a medically appropriate history and/or examination and moderate level of medical decision making.

When using total time on the date of the encounter for code selection, 70 minutes must be met or exceeded.

99236 Hospital inpatient or observation care, for the evaluation and management of a patient including admission and discharge on the same date, which requires a medically appropriate history and/or examination and high level of medical decision making

When using total time on the date of the encounter for code selection, 85 minutes must be met or exceeded.

#### **4.3.4 HOSPITAL INPATIENT OR HOSPITAL DISCHARGE SERVICES**

99238 Hospital discharge day management; 30 minutes or less

99239 more than 30 minutes

**4.4 CONSULTATIONS****4.4.1 OFFICE OR OTHER OUTPATIENT CONSULTATIONS****4.4.1.1 NEW OR ESTABLISHED PATIENT**

- 99242 Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making.  
When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.
- 99243 Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and low-level of medical decision making.  
When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
- 99244 Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making.  
When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.
- 99245 Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and high level of medical decision making.  
When using total time on the date of the encounter for code selection, 55 minutes must be met or exceeded.

**4.4.2 INPATIENT OR OBSERVATION CONSULTATIONS****4.4.2.1 NEW OR ESTABLISHED PATIENT**

- 99252 Inpatient or observation consultation for a new or established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making.  
When using total time on the date of the encounter for code selection, 35 minutes must be met or exceeded.
- 99253 Inpatient or observation consultation for a new or established patient, which requires a medically appropriate history and/or examination and low-level of medical decision making.  
When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.
- 99254 Inpatient or observation consultation for a new or established patient, which requires a medically appropriate history and/or examination and moderate of medical decision making.  
When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.
- 99255 Inpatient or observation consultation for a new or established patient, which requires a medically appropriate history and/or examination and high level of medical decision

making.

When using total time on the date of the encounter for code selection, 80 minutes must be met or exceeded.

#### **4.5 EMERGENCY DEPARTMENT SERVICES**

##### **4.5.1 NEW OR ESTABLISHED**

- 99281 Emergency department visit for the evaluation and management of a patient that may not require the presence of a physician or other qualified health care professional
- 99282 Emergency department visit for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and straightforward medical decision making
- 99283 Emergency department visit for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and low level of medical decision making
- 99284 Emergency department visit for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making
- 99285 Emergency department visit for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and high level of medical decision making

#### **4.6 CRITICAL CARE SERVICES**

- 99291 Critical care, evaluation and management of the critically ill or critically injured patient; first 30-74 minutes
- 99292 each additional 30 minutes (Report required) (List separately in addition to primary service)

#### **4.7 NURSING FACILITY SERVICES**

The following codes are used to report evaluation and management services to patients in nursing facilities (formerly called skilled nursing facilities (SNFs), intermediate care facilities (ICFs) or long-term care Facilities (LTCFs)).

##### **4.7.1 INITIAL NURSING FACILITY CARE**

###### **4.7.1.1 NEW OR ESTABLISHED PATIENT**

More than one comprehensive assessment may be necessary during an inpatient confinement.

- 99304 Initial nursing facility care, per day, for the evaluation and management of a patient, which requires medically appropriate history and/or examination and straightforward or low level of medical decision making.  
When using total time on the date of the encounter for code selection, 25 minutes must be met or exceeded.
- 99305 Initial nursing facility care, per day, for the evaluation and management of a patient, which



requires medically appropriate history and/or examination and moderate level of medical decision making.

When using total time on the date of the encounter for code selection, 35 minutes must be met or exceeded.

- 99306 Initial nursing facility care, per day, for the evaluation and management of a patient, which requires medically appropriate history and/or examination and high level of medical decision making.

When using total time on the date of the encounter for code selection, 50 minutes must be met or exceeded.

#### **4.7.2 SUBSEQUENT NURSING FACILITY CARE**

- 99307 Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and straightforward medical decision making.

When using total time on the date of the encounter for code selection, 10 minutes must be met or exceeded.

- 99308 Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and low-level of medical decision making.

When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.

- 99309 Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making.

When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.

- 99310 Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and high level of medical decision making.

When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.

#### **4.7.3 NURSING FACILITY DISCHARGE SERVICES**

- 99315 Nursing facility discharge day management; 30 minutes or less

- 99316 more than 30 minutes

#### **4.8 HOME OR RESIDENCE SERVICES**

##### **4.8.1 NEW PATIENT**

- 99341 Home or residence visit for the evaluation and management of a new patient, which requires medically appropriate history and/or examination and straightforward medical decision making.

When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.

- 99342 Home or residence visit for the evaluation and management of a new patient, which



requires medically appropriate history and/or examination and low-level of medical decision making.

When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.

- 99344 Home or residence visit for the evaluation and management of a new patient, which requires medically appropriate history and/or examination and moderate level of medical decision making.

When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.

- 99345 Home or residence visit for the evaluation and management of a new patient, which requires medically appropriate history and/or examination and high level of medical decision making.

When using total time on the date of the encounter for code selection, 75 minutes must be met or exceeded.

#### 4.9 ESTABLISHED PATIENT

- 99347 Home or residence visit for the evaluation and management of an established patient, which requires medically appropriate history and/or examination and straightforward medical decision making.

When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.

- 99348 Home or residence visit for the evaluation and management of an established patient, which requires medically appropriate history and/or examination and low-level of medical decision making.

When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.

- 99349 Home or residence visit for the evaluation and management of an established patient, which requires medically appropriate history and/or examination and moderate level of medical decision making.

When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.

- 99350 Home or residence visit for the evaluation and management of an established patient, which requires medically appropriate history and/or examination and high level of medical decision making.

When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.

#### 4.10 PROLONGED SERVICES

Prolonged service with or without direct patient contact on the date of an evaluation and management service.

##### 4.10.1 PROLONGED SERVICE WITH OR WITHOUT DIRECT PATIENT CONTACT ON THE DATE OF AN EVALUATION AND MANAGEMENT SERVICE

- 99417 Prolonged outpatient evaluation and management service(s) time with or without direct

patient contact beyond required time of the primary service when the primary service level has been selected using total time, each 15 minutes of total time (List separately in addition to the code of the outpatient Evaluation and Management service)

- 99418 Prolonged inpatient or observation evaluation and management service(s) time with or without direct patient contact beyond required time of the primary service when the primary service level has been selected using total time, each 15 minutes of total time (List separately in addition to the code of the outpatient Evaluation and Management service)

#### **4.11 PREVENTIVE MEDICINE SERVICES (WELL VISITS)**

##### **4.11.1 NEW PATIENT**

- 99381 Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; infant (age younger than 1 year)
- 99382 early childhood (age 1 through 4 years)
- 99383 late childhood (age 5 through 11 years)
- 99384 adolescent (age 12 through 17 years)
- 99385 18-39 years
- 99386 40-64 years
- 99387 65 years and older

##### **4.11.2 ESTABLISHED PATIENT**

- 99391 Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; infant (age younger than 1 year)
- 99392 early childhood (age 1 through 4 years)
- 99393 late childhood (age 5 through 11 years)
- 99394 adolescent (age 12 through 17 years)
- 99395 18 - 39 years
- 99396 40 - 64 years
- 99397 65 years and older

#### **4.12 COUNSELING RISK FACTOR REDUCTION AND BEHAVIOR CHANGE INTERVENTION**

##### **4.12.1.1 NEW OR ESTABLISHED PATIENT**

###### **4.12.1.1.1 BEHAVIOR CHANGE INTERVENTIONS, INDIVIDUAL**

- 99406 Smoking and tobacco use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes
- 99407 intensive, greater than 10 minutes

##### **4.12.1.2 OTHER PREVENTIVE MEDICINE SERVICES**

- 99429 Unlisted preventative medicine service

#### **4.13 NON-FACE-TO-FACE SERVICES**

##### **4.13.1 ONLINE DIGITAL EVALUATION AND MANAGEMENT SERVICES**

- 99421 Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 5- 10 minutes
- 99422 11-20 minutes
- 99423 21 or more minutes

#### **4.13.2 INTERPROFESSIONAL TELEPHONE/INTERNET/ELECTRONIC HEALTH RECORD CONSULTATION**

- 99451 Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a written report to the patient's treating/requesting physician or other qualified health care professional, 5 minutes or more of medical consultative time
- 99452 Interprofessional telephone/Internet/electronic health record referral service(s) provided by a treating/requesting physician or other qualified health care professional, 30 minutes

#### **4.13.3 DIGITALLY STORED DATA SERVICES/REMOTE PHYSIOLOGIC MONITORING**

- 99453 Remote monitoring of physiologic parameter(s) (eg, weight, blood pressure, pulse oximetry, respiratory flow rate), initial; set-up and patient education on use of equipment
- 99454 device(s) supply with daily recording(s) or programmed alert(s) transmission, each 30 days

#### **4.14 NEWBORN CARE SERVICES**

- 99460 Initial hospital or birthing center care, per day, for evaluation and management of normal newborn infant
- 99462 Subsequent hospital care, per day, for evaluation and management of normal newborn
- 99463 Initial hospital or birthing center care, per day, for evaluation and management of normal newborn infant admitted and discharged on the same day

#### **4.15 DELIVERY/BIRTHING ROOM ATTENDANCE AND RESUSCITATION SERVICES**

- 99464 Attendance at delivery (when requested by the delivering physician or other qualified health care professional) and initial stabilization of newborn
- 99465 Delivery/birthing room resuscitation, provision of positive pressure ventilation and/or chest compressions in the presence of acute inadequate ventilation and/or cardiac output

#### **4.16 INPATIENT NEONATAL INTENSIVE CARE SERVICES AND PEDIATRIC AND NEONATAL CRITICAL CARE SERVICES**

##### **4.16.1 PEDIATRIC CRITICAL CARE PATIENT TRANSPORT**

- 99466 Critical care services delivered by a physician, face-to-face, during an interfacility transport of critically ill or critically injured pediatric patient, 24 months of age or less; first 30-74 minutes of hands on care during transport
- 99467 each additional 30 minutes (List separately in addition to primary service)

##### **4.16.2 INPATIENT NEONATAL AND PEDIATRIC CRITICAL CARE**

- 99468 Initial inpatient neonatal critical care, per day, for the evaluation and management of a critically ill neonate, 28 days of age or less

- 99469 Subsequent inpatient neonatal critical care, per day, for the evaluation and management of a critically ill neonate, 28 days of age or less
- 99471 Initial inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 29 days through 24 months of age
- 99472 Subsequent inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 29 days through 24 months of age
- 99475 Initial inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 2 through 5 years of age
- 99476 Subsequent inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 2 through 5 years of age

#### **4.16.3 INITIAL AND CONTINUING INTENSIVE CARE SERVICES**

- 99477 Initial hospital care, per day, for the evaluation and management of the neonate, 28 days of age or less, who requires intensive observation, frequent interventions, and other intensive care services
- 99478 Subsequent intensive care, per day, for the evaluation and management of the recovering very low birth weight infant (present body weight less than 1500 grams) (Neonatologist or Pediatric Critical Care Specialist only)
- 99479 Subsequent intensive care, per day, for the evaluation and management of the recovering low birth weight infant (present body weight of 1500-2500 grams) (Neonatologist or Pediatric Critical Care Specialist only)
- 99480 Subsequent intensive care, per day, for the evaluation and management of the recovering infant (present body weight of 2501-5000 grams)

#### **4.17 OTHER EVALUATION AND MANAGEMENT SERVICES**

- 99459 Pelvic examination (List separately in addition to code for primary procedure)

### **5 LABORATORY SERVICES PERFORMED IN A PHYSICIAN'S OFFICE**

#### **5.1 GENERAL INFORMATION AND RULES**

Certain laboratory procedures specified below are eligible for direct physician reimbursement when performed in the office of the physician in the course of treatment of his own patients.

The physician must be registered with the federal Health Care Finance Administration (HCFA) to perform laboratory procedures as required by the federal Clinical Laboratory Improvement Amendments of 1988 (CLIA '88).

Procedures other than those specified must be performed by a laboratory, holding a valid clinical laboratory permit in the commensurate laboratory, specialty issued by the New York State Department of Health or, where appropriate, the New York City Department of Health.

Procedure code 85025 complete blood count (CBC) may not be billed with its component codes 85007, 85013, 85018, 85041 or 85048.

#### **5.2 URINALYSIS**

- 81000 Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones,

leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, with microscopy

- 81001 automated, with microscopy
- 81002 non-automated, without microscopy
- 81003 automated, without microscopy
- 81015 Urinalysis; microscopic only
- 81025 Urine pregnancy test, by visual color comparison methods

### 5.3 CHEMISTRY

- 83655 Lead

### 5.4 HEMATOLOGY AND COAGULATION

- 85007 Blood count; blood smear, microscopic examination with manual differential WBC count (includes RBC morphology and platelet estimation)
- 85013 spun microhematocrit
- 85018 hemoglobin (Hgb)
- 85025 complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count
- 85041 red blood cell (RBC) automated
- 85048 leukocyte (WBC), automated
- 85651 Sedimentation rate, erythrocyte; non-automated
- 85652 automated

### 5.5 IMMUNOLOGY

- 86701 Antibody; HIV-1
- 86703 HIV-1 and HIV-2, single result

### 5.6 MICROBIOLOGY

- 87081 Culture, presumptive, pathogenic organisms, screening only (throat only)
- 87426 Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; severe acute respiratory syndrome coronavirus (e.g., SARS-CoV, SARS-CoV-2 [COVID-19]).
- 87428 Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric severe acute respiratory syndrome coronavirus (eg, SARS-CoV, SARS-CoV-2 [COVID-19]) and influenza virus types A and B
- 87635 Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique
- 87636 Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) and influenza virus types A and B, multiplex amplified probe technique

- 87637 Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), influenza virus types A and B, and respiratory syncytial virus, multiplex amplified probe technique
- 87651 Streptococcus, group A, amplified probe technique
- 87806 HIV-1 antigen(s), with HIV1 and HIV-2 antibodies
- 87811 Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19])
- 87880 Infectious agent detection by immunoassay with direct optical observation; streptococcus, group A (throat only)

**NOTE:** Medicare reimburses for these services at 100 percent. No Medicare coinsurance payments may be billed for the above listed procedure codes.

## 6 DRUGS AND DRUG ADMINISTRATION

### 6.1 GENERAL INFORMATION AND RULES

#### 6.1.1 IMMUNIZATIONS

If a significantly separately identifiable Evaluation and Management service (eg, office service, preventative medicine services) is performed, the appropriate E/M code should be reported in addition to the vaccine and toxoid codes.

Immunizations are usually given in conjunction with a medical service. When an immunization is the only service performed, a minimal service may be listed in addition to the injection.

Immunization procedures include reimbursement for the supply of materials **and administration**. Reimbursement for drugs (including vaccines and immune globulins) furnished by practitioners to their patients is based on the acquisition cost to the practitioner of the drug dose administered to the patient. For all drugs furnished in this fashion it is expected that the practitioner will maintain auditable records of the actual itemized invoice cost of the drug, including the numbers of doses of the drug represented on the invoice. New York State Medicaid does not intend to pay more than the acquisition cost of the drug dosage, as established by invoice, to the practitioner. Regardless of whether an invoice must be submitted to Medicaid for payment, the practitioner is expected to limit his or her Medicaid claim amount to the actual invoice cost of the drug dosage administered.

#### 6.2 IMMUNE GLOBULINS, SERUM OR RECOMBINANT PRODUCTS

Immune globulin products listed here include broad-spectrum and anti-infective immune globulins, antitoxins, and various isoantibodies.

- 90291 Cytomegalovirus immune globulin (CMV-IgIV), human, for intravenous use
- 90371 Hepatitis B immune globulin (HBIG), human, for intramuscular use
- 90375 Rabies immune globulin (RIG), human, for intramuscular and/or subcutaneous use
- 90376 Rabies immune globulin, heat-treated (RIG-HT), human, for intramuscular and/or subcutaneous use
- 90377 Rabies immune globulin, heat- and solvent/detergent-treated (RIG-HT S/D), human, for

- intramuscular and/or subcutaneous use
- 90378 Respiratory syncytial virus, monoclonal antibody, recombinant, for intramuscular use, 50 mg, each
  - 90380 Respiratory syncytial virus, monoclonal antibody, seasonal dose; 0.5 mL dosage, for intramuscular use.
  - 90381 Respiratory syncytial virus, monoclonal antibody, seasonal dose; 1 mL dosage, for intramuscular use.
  - 90384 Rho(D) immune globulin (Rhlg), human, full-dose, for intramuscular use
  - 90385 Rho(D) immune globulin (Rhlg), human, mini-dose, for intramuscular use
  - 90386 Rho(D) immune globulin (RhlgIV), human, for intravenous use
  - 90389 Tetanus immune globulin (Tlg), human, for intramuscular use
  - 90393 Vaccinia immune globulin, human, for intramuscular use
  - 90396 Varicella-zoster immune globulin, human, for intramuscular use
  - 90399 Unlisted immune globulin

### 6.3 IMMUNIZATION ADMINISTRATION FOR VACCINES/TOXOIDS

- 90460 Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; first or only component of each vaccine or toxoid administered
- 90471 Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)
- 90472 each additional vaccine (single or combination vaccine/toxoid)
- 90473 Immunization administration by intranasal or oral route; 1 vaccine (single or combination vaccine/toxoid)
- 90474 each additional vaccine (single or combination vaccine/toxoid)
- 90480 Immunization administration by intermuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, single dose

### 6.4 VACCINES, TOXOIDS

#### 6.4.1 GENERAL INFORMATION AND RULES

For dates of service on or after 7/1/03 when immunization materials are supplied by the Vaccine for Children Program (VFC), bill using the procedure code that represents the immunization(s) administered and **append modifier –SL State Supplied Vaccine** to receive the VFC administration fee. See Modifier Section for further information.

For administration of vaccines supplied by VFC, including influenza and pneumococcal administration, providers are required to bill vaccine administration code 90460. Providers must bill the specific vaccine code with the "SL" modifier on the claim (payment for "SL" will be \$0.00). If an administration code is billed without a vaccine code with "SL", the claim will be denied. For reimbursement purposes, the administration of the components of a combination vaccine will continue to be considered as one vaccine administration. More than one vaccine administration is reimbursable under 90460 on a single date of service.

NCCI editing will allow payment for an office visit (E&M and preventative medicine codes) and a



vaccine administration service billed on the same day of service if the office visit meets a higher complexity level of care than a service represented by CPT code 99211. For payment to be made for both services, the office visit must be billed with Modifier-25. Providers must maintain documentation in the medical record to support use of an appropriate modifier.

**NOTE:** The maximum fees for immunization injection codes are adjusted periodically by the State to reflect the current acquisition cost of the antigen. For immunizations not supplied by the VFC Program insert acquisition cost per dose in amount charged field on claim form. For codes listed **BR/Report required**, also attach itemized invoice to claim form.

To meet the reporting requirements of immunization registries, vaccine distribution programs, and reporting systems (eg, Vaccine Adverse Event Reporting System) the exact vaccine product administered needs to be reported with modifier -SL. Multiple codes for a particular vaccine are provided in CPT when the schedule (number of doses or timing) differs for two or more products of the same vaccine type (eg, hepatitis A, Hib) or the vaccine product is available in more than one chemical formulation, dosage, or route of administration.

Separate codes are available for combination vaccines (eg, DTP-Hib, DtaP-Hib, HepB-Hib). It is inappropriate to code each component of a combination vaccine separately. If a specific vaccine code is not available, the Unlisted procedure code should be reported, until a new code becomes available.

- 91304 Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, 5 mcg/0.5 mL dosage, for intramuscular use
- 91318 Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for intramuscular use
- 91319 Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, 10 mcg/0.2 mL dosage, tris-sucrose formulation, for intramuscular use
- 91320 Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, 30 mcg/0.3 mL dosage, tris-sucrose formulation, for intramuscular use
- 91321 Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, 25 mcg/0.25 mL dosage, for intramuscular use
- 91322 Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, 50 mcg/0.5 mL dosage, for intramuscular use
- 90585 Bacillus Calmette-Guerin vaccine (BCG) for tuberculosis, live, for percutaneous use
- 90586 Bacillus Calmette-Guerin vaccine (BCG) for bladder cancer, live, for intravesical use
- 90589 Chikungunya virus vaccine, live attenuated, for intramuscular use
- 90632 Hepatitis A vaccine (HepA), adult dosage, for intramuscular use
- 90633 Hepatitis A vaccine (HepA), pediatric/adolescent dosage-2 dose schedule, for intramuscular use
- 90636 Hepatitis A and hepatitis B vaccine (HEPA- HEPB), adult dose, for intramuscular use



90647	Haemophilus influenzae type B vaccine (Hib), PRP-OMP conjugate, 3 dose schedule, for intramuscular use
90648	Haemophilus influenza type B vaccine (Hib), PRP-T conjugate, 4 dose schedule, for intramuscular use
90649	Human Papillomavirus vaccine, types 6, 11, 16, 18 quadrivalent (4vHPV), 3 dose schedule, for intramuscular use
90650	Human Papillomavirus vaccine, types 16, 18, bivalent (2vHPV), 3 dose schedule, for intramuscular use
90651	Human Papillomavirus vaccine types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonvalent (9vHPV), 2 or 3 dose schedule, for intramuscular use
90653	Influenza vaccine, inactivated (IIV), subunit, adjuvanted, for intramuscular use
90655	Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, 0.25 mL dosage, for intramuscular use
90656	Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, .05 mL dosage, for intramuscular use
90657	Influenza virus vaccine, trivalent (IIV3), split virus, 0.25 mL dosage, for intramuscular use
90658	Influenza virus vaccine, trivalent (IIV3), split virus, 0.5 mL dosage, for intramuscular use
90660	Influenza virus vaccine, trivalent, live (LAIV3), for intranasal use
90672	Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal use
90661	Influenza virus vaccine, trivalent (ccIIV3), derived from cell cultures, subunit, antibiotic free, 0.5 mL dosage, for intramuscular use
90674	Influenza virus vaccine; quadrivalent (ccIIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use
90756	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, antibiotic free, 0.5 ml dosage, for intramuscular use
90673	Influenza virus vaccine, trivalent (RIV3), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use
90662	Influenza virus vaccine (IIV), split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use
90670	Pneumococcal conjugate vaccine, 13 valent (PCV13), for intramuscular use
90671	Pneumococcal conjugate vaccine, 15 valent (PCV15), for intramuscular use
90677	Pneumococcal conjugate vaccine, 20 valent (PCV20), for intramuscular use
90675	Rabies vaccine, for intramuscular use
90676	Rabies vaccine, for intradermal use
90678	Respiratory syncytial virus vaccine, preF, subunit, bivalent, for intramuscular use
90679	Respiratory syncytial virus vaccine, preF, recombinant, subunit, adjuvanted, for intramuscular use
90680	Rotavirus vaccine, pentavalent (RV5), 3 dose schedule, live, for oral use
90681	Rotavirus vaccine, human, attenuated (RV1), 2 dose schedule, live, for oral use
90682	Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use
90685	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.25 mL dosage, for intramuscular use
90686	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.5 mL dosage,

- for intramuscular use
- 90687 Influenza virus vaccine, quadrivalent (IIV4), split virus, 0.25 mL dosage, for intramuscular use
- 90688 Influenza virus vaccine, quadrivalent (IIV4) split virus, 0.5 mL dosage, for intramuscular use
- 90694 Influenza virus vaccine, quadrivalent, (allV4), inactivated, adjuvanted, preservative free, 0.5 mL dosage, for intramuscular use.
- 90690 Typhoid vaccine, live, oral
- 90691 Typhoid vaccine, Vi capsular polysaccharide (ViCPs), for intramuscular use
- 90696 Diphtheria, tetanus toxoids, acellular pertussis vaccine and inactivated poliovirus vaccine, (DTaP-IPV), when administered to children 4 through 6 years of age, for intramuscular use
- 90697 Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use
- 90698 Diphtheria, tetanus toxoids, acellular pertussis vaccine, Haemophilus influenzae type B, and inactivated poliovirus vaccine, (DTaP-IPV/Hib), for intramuscular use
- 90700 Diphtheria, tetanus toxoids, and acellular pertussis vaccine (DTaP), when administered to individuals younger than 7 years, for intramuscular use
- 90702 Diphtheria and tetanus toxoids absorbed (DT) when administered to individuals younger than 7 years, for intramuscular use
- 90707 Measles, Mumps and Rubella virus vaccine (MMR), live, for subcutaneous use
- 90710 Measles, Mumps, Rubella, and Varicella vaccine (MMRV), live, for subcutaneous use
- 90713 Poliovirus vaccine, inactivated, (IPV), for subcutaneous or intramuscular use
- 90611 Smallpox and monkeypox vaccine, attenuated vaccinia virus, live, non-replicating, preservative free, 0.5 mL dosage, suspension, for subcutaneous use
- 90714 Tetanus and diphtheria toxoids absorbed (Td), preservative free, when administered to individuals 7 years or older, for intramuscular use
- 90715 Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to individuals 7 years or older, for intramuscular use
- 90622 Vaccinia (smallpox) virus vaccine, live, lyophilized, 0.3 mL dosage, for percutaneous use
- 90716 Varicella virus vaccine (VAR), live, for subcutaneous use
- 90717 Yellow fever vaccine, live, for subcutaneous use
- 90723 Diphtheria, tetanus toxoids, acellular pertussis vaccine, hepatitis B, and inactivated poliovirus vaccine, inactivated (DTaP-HepB-IPV), for intramuscular use
- 90732 Pneumococcal polysaccharide vaccine, 23-valent (PPSV23), adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use
- 90644 Meningococcal conjugate vaccine, serogroups C&Y and Haemophilus influenza type b vaccine (Hib-MedCY), 4 dose schedule, when administered to children 6 weeks – 18 months of age, for intramuscular use
- 90734 Meningococcal conjugate vaccine, serogroups A, C, Y and W-135 quadrivalent (MCV4 or MenACWY), for intramuscular use
- 90619 Meningococcal conjugate vaccine, serogroups A, C, W, Y, quadrivalent, tetanus toxoid carrier (MenACWY-TT), for intramuscular use\

90623	Meningococcal pentavalent vaccine, conjugated Men A, C, W, Y- tetanus toxoid carrier, and Men B-FHbp, for intramuscular use
90620	Meningococcal recombinant protein and outer membrane vesicle vaccine, Serogroup B,(MenB-4C) 2 dose schedule, for intramuscular use
90621	Meningococcal recombinant lipoprotein vaccine, Serogroup B,(MenB-FHpb), 2 or 3 dose schedule, for intramuscular use
90736	Zoster (shingles) vaccine (HZV), live, for subcutaneous injection
90750	Zoster (shingles) vaccine (HZV), recombinant, subunit, adjuvanted, for intramuscular use
90738	Japanese encephalitis virus vaccine, inactivated, for intramuscular use
90739	Hepatitis B vaccine (HepB), CpG-adjuvanted, adult dosage, 2 dose or 4 dose schedule, for intramuscular use
90740	Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 3 dose schedule, for intramuscular use
90743	Hepatitis B vaccine (HepB), adolescent, 2 dose schedule, for intramuscular use
90744	Hepatitis B vaccine (HepB), pediatric/adolescent dosage, 3 dose schedule for intramuscular use
90746	Hepatitis B vaccine (HepB), adult dose, 3 dose schedule, for intramuscular use
90759	Hepatitis B vaccine (HepB), 3-antigen (S, Pre-S1, Pre-S2), 10 mcg dosage, 3 dose schedule, for intramuscular use
90747	Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 4 dose schedule, for intramuscular use
90748	Hepatitis B and Haemophilus influenza type b vaccine (Hib-HepB), for intramuscular use
90749	Unlisted vaccine/toxoid

## 6.5 DRUGS ADMINISTERED OTHER THAN ORAL METHOD

### 6.5.1 GENERAL INFORMATION AND RULES

The following list of drugs can be injected either subcutaneous, intramuscular or intravenous. A listing of chemotherapy drugs can be found in the Chemotherapy Drug Section.

New York State Medicaid's policy for coverage of drugs administered by subcutaneous, intramuscular or intravenous methods in the physician's office is as follows: These drugs are covered for FDA approved indications and those recognized off-label indications listed in the drug compendia (the American Hospital Formulary Service Drug Information, United States Pharmacopeia-Drug Information, the DrugDex information system or Facts and Comparisons). In the absence of such a recognized indication, an approved Institutional Review Board (IRB) protocol would be required with documentation maintained in the patient's clinical file. Drugs are not covered for investigational or experimental use.

Reimbursement for drugs (including vaccines and immune globulins) furnished by practitioners to their patients is based on the acquisition cost to the practitioner of the drug dose administered to the patient.

For all drugs furnished in this fashion it is expected that the practitioner will maintain auditable records of the actual itemized invoice cost of the drug, including the numbers of doses of the drug represented on the invoice.

New York State Medicaid does not intend to pay more than the acquisition cost of the drug dosage, as established by invoice, to the practitioner. Regardless of whether an invoice must be submitted to Medicaid for payment, the practitioner is expected to limit his or her Medicaid claim amount to the actual invoice cost of the drug dosage administered.

**NOTE:** The maximum fees for these drugs are adjusted periodically by the State to reflect the estimated acquisition cost. Insert acquisition cost per dose in amount charged field on claim form. For codes listed as BR in the Fee Schedule, also attach an itemized invoice to claim form.

### **6.5.2 THERAPEUTIC INJECTIONS (MAXIMUM FEE INCLUDES COST OF MATERIALS)**

J0121	Omadacycline, 1 mg
J0129	Abatacept, 10 mg (Administered under direct physician supervision, not for self-administration)
J0131	Acetaminophen, not otherwise specified, 10 mg
J0133	Acyclovir, 5 mg
J0134	Acetaminophen (fresenius kabi) not therapeutically equivalent to J0131, 10 mg
J0135	Adalimumab, 20 mg
J0136	Acetaminophen (b braun) not therapeutically equivalent to J0131, 10 mg
J0137	Acetaminophen (hikma) not therapeutically equivalent to j0131, 10 mg
J0139	Adalimumab, 1 mg
J0153	Adenosine, 1 mg (Not to be used to report any adenosine phosphate compounds, instead use unlisted code)
J0171	Adrenalin, epinephrine, 0.1 mg
J0172	Aducanumab-avwa, 2 mg"
J0174	Lecanemab-irmb, 1 mg
J0177	Aflibercept hd, 1 mg
J0178	Aflibercept, 1 mg
J0179	Brolucizumab-dbli, 1 mg
J0180	Agalsidase beta, 1 mg
J0185	Aprepitant, 1 mg
J0202	Alemtuzumab, 1 mg
J0205	Alglucerase, per 10 units
J0206	Allopurinol sodium, 1 mg
J0207	Amifostine, 500 mg
J0208	Sodium thiosulfate (pedmark), 100 mg
J0210	Methyldopate HCl, up to 250 mg
J0215	Alefacept, 0.5 mg
J0217	Velmanase alfa-tycv, 1 mg
J0218	Olipudase alfa-rpcp, 1mg
J0219	Avalglucosidase alfa-ngpt, 4 mg
J0220	Alglucosidase alfa, not otherwise specified, 10 mg
J0221	Alglucosidase alfa, (lumizyme), 10 mg

J0222	Patisiran, 0.1 mg
J0223	Givosiran, 0.5 mg
J0224	Lumasiran, 0.5 mg
J0225	Vutrisiran, 1 mg
J0248	Remdesivir, 1 mg
J0256	Alpha 1 proteinase inhibitor (human), not otherwise specified, 10 mg
J0257	Alpha 1 proteinase inhibitor (human), (glassia), 10 mg
<u>J0270</u>	Alprostadil, per 1.25 mcg (Administered under direct physician supervision, not for self-administration)
<u>J0275</u>	Alprostadil urethral suppository (Administered under direct physician supervision, not for self-administration)
J0278	Amikacin sulfate, 100 mg
J0280	Aminophylline, up to 250 mg
J0285	Amphotericin B, 50 mg
J0287	Amphotericin B lipid complex, 10 mg
J0288	Amphotericin B cholesteryl sulfate complex, 10 mg
J0289	Amphotericin B liposome, 10 mg
J0290	Ampicillin sodium, 500 mg
J0291	Plazomicin, 5 mg
J0295	Ampicillin sodium/sulbactam sodium, per 1.5 g
J0300	Amobarbital, up to 125 mg
J0348	Anidulafungin, 1 mg
J0349	Rezafungin, 1 mg
J0360	Hydralazine HCl, up to 20 mg
J0364	Apomorphine hydrochloride, 1 mg
J0380	Metaraminol bitartrate, per 10 mg
J0390	Chloroquine HCl, up to 250 mg
J0391	Artesunate, 1 mg
J0400	Aripiprazole, intramuscular, 0.25 mg
J0401	Aripiprazole, extended release, intramuscular, 1 mg
J0402	Aripiprazole (abilify asimtufii), 1 mg
J0456	Azithromycin, 500 mg
J0461	Atropine sulfate, 0.01 mg
J0470	Dimercaprol, per 100 mg
J0475	Baclofen, 10 mg
J0485	Belatacept , 1 mg
J0490	Belimumab, 10 mg
J0491	Anifrolumab-fnia, 1 mg
J0500	Dicyclomine HCl, up to 20 mg
J0515	Benztropine mesylate, per 1 mg
J0517	Benralizumab, 1 mg
J0520	Bethanechol chloride, Mytonachol or Urecholine, up to 5 mg
J0558	Penicillin G benzathine and penicillin G procaine, 100,000 units
J0561	Penicillin G benzathine, 100,000 units

J0565	Bezlotoxumab, 10 mg
J0567	Cerliponase alfa, 1 mg
J0570	Buprenorphine implant, 74.2 mg
J0577	Buprenorphine extended release (brixadi), less than or equal to 7 days of therapy
J0578	Buprenorphine extended release (brixadi), greater than 7 days and up to 28 days of therapy
J0584	Burosumab-twza, 1mg
J0585	Onabotulinumtoxina A, 1 unit
J0586	Abobotulinumtoxina A, 5 units
J0587	Rimabotulinumtoxin B, 100 units
J0588	Incobotulinumtoxin A, 1 unit
J0593	Lanadelumab-flyo, 1 mg
J0594	Busulfan, 1 mg
J0598	C1 esterase inhibitor (human), cinryze, 10 units
J0599	C1 esterase inhibitor (human), (haegarda), 10 units
J0600	Edetate calcium disodium, up to 1000 mg
J0610	Calcium gluconate (Fresenius Kabi), per 10 ml
J0611	Calcium gluconate (wg critical care), per 10 ml
J0612	Calcium gluconate, not otherwise specified, 10 mg
J0613	Calcium gluconate (wg critical care), not therapeutically equivalent to j0612, 10 mg
J0620	Calcium glycerophosphate and calcium lactate, per 10 ml
J0630	Calcitonin salmon, up to 400 units
J0636	Calcitriol, 0.1 mcg
J0637	Caspofungin acetate, 5 mg
J0638	Canakinumab, 1 mg
J0640	Leucovorin calcium, per 50 mg
J0641	Levoleucovorin NOS, 0.5 mg
J0642	Levoleucovorin (khapzory), 0.5 mg
J0688	Cefazolin sodium (hikma), not therapeutically equivalent to j0690, 500 mg
J0689	Cefazolin sodium (baxter), not therapeutically equivalent to J0690, 500 mg
J0690	Cefezolin sodium, 500 mg
J0692	Cefepime hydrochloride, 500 mg
J0694	Cefoxitin sodium, 1 gm
J0696	Ceftriaxone sodium, per 250 mg
J0697	Sterile cefuroxime sodium, per 750 mg
J0698	Cefotaxime sodium, per g
J0701	Cefepime hydrochloride (baxter), not therapeutically equivalent to maxipime, 500 mg
J0702	Betamethasone acetate 3 mg and betamethasone sodium phosphate 3mg
J0703	Cefepime hydrochloride (b braun), not therapeutically equivalent to maxipime, 500 mg
J0710	Cephapirin sodium, up to 1 gm
J0712	Ceftaroline fosamil, 10 mg
J0713	Ceftazidime, per 500 mg
J0715	Ceftizoxime sodium, per 500 mg
J0717	Certolizumab pegol, 1 mg



	(Administered under direct physician supervision, not for self-administration)
J0720	Chloramphenicol sodium succinate, up to 1 gm
J0725	Chorionic gonadotropin, per 1,000 USP units
J0736	Clindamycin phosphate, 300 mg
J0737	Clindamycin phosphate (baxter), not therapeutically equivalent to j0736, 300 mg
J0739	Cabotegravir 1 mg
J0740	Cidofovir, 375 mg
J0741	Cabotegravir and rilpivirine, 2mg/3mg
J0743	Cilastatin sodium; imipenem, per 250 mg
J0744	Ciprofloxacin for intravenous infusion, 200 mg
J0745	Codeine phosphate, per 30 mg
J0770	Colistimethate sodium, up to 150 mg
J0775	Collagenase, clostridium histolyticum, 0.01 mg
J0780	Prochlorperazine, up to 10 mg
J0791	Crizanlizumab-tmca, 5mg
J0795	Corticotropin ovine triflutate, 1 mcg
J0834	Cosyntropin 0.25 mg
J0870	Imetelstat, 1mg
J0873	Daptomycin (xellia), not therapeutically equivalent to j0878 or j0872, 1 mg
J0874	Daptomycin (baxter), not therapeutically equivalent to j0878, 1 mg
J0875	Dalbavancin, 5 mg
J0881	Darbepoetin alfa, 1 mcg (Non-ESRD use)
J0885	Epoetin alfa, (Non-ESRD use), 1000 units
J0888	Epoetin beta, 1 mcg (Non-ESRD use)
J0893	Decitabine (sun pharma) not therapeutically equivalent to J0894, 1 mg
J0894	Decitabine, 1 mg
J0895	Deferoxamine mesylate, 500 mg
J0896	Luspatercept-aamt, 0.25 mg
J0897	Denosumab, 1mg
J0945	Brompheniramine maleate, per 10 mg
J1000	Depo-estradiol cypionate, up to 5 mg
J1010	Methylprednisolone acetate, 1 mg
J1050	Medroxyprogesterone acetate, 1 mg
J1071	Testosterone cypionate, 1 mg
J1072	Testosterone cypionate (azmiro), 1 mg
J1096	Dexamethasone, lacrimal ophthalmic insert, 0.1 mg
J1097	Phenylephrine 10.16 mg/ml and ketorolac 2.88 mg/ml, ophthalmic irrigation solution, 1 ml
J1100	Dexamethasone sodium phosphate, 1 mg
J1110	Dihydroergotamine mesylate, per 1 mg
J1120	Acetazolamide sodium, up to 500 mg
J1160	Digoxin, up to 0.5 mg
J1165	Phenytoin sodium, per 50 mg
J1170	Hydromorphone, up to 4 mg

J1180	Dyphylline, up to 500 mg
J1190	Dexrazoxane HCl, per 250 mg
J1200	Diphenhydramine HCL, up to 50 mg
J1201	Cetirizine hydrochloride, 0.5 mg
J1202	Miglustat, oral, 65 mg
J1203	Cipaglucosidase alfa-atga, 5 mg
J1205	Chlorothiazide sodium, per 500 mg
J1212	DMSO, dimethyl sulfoxide, 50%, 50 ml
J1230	Methadone HCl, up to 10 mg
J1240	Dimenhydrinate, up to 50 mg
J1260	Dolasetron mesylate, 10 mg
J1267	Doripenem, 10 mg
J1299	Eculizumab, 2 mg
J1301	Edaravone, 1 mg
J1302	Sutimlimab-jome, 10 mp
J1303	Ravulizumab-cwvz, 10 mg
J1304	Tofersen, 1 mg
J1305	Evinacumab-dgnb, 5mg
J1306	Inclisiran, 1 mg
J1320	Amitriptyline HCl, up to 20 mg
J1322	Elosulfase alfa, 1mg
J1323	Elranatamab-bcmm, 1 mg
J1330	Ergonovine maleate, up to 0.2 mg
J1335	Ertapenem sodium, 500 mg
J1364	Erythromycin lactobionate, per 500 mg
J1380	Estradiol valerate, up to 10 mg
J1410	Estrogen conjugated, per 25 mg
J1414	Fidanacogene elaparovvec-dzkt, per therapeutic dose
J1426	Casimersen, 10 mg
J1427	Viltolarsen, 10 mg
J1428	Eteplirsen, 10 mg
J1429	Golodirsen, 10 mg
J1435	Estrone, per 1 mg
J1436	Etidronate disodium, per 300 mg
J1437	Ferric derisomaltose, 10 mg
J1438	Etanercept, 25 mg (Administered under direct physician supervision, not self-administered)
J1439	Ferric Carboxymaltose, 1 mg
J1440	Fecal microbiota, live - jslm, 1 ml
J1442	Filgrastim (G-CSF), excludes biosimilars,1 microgram
J1447	Tbo-Filgrastim, 1 microgram
J1448	Trilaciclib, 1mg
J1449	Eflapegrastim-xnst, 0.1mg
J1450	Fluconazole, 200 mg



J1452	Fomivirsen sodium, intraocular, 1.65 mg
J1453	Fosaprepitant Injection, 1 mg
J1454	Fosnetupitant 235 mg and palonestron 0.25 mg
J1455	Foscarnet sodium, per 1000 mg
J1456	Fosaprepitant (teva), not therapeutically equivalent to J1453, 1 mg
J1458	Galsulfase, 1 mg
J1459	Immune globulin (Privigen), intravenous, non lyophilized (e.g. liquid), 500 mg
J1460	Gamma globulin, intramuscular, 1 cc
J1551	Immune globulin (cutaquist), 100 mg
J1554	Immune globulin (Asceniv), 500 mg
J1555	Immune globulin (Cuvitru), 100 mg
J1556	Immune globulin (Bivigam), 500 mg
J1557	Immune globulin, (gammaglex), intravenous, non-lyophilized (e.g., liquid), 500 mg
J1558	Immune globulin (xembify), 100 mg
J1560	Gamma globulin, intramuscular, over 10 cc
J1561	Immune globulin, (Gamunex-C/Gammaked), non-lyophilized (e.g. liquid), 500 mg
J1562	Immune globulin (Vivaglobin), 100 mg
J1566	Immune globulin, intravenous, lyophilized (e.g. powder), not otherwise specified, 500 mg
J1568	Immune globulin, (Octagam), intravenous, non-lyophilized (e.g. liquid), 500 mg
J1569	Immune globulin, (Gammagard Liquid), non-lyophilized, (e.g. liquid), 500 mg
J1570	Ganciclovir sodium, 500 mg
J1572	Immune globulin, (flebogamma/flebogamma DIF), intravenous, non-lyophilized (e.g. liquid), 500 mg
J1573	Hepatitis B immune globulin (HepaGam B), intravenous, 0.5 ml
J1574	Ganciclovir sodium (exela) not therapeutically equivalent to J1570, 500 mg
J1575	Immune Globulin/Hyaluronidase (HYQVIA), 100 mg
J1576	Immune globulin (panzyga), intravenous, non-lyophilized (e.g., liquid), 500 mg
J1580	Garamycin, gentamicin, up to 80 mg
J1595	Glatiramer acetate, 20 mg
J1599	Immune globulin, intravenous, non-lyophilized (e.g. liquid), not otherwise specified, 500 mg
J1600	Gold sodium thiomalate, up to 50 mg
J1602	Golimumab, 1mg, for intravenous use
J1610	Glucagon HCl, per 1 mg
J1611	Glucagon hydrochloride (fresenius kabi), not therapeutically equivalent to J1610, per 1 mg
J1620	Gonadorelin HCl, per 100 mcg
J1626	Granisetron HCl, 100 mcg
J1627	Granisetron, extended release, 0.1 mg
J1628	Guselkumab, 1 mg
J1630	Haloperidol, up to 5 mg
J1631	Haloperidol decanoate, per 50 mg
J1642	Heparin sodium, (heparin lock flush), per 10 units
J1643	Heparin sodium (pfizer), not therapeutically equivalent to J1644, per 1000 units
J1644	Heparin sodium, per 1000 units

J1645	Dalteparin sodium, per 2500 IU
J1652	Fondaparinux sodium, 0.5 mg
J1655	Tinzaparin sodium, 1000 IU
J1710	Hydrocortisone sodium phosphate, up to 50 mg
J1720	Hydrocortisone sodium succinate, up to 100 mg
J1726	Hydroxyprogesterone caproate,(makena), 10 mg
J1729	Hydroxyprogesterone caproate, not otherwise specified, 10 mg
J1730	Diazoxide, up to 300 mg
J1738	Meloxicam, 1mg
J1740	Ibandronate sodium, 1 mg
J1741	Ibuprofen, 100 mg
J1743	Idursulfase, 1 mg
J1745	Infliximab, 10 mg
J1746	Ibalizumab-uiyk, 10 mg
J1747	Spesolimab-sbzo, 1 mg
J1750	Iron dextran, 50mg
J1756	Iron sucrose, 1 mg
J1786	Imiglucerase, 10 units
J1790	Droperidol, up to 5 mg
J1800	Propranolol HCl, up to 1 mg
J1815	Insulin, per 5 units
J1817	Insulin (i.e., insulin pump) per 50 units (Administered under direct physician supervision, not for self-administration)
J1823	Inebilizumab-cdon, 1 mg
J1826	Interferon beta-1a, 30 mcg
J1830	Interferon beta-1b, 0.25 mg (Administered under direct physician supervision, not for self-administration)
J1836	Metronidazole, 10 mg
J1885	Ketorolac tromethamine, per 15 mg
J1930	Lanreotide, 1mg
J1931	Laronidase, 0.1 mg
J1932	Lanreotide, (cipla), 1 mg
J1938	Furosemide, 1 mg
J1939	Bumetanide, 0.5 mg
J1943	Aripiprazole lauroxil (Initio), 1 mg
J1944	Aripiprazole lauroxil, 1 mg
J1950	Leuprolide acetate (for depot suspension), per 3.75 mg
J1951	Leuprolide acetate for depot suspension (fensolvi), per .25 mg
J1952	Leuprolide injectable, camcevi, 1 mg
J1954	Lutrate depot 7.5 mg
J1955	Levocarnitine, per 1 gm
J1956	Levofloxacin, 250 mg
J1960	Levorphanol tartrate, up to 2 mg
J1961	Lenacapavir, 1 mg

J1980	Hyoscyamine sulfate, up to 0.25 mg
J1990	Chlordiazepoxide HCl, up to 100 mg
J2001	Lidocaine HCl for intravenous infusion, 10 mg
J2010	Lincomycin HCl, up to 300 mg
J2020	Linezolid, 200 mg
J2021	Linezolid (hospira) not therapeutically equivalent to J2020, 200 mg
J2060	Lorazepam, 2 mg
J2150	Mannitol, 25% in 50 ml
J2175	Meperidine HCl, per 100 mg
J2180	Meperidine and promethazine HCL, up to 50 mg
J2182	Mepolizumab, 1 mg
J2184	Meropenem (b. braun) not therapeutically equivalent to J2185, 100 mg
J2185	Meropenem, 100 mg
J2210	Methylergonovine maleate, up to 0.2 mg
J2247	Micafungin sodium (par pharm) not thereapeutically equivalent to J2248, 1 mg
J2248	Micafungin sodium, 1 mg
J2260	Milrinone lactate, per 5 mg
J2270	Morphine sulfate, up to 10 mg
J2272	Morphine sulfate (fresenius kabi) not therapeutically equivalent to J2270, up to 10 mg
J2274	Morphine sulfate, preservative-free for epidural or intrathecal use, 10 mg
J2277	Motixafortide, 0.25 mg
J2280	Moxifloxacin, 100 mg
J2281	Moxifloxacin (fresenius kabi) not therapeutically equivalent to J2280, 100 mg
J2782	Avacincaptad pegol, 0.1 mg
J2310	Naloxone hydrochloride, 1 mg
J2311	Naloxone hydrochloride (zimhi), 1 mg
J2320	Nandrolone decanoate, up to 50 mg
J2323	Natalizumab, 1 mg
J2326	Nusinersen, 0.1 mg
J2327	Risankizumab-rzaa, intravenous, 1 mg
J2329	Ublituximab-xiiy, 1mg
J2350	Ocrelizumab, 1 mg
J2351	Ocrelizumab 1 mg hya-ocsq
J2353	Octreotide, depot form for intramuscular injection, 1 mg
J2355	Oprelvekin, 5 mg
J2356	Tezepelumab-ekko, 1 mg
J2357	Omalizumab, 5 mg
J2358	Olanzapine, long-acting, 1 mg
J2360	Orphenadrine citrate, up to 60 mg
J2370	Phenylephrine HCl, up to 1 ml
J2405	Ondansetron HCl, per 1 mg
J2406	Oritavancin (kimyrsa), 10 mg
J2407	Oritavancin, 10 mg

J2410	Oxymorphone HCl, up to 1 mg
J2425	Palifermin, 50 mcg
J2426	Paliperidone palmitate extended release, 1mg
J2427	Paliperidone palmitate extended release (invega hafyera, or invega trinza), 1 mg
J2428	Paliperidone palmitate extended release (erzofri), 1 mg
J2430	Pamidronate disodium, per 30 mg
<u>J2440</u>	Papaverine HCl, up to 60 mg
J2460	Oxytetracycline HCl, up to 50 mg
J2469	Palonosetron HCl, 25 mcg
J2502	Pasireotide long acting, 1 mg
J2503	Pegaptanib sodium, 0.3 mg
J2504	Pegademase bovine, 25 IU
J2506	Pegfilgrastim, excludes biosimilar, 0.5 mg
J2507	Pegloticase, 1mg
J2508	Pegunigalsidase alfa-iwxj, 1 mg
J2510	Penicillin G procaine, aqueous, up to 600,000 units
J2513	Pentastarch, 10% solution, 100 ml
J2515	Pentobarbital sodium, per 50 mg
J2540	Penicillin G potassium, up to 600,000 units
J2543	Piperacillin sodium/tazobactam sodium, 1 gram/0.125 grams (1.125 grams)
J2545	Pentamidine isethionate, inhalation solution, FDA-approved final product, non-compounded, administered through DME, unit dose form, per 300 mg
J2550	Promethazine HCl, up to 50 mg
J2560	Phenobarbital sodium, up to 120 mg
J2562	Plerixafor, 1 mg
J2590	Oxytocin, up to 10 units
J2597	Desmopressin acetate, per 1 mcg
J2650	Prednisolone acetate, up to 1 ml
J2670	Tolazoline HCl, up to 25 mg
J2675	Progesterone, per 50 mg
J2679	Fluphenazine hcl, 1.25 mg
J2680	Fluphenazine decanoate, up to 25 mg
J2690	Procainamide HCl, up to 1 gm
J2700	Oxacillin sodium, up to 250 mg
J2710	Neostigmine methylsulfate, up to 0.5 mg
J2720	Protamine sulfate, per 10 mg
J2730	Pralidoxime chloride, up to 1 gm
<u>J2760</u>	Phentolamine mesylate, up to 5 mg
J2765	Metoclopramide HCl, up to 10 mg
J2777	Faricimab-svoa, 0.1 mg
J2778	Ranibizumab, 0.1 mg
J2779	Ranibizumab, via intravitreal implant (suvimo), 0.1 mg
J2780	Ranitidine HCl, 25 mg
J2781	Pegcetacoplan, intravitreal, 1 mg

J2783	Rasburicase, 0.5 mg
J2786	Reslizumab, 1 mg
J2793	Rilonacept, 1 mg
J2794	Risperidone, (Risperdal consta), 0.5 mg
J2796	Romiplostim, 10 micrograms
J2797	Rolapitant, 0.5 mg
J2798	Risperidone (perseris), 0.5 mg
J2799	Risperidone (uzedy), 1 mg
J2800	Methocarbamol, up to 10 ml
J2801	Risperidone (rykindo), 0.5 mg
J2802	Romiplostim, 1 microgram
J2820	Sargramostim (GM-CSF), 50 mcg
J2840	Sebelipase alfa, 1 mg
J2860	Siltuximab, 10 mg
J2910	Aurothioglucose, up to 50 mg
J2916	Sodium ferric gluconate complex in sucrose injection, 12.5 mg
J2919	Methylprednisolone sodium succinate, 5 mg
J2940	Somatrem, 1 mg
J2941	Somatropin, 1 mg
J2995	Streptokinase, per 250,000 IU
J2997	Alteplase recombinant, 1 mg
J2998	Plasminogen, human-tvmh, 1 mg
J3000	Streptomycin, up to 1 gm
J3030	Sumatriptan succinate, 6 mg
J3031	Fremanezumab-vfrm, 1 mg
J3032	Eptinezumab-jjmr, 1 mg
J3055	Talquetamab-tgvs, 0.25 mg
J3060	Taliglucerase alfa (Elelyso), 10 units
J3070	Pentazocine, 30 mg
J3090	Tedizolid phosphate, 1mg
J3095	Televancin, 10 mg
J3105	Terbutaline sulfate, up to 1 mg
J3111	Romosozumab-aqqg, 1 mg
J3121	Testosterone enanthate, 1 mg
J3145	Testosterone undecanoate, 1mg
J3230	Chlorpromazine HCl, up to 50 mg
J3240	Thyrotropin alpha, 0.9 mg. provided in 1.1 mg vial
J3241	Teprotumumab-trbw, 10 mg
J3243	Tigecycline, 1 mg
J3244	Tigecycline (accord) not therapeutically equivalent to J3243, 1 mg
J3245	Tildrakizumab, 1 mg
J3250	Trimethobenzamide HCl, up to 200 mg
J3260	Tobramycin sulfate, up to 80 mg
J3262	Tocilizumab, 1 mg

J3265	Torseamide, 10 mg/ml
J3280	Thiethylperazine maleate, up to 10 mg
J3285	Treprostinil, 1 mg
J3299	Triamcinolone acetonide (xipere), 1 mg
J3300	Triamcinolone acetonide, preservative free, 1mg
J3301	Triamcinolone acetonide, not otherwise specified, 10 mg
J3302	Triamcinolone diacetate, per 5 mg
J3303	Triamcinolone hexacetonide, per 5 mg
J3304	Triamcinolone acetonide, preservative free, extended-release, 1 mg
J3305	Trimetrexate glucuronate, per 25 mg
J3310	Perphenazine, up to 5 mg
J3315	Triptorelin pamoate, 3.75 mg
J3316	Triptorelin, extended-release, 3.75 mg
J3320	Spectinomycin dihydrochloride, up to 2 gm
J3357	Ustekinumab, for subcutaneous injection, 1 mg
J3358	Ustekinumab, for intravenous injection, 1 mg
J3360	Diazepam, up to 5 mg
J3364	Urokinase, 5,000 IU vial
J3370	Vancomycin HCl, 500 mg
J3371	Vancomycin hcl (mylan) not therapeutically equivalent to J3370, 500 mg
J3372	Vancomycin hcl (xellia) not therapeutically equivalent to J3370, 500 mg
J3380	Vedolizumab, intravenous, 1 mg
J3385	Velaglucerase alfa, 100 units
J3392	Exagamglogene autotemcel, per treatment
J3396	Verteporfin, 0.1 mg
J3397	Vestronidase alfa-vjbk, 1 mg
J3398	Voretigene neparvovec-rzyl, 1 billion vector genomes
J3399	Onasemnogene abeparvovec-xioi, per treatment, up to $5 \times 10^{15}$ vector genomes
J3400	Triflupromazine HCl, up to 20 mg
J3401	Beremagene geperpavec-svdt for topical administration, containing nominal $5 \times 10^9$ pfu/ml vector genomes, per 0.1 ml
J3410	Hydroxyzine HCl, up to 25 mg
J3411	Thiamine HCl, 100 mg
J3415	Pyridoxine HCl, 100 mg
J3420	Vitamin B-12 cyanocobalamin, up to 1000 mcg
J3425	Hydroxocobalamin, intramuscular, 10 mcg
J3430	Phytonadione, (vitamin K), per 1 mg
J3465	Voriconazole, 10 mg
J3470	Hyaluronidase, up to 150 units
J3475	Magnesium sulfate, per 500 mg
J3480	Potassium chloride, per 2 meq
J3489	Zoledronic acid, 1 mg
J3490	Unclassified drugs
J3520	Edetate disodium, per 150 mg

- J3590 Unclassified Biologicals
- J3591 Unclassified Drug or Biological used for ESRD on dialysis

**6.5.3 MISCELLANEOUS DRUGS AND SOLUTIONS**

Codes followed by an ^ do not require an NDC to be provided when billed.

- A4216^ Sterile water, saline and/or dextrose (diluent), 10 ml
- A4218^ Sterile saline or water, metered dose dispenser, 10 ml
- J7030 Infusion, normal saline solution (or water), 1000 cc
- J7040 Infusion, normal saline solution (or water), sterile (500 ml = 1 unit)
- J7042 5% dextrose/normal saline (500 ml = 1 unit)
- J7050 Infusion, normal saline solution (or water), 250 cc
- J7060 5% dextrose/water (500 ml = 1 unit)
- J7070 Infusion, D5W, 1000 cc
- J7100 Infusion, dextran 40, 500 ml
- J7110 Infusion, dextran 75, 500 ml
- J7120 Ringers lactate infusion, up to 1000 cc
- J7121 5% Dextrose in lactated ringers infusion, up to 1000 cc
- J7131 Hypertonic saline solution, 1 ml\
- J7168 Prothrombin complex concentrate (human), kcentra, per i.u. of factor ix activity
- J7169 Coagulation Factor xa (recombinant), inactivated-zhzo (andexxa), 10 mg
- J7213 Coagulation factor ix (recombinant), ixinity, 1 i.u.
- J7294 Segesterone acetate and ethinyl estradiol 0.15mg, 0.013mg per 24 hour
- J7295 Ethinyl estradiol and etonogestrel 0.015mg, 0.12mg per 24 hours; monthly vaginal ring, each
- J7296 Levonorgestrel-releasing intrauterine contraceptive system, (kyleena), 19.5 mg
- J7297 Levonorgestrel-releasing intrauterine contraceptive system, 52 mg, 3 year duration
- J7298 Levonorgestrel-releasing intrauterine contraceptive system, 52 mg, 5 year duration
- J7300 Intrauterine copper contraceptive
- J7301 Levonorgestrel-releasing intrauterine contraceptive system, 13.5 mg
- J7304 Contraceptive supply, hormone containing patch, each
- J7306 Levonorgestrel (contraceptive) implant system, including implants and supplies
- J7307 Etonogestrel (contraceptive) implant system, including implant and supplies
- J7308 Aminolevulinic acid HCl for topical administration, 20%, single unit dosage form (354 mg)
- J7311 Fluocinolone acetonide, intravitreal implant (Retisert), 0.01 mg
- J7312 Dexamethasone, intravitreal implant, 0.1 mg
- J7313 Fluocinolone acetonide, intravitreal implant, (Iluvien) 0.01 mg
- J7314 Fluocinolone acetonide, intravitreal implant, (Yutiq) 0.01 mg
- J7316 Ocriplasmin (Jetrea), 0.125 mg
- J7321^ Hyaluronan or derivative, Hyalgan or Supartz, or visco-3, for intra-articular injection, per dose
- J7323^ Hyaluronan or derivative, Euflexxa, for intra-articular injection, per dose
- J7326^ Hyaluronan or derivative, Gel-One, for intra-articular injection, per dose
- J7336 Capsaicin 8% patch, per square centimeter



J7342	Ciprofloxacin otic suspension, 6 mg
J7345	Aminolevulinic acid hcl for topical administration, 10% gel, 10 mg
J7351	Bimatoprost, intracameral implant, 1 microgram
J7354	Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)
J7402	Mometasone furoate sinus implant, (sinuva), 10 micrograms
J7501	Azathioprine, parenteral (eg Imuran), 100 mg
J7504	Lymphocyte immune globulin, antithymocyte globulin equine, parenteral, 250 mg
J7527	Everolimus, oral, 0.25 mg
J7606	Formoterol Fumarate, inhalation solution, non-compounded, administered through DME, unit dose form, 20 mcg
J7611	Albuterol, inhalation solution, FDA-approved final product, non-compounded, administered through DME, concentrated form, 1mg
J7612	Levalbuterol, inhalation solution, FDA-approved final product, non-compounded, administered through DME, concentrated form, 0.5 mg
J7613	Albuterol, inhalation solution, FDA-approved final product, non-compounded, administered through DME, unit dose, 1 mg
J7614	Levalbuterol, inhalation solution, FDA-approved final product, non-compounded, administered through DME. Unit dose. 0.5 mg
J7620	Albuterol, up to 2.5 mg and ipratropium bromide, up to 0.5 mg, FDA-approved final product, non-compounded, administered through DME
J7627	Budesonide, inhalation solution, compounded product, administered through DME, unit dose form, up to 0.5 mg
J7628	Bitolterol mesylate, inhalation solution, compounded product, administered through DME, concentrated form, per mg
J7631	Cromolyn sodium, inhalation solution, FDA-approved final product, non-compounded, administered through DME, unit dose form, per 10 mg
J7640	Formoterol, inhalation solution, compounded product, administered through DME, unit dose form, 12 mcg
J7644	Ipratropium bromide, inhalation solution, FDA-approved final product, non-compounded, administered through DME, unit dose form, per mg
J7648	Isoetharine HCl, inhalation solution, FDA-approved final product, non-compounded, administered through DME, concentrated form, per mg
J7649	Isoetharine HCl, inhalation solution, FDA-approved final product, non-compounded, administered through DME, unit dose form, per mg
J7658	Isoproterenol HCl, inhalation solution, FDA-approved final product, non-compounded, administered through DME, concentrated form, per mg
J7668	Metaproterenol sulfate, inhalation solution, FDA-approved final product, non-compounded, administered through DME, concentrated form, per 10 mg
J7669	Metaproterenol sulfate, inhalation solution, FDA-approved final product, non-compounded, administered through DME, unit dose form, per 10 mg
J7674	Methacholine chloride administered as inhalation solution through a nebulizer, per 1 mg
J7682	Tobramycin, inhalation solution, FDA-approved final product, non-compounded, unit dose form, administered through DME, 300 mg
J7999	Compounded drug, not otherwise classified



J8499	Prescription drug, oral, nonchemotherapeutic, NOS
J8999	Prescription drug, oral, chemotherapeutic, NOS
J8501	Aprepitant, oral, 5 mg
J8540	Dexamethasone, oral, 0.25 mg
J8650	Nabilone, oral, 1 mg
J9046	Bortezomib, (dr. reddy's), not therapeutically equivalent to J9041, 0.1 mg
J9048	Bortezomib (fresenius kabi), not therapeutically equivalent to J9041, 0.1 mg
J9049	Bortezomib (hospira), not therapeutically equivalent to J9041, 0.1 mg
J9196	Gemcitabine hcl (accord)
J9294	Pemetrexed, hospira 10mg
J9296	Pemetrexed (accord) 10mg
J9297	Pemetrexed (sandoz) 10mg
J9322	Pemetrexed (bluepoint) not therapeutically equivalent to j9305, 10 mg
J9323	Pemetrexed ditromethamine, 10 mg
J9345	Retifanlimab-dlwr, 1 mg
J9347	Tremelimumab-actl, 1 mg
J9350	Mosunetuzumab-axgb, 1 mg
J9393	Fulvestrant (teva) not therapeutically equivalent to J9395, 25 mg
J9394	Fulvestrant (fresenius kabi) not therapeutically equivalent to J9395, 25 mg
L8603^	Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies
Q0138	Ferumoxytol, for treatment of iron deficiency anemia, 1 mg (non-ESRD use)
Q4101^	Apligraf, per square centimeter
Q4102^	Oasis wound matrix, per square centimeter
Q4103^	Oasis burn matrix, per square centimeter
Q4106^	Dermagraft, per square centimeter
Q4108^	Integra matrix, per square centimeter
Q4110^	Primatrix, per square centimeter
Q4111^	GammaGraft, per square centimeter
Q4121^	Theraskin, per square centimeter
Q5101	Filgrastim-sndz, biosimilar, (zarxio), 1 microgram
Q5103	Infliximab-dyyb, biosimilar,(inflectra), 10 mg
Q5104	Infliximab-abda, biosimilar, (renflexis), 10 mg
Q5108	Pegfilgrastim-jmdb, biosimilar, 0.5 mg
Q5111	Pegfilgrastim-cbqv, biosimilar, 0.5 mg
Q5127	Pegfilgrastim-fpgk (stimufend), biosimilar, 0.5 mg
Q5131	Adalimumab-aacf (idacio), biosimilar, 20 mg
Q5132	Adalimumab-afzb (abrilada), biosimilar, 10 mg
Q5140	Adalimumab-fkjp, biosimilar, 1 mg
Q5141	Adalimumab-aaty, biosimilar, 1 mg
Q5142	Adalimumab-ryvk biosimilar, 1 mg
Q5143	Adalimumab-adbm, biosimilar, 1 mg
Q5144	Adalimumab-aacf (idacio), biosimilar, 1 mg
Q5145	Adalimumab-afzb (abrilada), biosimilar, 1 mg

- Q5146 Trastuzumab-strf, (hercessi), biosimilar, 10 mg
- Q5147 Aflibercept-ayyh (pavblu), biosimilar, 1 mg
- Q5148 Filgrastim-txid (nypozi), biosimilar, 1 microgram
- Q5151 Eculizumab-aagh (epysqli), biosimilar, 2 mg
- Q5152 Eculizumab-aeeb (bkemv), biosimilar, 2 mg
- Q9991 Buprenorphine extended-release, less than or equal to 100 mg
- Q9992 Buprenorphine extended-release, greater than 100 mg
- Q9996 Ustekinumab-ttwe (pyzchiva), subcutaneous, 1 mg
- Q9997 Ustekinumab-ttwe iv inj 1 mg
- Q9998 Ustekinumab-aekn (selarsdi), 1 mg
- Q9999 Ustekinumab-aaaz (Otulfi), biosimilar, 1 mg
- S0190 Mifepristone, oral, 200 mg  
(When administered for medically necessary non-surgical abortion)
- S0191 Misoprostol, oral, 200 mcg  
(When administered for medically necessary non-surgical abortion)
- S9435^ Medical foods for inborn errors of metabolism  
(Reimbursement limited to Inborn Metabolic Disease Centers or Medical Directors of  
Inborn Metabolic Disease Centers)

## **6.6 HYDRATION, THERAPEUTIC, PROPHYLACTIC, DIAGNOSTIC INJECTIONS AND INFUSIONS, AND CHEMOTHERAPY AND OTHER HIGHLY COMPLEX DRUG OR HIGHLY COMPLEX BIOLOGIC AGENT ADMINISTRATION**

### **6.6.1 HYDRATION**

- 96360 Intravenous infusion, hydration; initial, 31minutes to 1 hour
- 96361 each additional hour

### **6.6.2 THERAPEUTIC, PROPHYLACTIC AND DIAGNOSTIC INJECTIONS AND INFUSIONS (EXCLUDES CHEMOTHERAPY AND OTHER HIGHLY COMPLEX DRUG OR HIGHLY COMPLEX BIOLOGIC AGENT ADMINISTRATION)**

- 96365 Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour
- 96366 each additional hour
- 96367 additional sequential infusion of a new drug/substance, up to 1 hour
- 96368 concurrent infusion
- 96369 Subcutaneous infusion for therapy or prophylaxis (specify substance or drug); initial, up to 1 hour, including pump set-up and establishment of subcutaneous infusion site(s)
- 96370 each additional hour
- 96371 additional pump set-up with establishment of new subcutaneous infusion site(s)
- 96372 Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular (Bill on one claim line for multiple injections)

### **6.6.3 CHEMOTHERAPY AND OTHER HIGHLY COMPLEX DRUG OR HIGHLY COMPLEX BIOLOGIC AGENT ADMINISTRATION**

Procedures 96405-96549 are independent of the patient's office visit. Either may occur independently from the other on any given day, or they may occur sequentially on the same day.

Intravenous chemotherapy injections are administered by a physician, a nurse practitioner or by a qualified assistant under supervision of the physician or nurse practitioner. Preparation of chemotherapy agent(s) is included in the service for administration of the agent.

#### **6.6.3.1 INJECTION AND INTRAVENOUS INFUSION CHEMOTHERAPY AND OTHER HIGHLY COMPLEX DRUG OR HIGHLY COMPLEX BIOLOGIC AGENT ADMINISTRATION**

- 96405 Chemotherapy administration, intralesional; up to and including 7 lesions
- 96406       intralesional, more than 7 lesions
- 96409       intravenous; push technique, single or initial substance/drug
- 96413 Chemotherapy administration, intravenous infusion technique, up to one hour, single or initial substance/drug
- 96415       each additional hour
- 96416       initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump

#### **6.6.3.2 INTRA-ARTERIAL CHEMOTHERAPY AND OTHER HIGHLY COMPLEX DRUG OR HIGHLY COMPLEX BIOLOGIC AGENT ADMINISTRATION**

- 96420 Chemotherapy administration, intra-arterial; push technique
- 96422       infusion technique, up to one hour
- 96423       infusion technique, each additional hour
- 96425       infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump

#### **6.6.3.3 OTHER INJECTION AND INFUSION SERVICES**

- 96440 Chemotherapy administration into pleural cavity, requiring and including thoracentesis
- 96446 Chemotherapy administration into the peritoneal cavity via implanted port or catheter
- 96450 Chemotherapy administration, into CNS (eg, intrathecal), requiring and including spinal puncture
- 96521 Refilling and maintenance of portable pump
- 96522 Refilling and maintenance of implantable pump or reservoir for drug delivery systemic
- 96542 Chemotherapy injection, subarachnoid or intraventricular via subcutaneous reservoir, single or multiple agents
- 96547 Intraoperative hyperthermic intraperitoneal chemotherapy (HIPEC) procedure, including separate incision(s) and closure, when performed; first 60 minutes (List separately in addition to code for primary procedure)
- 96548       each additional 30 minutes (List separately in addition to code for primary procedure)
- 96549 Unlisted chemotherapy procedure
- J9999 Not otherwise classified, antineoplastic drugs

## **7 CHEMOTHERAPY DRUGS**

### **7.1 GENERAL INFORMATION AND RULES**

(Maximum fee is for chemotherapy drug only and does not include the administration procedures)

as listed above)

**NOTE:** The maximum fees for these drugs are adjusted periodically by the State to reflect the estimated acquisition cost. Insert actual acquisition cost per dose in amount charged field on claim form. For codes listed BR/Report required, also attach itemized invoice to claim form.

Reimbursement for drugs furnished by practitioners to their patients is based on the acquisition cost to the practitioner of the drug dose administered to the patient. For all drugs furnished in this fashion it is expected that the practitioner will maintain auditable records of the actual itemized invoice cost of the drug, including the numbers of doses of the drug represented on the invoice. New York State Medicaid does not intend to pay more than the acquisition cost of the drug dosage, as established by invoice, to the practitioner. Regardless of whether an invoice must be submitted to Medicaid for payment, the practitioner is expected to limit his or her Medicaid claim amount to the actual invoice cost of the drug dosage administered.

**Codes followed by an ^ do not require an NDC to be provided when billed.**

J9000	Doxorubicin HCl, 10 mg
J9015	Aldesleukin, per single use vial
J9017	Arsenic trioxide, 1 mg
J9019	Asparaginase (Erwinaze), 1,000 IU
J9020	Asparaginase, not otherwise specified, 10,000 units
J9021	Asparaginase, recombinant, (rylaze), 0.1 mg
J9022	Atezolizumab, 10 mg
J9023	Avelumab, 10 mg
J9024	Atezolizumab, 5 mg and hyaluronidase-tqjs
J9025	Azacitidine, 1 mg
J9026	Tartatamab-dlle, 1mg
J9027	Clofarabine, 1 mg
J9028	Nogapendekin alfa inbakicept-pmin, for intravesical use, 1 microgram
J9030	BCG live (intravesical) instillation, 1 mg
J9032	Belinostat, 10 mg
J9033	Bendamustine injection HCL (Treanda), 1mg
J9034	Bendamustine injection HCL (Bendeka), 1mg
J9035	Bevacizumab, 10 mg
J9036	Bendamustine HCL, 1 mg
J9038	Axatilimab-csfr, 0.1 mg
J9039	Blinatumomab, 1 microgram
J9040	Bleomycin sulfate, 15 units
J9041	Bortezomib, 0.1 mg
J9042	Brentuximab vedotin, 1 mg
J9043	Cabazitaxel, 1 mg
J9045	Carboplatin, 50 mg
J9047	Carfilzomib (Kyprolis), 1 mg
J9050	Carmustine, 100 mg
J9052	Carmustine (accord), not therapeutically equivalent to j9050, 100 mg
J9054	Bortezomib (boruzu), 0.1 mg

J9055	Cetuximab, 10 mg
J9056	Bendamustine hydrochloride (vivimusta), 1 mg
J9057	Copanlisib, 1 mg
J9058	Bendamustine hydrochloride (apotex), 1 mg
J9059	Bendamustine hydrochloride (baxter), 1 mg
J9060	Cisplatin, powder or solution, 10 mg
J9061	Amivantamab-vmjw, 2 mg
J9063	Mirvetuximab soravtansine-gynx, 1 mg
J9065	Cladribine, per 1 mg
J9071	Cyclophosphamide, (auromedics), 5 mg
J9072	Cyclophosphamide (dr. reddy's), 5 mg
J9073	Cyclophosphamide (ingenus), 5 mg
J9074	Cyclophosphamide (sandoz), 5 mg
J9075	Cyclophosphamide, not otherwise specified, 5mg
J9076	Cyclophosphamide (baxter), 5 mg
J9098	Cytarabine liposome, 10 mg
J9100	Cytarabine, 100 mg
J9118	Calaspargase pegol-mknl, 10 units
J9119	Cemiplimab-rwlc, 1 mg
J9120	Dactinomycin, 0.5 mg
J9130	Dacarbazine, 100 mg
J9144	Daratumumab, 10 mg and hyaluronidase-fihj
J9145	Daratumumab, 10 mg
J9150	Daunorubicin HCl, 10 mg
J9151	Daunorubicin citrate, liposomal formulation, 10 mg
J9153	Injection, liposomal, 1 mg daunorubicin and 2.27 mg cytarabine
J9155	Degarelix, 1 mg
J9165	Diethylstilbestrol diphosphate, 250 mg
J9171	Docetaxel, 1 mg
J9172	Docetaxel (ingenus), not therapeutically equivalent to j9171, 1 mg
J9173	Durvalumab, 10 mg
J9175	Elliott's B solution, 1 ml
J9176	Elotuzumab, 1 mg
J9177	Enfortumab vedotin-ejfv 0.25mg
J9178	Epirubicin HCl, 2 mg
J9179	Eribulin mesylate, 0.1 mg
J9181	Etoposide, 10 mg
J9185	Fludarabine phosphate, 50 mg
J9190	Fluorouracil, 500 mg
J9198	Gemcitabine hydrochloride, (infugem), 100 mg
J9200	Floxuridine, 500 mg
J9201	Gemcitabine HCl, NOS, 200 mg
J9202	Goserelin acetate implant per 3.6 mg
J9203	Gemtuzumab ozogamicin, 0.1 mg

J9204	Mogamulizumab-kpkc, 1 mg
J9205	Irinotecan liposome, 1 mg
J9206	Irinotecan, 20 mg
J9207	Ixabepilone, injection, 1mg
J9208	Ifosfamide, 1 g
J9209	Mesna, 200 mg
J9210	Emapalumab-lxsg, 1 mg
J9211	Idarubicin HCl, 5 mg
J9212	Interferon alfacon-1, recombinant, 1 mcg
J9213	Interferon, alfa-2a, recombinant, 3 million units
J9214	Interferon, alfa-2b, recombinant, 1 million units
J9215	Interferon, alfa-N3, (human leukocyte derived), 250,000 IU
J9216	Interferon, gamma 1-B, 3 million units
J9217	Leuprolide acetate (for depot suspension), 7.5 mg
J9218	Leuprolide acetate, per 1 mg
J9219^	Leuprolide acetate implant, 65 mg
J9223	Lurbinectedin, 0.1 mg
J9225	Histrelin implant (Vantas), 50 mg
J9226	Histrelin implant (Supprelin LA), 50 mg
J9227	Isatuximab-irfc, 10 mg
J9228	Ipilimumab, 1 mg
J9229	Inotuzumab ozogamicin, 0.1 mg
J9230	Mechlorethamine HCl (nitrogen mustard), 10 mg
J9245	Melphalan HCl, 50 mg
J9246	Melphalan (evomela), 1 mg
J9259	Paclitaxel protein-bound particles (american regent) not therapeutically equivalent to j9264, 1 mg
J9260	Methotrexate sodium, 50 mg
J9261	Nelarabine, 50 mg
J9262	Omacetaxine mepesuccinate (Synibro), 0.01 mg
J9263	Oxaliplatin, 0.5 mg
J9264	Paclitaxel protein-bound particles, 1 mg
J9266	Pegaspargase, per single dose vial
J9267	Paclitaxel, 1 mg
J9268	Pentostatin, per 10 mg
J9269	Tagraxofusp-erzs, 10 mcg
J9270	Plicamycin, 2.5 mg
J9271	Pembrolizumab, 1 mg
J9272	Dostarlimab-gxly, 10 mg
J9273	Tisotumab vedotin-tftv, 1 mg
J9274	Tebentafusp-tebn, 1 mcg
J9280	Injection, Mitomycin, 5 mg
J9281	Mitomycin pyelocalyceal instillation, 1 mg
J9285	Olaratumab, 10 mg

J9292	Pemetrexed (avyxa), not therapeutically equivalent to J9305, 10 mg
J9293	Mitoxantrone HCl, per 5 mg
J9295	Necitumumab, 1 mg
J9298	Nivolumab and relatlimab-rmbw, 3 mg/1 mg
J9299	Nivolumab, 1 mg
J9301	Obinutuzumab, 1 mg
J9302	Ofatumumab, 10 mg
J9303	Panitumumab, 10 mg
J9304	Pemetrexed (pemfexy), 10 mg
J9305	Pemetrexed, 10 mg
J9306	Pertuzumab (Perjeta), 1 mg
J9307	Pralatrexate, 1 mg
J9308	Ramucirumab, 5 mg
J9309	Polatuzumab vedotin-piiq, 1 mg
J9311	Rituximab 10 mg and hyaluronidase
J9312	Rituximab, 10 mg
J9313	Moxetumomab pasudotox-tdfk, 0,01 mg
J9314	Pemetrexed (teva) 10mg
J9316	Pertuzumab, trastuzumab, and hyaluronidase-zzxf, per 10 mg
J9317	Sacituzumab govitecan-hziy, 2.5 mg
J9318	Romidepsin, non-lyophilized, 0.1 mg
J9319	Romidepsin, lyophilized, 0.1 mg
J9320	Streptozocin, 1 g
J9321	Epcoritamab-bysp, 0.16 mg
J9325	Talimogene laherparepvec, per 1 million plaque forming units
J9330	Temsirolimus, injection, 1 mg
J9331	Sirolimus protein-bound particles, 1 mg
J9332	Efgartigimod alfa-fcab, 2mg
J9333	Rozanolixizumab-noli, 1 mg
J9334	Efgartigimod alfa, 2 mg and hyaluronidase-qvfc
J9340	Thiotepa, 15 mg
J9348	Naxitamab-gqgk, 1 mg
J9349	Tafasitamab-CXIX, 2 mg
J9351	Topotecan, 0.1 mg
J9352	Trabectedin, 0.1 mg
J9353	Margetuximab-cmkb, 5 mg
J9354	Ado-trastuzumab emtansine (Kadcyla), 1 mg
J9355	Trastuzumab, excludes biosimilar, 10 mg
J9356	Trastuzumab, 10 mg and hyaluronidase-oysk
J9357	Valrubicin, intravesical, 200 mg
J9358	Fam-trastuzumab deruxtecan-nxki,1mg
J9359	Loncastuximab tesirine-lpyl, 0.075 mg
J9360	Vinblastine sulfate, 1 mg
J9370	Vincristine sulfate, 1 mg



J9371	Vincristine sulfate liposome (Marqibo), 1 mg
J9376	Pozelimab-bbfg, 1 mg
J9380	Teclistamab-cqyv, 0.5 mg
J9381	Teplizumab-mzwv, 5 mcg
J9390	Vinorelbine tartrate, 10 mg
J9395	Fulvestrant, 25 mg
J9400	Ziv-aflibercept (Zaltrap), 1 mg
J9600	Porfimer sodium, 75 mg
J9999	Not otherwise classified, antineoplastic drugs
Q0174	Thiethylperazine maleate, 10 mg, oral
Q0177	Hydroxyzine pamoate, 25 mg, oral
Q2017	Teniposide, 50 mg
Q2043	Sipuleucel-T, minimum of 50 million autologous CD54+ cells activated with PAP-GM-CSF, including leukapheresis and all other preparatory procedures, per infusion
Q2050	Doxorubicin hydrochloride liposomal, 10 mg
Q2056	Ciltacabtagene autoleucel, up to 100 million autologous b-cell maturation antigen (bcma) directed car-positive t cells, including leukapheresis and dose preparation procedures, per therapeutic dose
Q5106	Epoetin alfa-epbx; 1000 units
Q5107	Bevacizumab-awwb; 10 mg
Q5112	Trastuzumab-dttb; 10 mg
Q5113	Trastuzumab-pkrb; 10 mg
Q5114	Trastuzumab-dkst; 10 mg
Q5115	Rituximab-abbs, 10 mg
Q5116	Trastuzumab-qyyp; 10 mg
Q5117	Trastuzumab-anns; 10 mg
Q5118	Bevacizumab-bvzr; 10 mg
Q5119	Rituximab-pvvr; 10 mg
Q5120	Pegfilgrastim-bmez; 0.5 mg
Q5121	Infliximab-axxq; 10 mg
Q5121	Infliximab-axxq, biosimilar, (avsola), 10 mg
Q5123	Rituximab-arrx, biosimilar, (riabni), 10 mg
Q5125	Filgrastim-ayow, biosimilar, (releuko), 1 microgram
Q5126	Bevacizumab-maly, biosimilar, (alymysys), 10 mg
Q5127	Stimufend, 0.5 mg
Q5128	Cimerli, 0.1 mg
Q5129	Vegzelma, 10 mg

## 8 PSYCHIATRY SERVICES

### 8.1 GENERAL INFORMATION AND RULES

Codes 90785-90899 are for face-to-face services provided by a psychiatrist.

When billing for procedure codes 90832 through 90837, the total time billed to New York State Medicaid should reflect the face-to-face contact time with the patient. Reimbursement for all work performed before and after the face-to-face encounter (eg, analysis of tests, reviewing records, etc.) is included in the maximum reimbursable amount for the face-to-face encounter.) More information on the definition of time, specifically the definition of face-to-face contact time can be found under General Information and Rules in the Medicine Section.

**8.2 INTERACTIVE COMPLETITY**

90785 Interactive complexity

**8.3 PSYCHIATRIC DIAGNOSTIC PROCEDURES**

90791 Psychiatric diagnostic examination

90792 Psychiatric diagnostic examination with medical services

**8.4 PSYCHIATRIC DIAGNOSTIC PROCEDURES****8.4.1.1 PSYCHOTHERAPY**

90832 Psychotherapy, 30 minutes with patient

90833 Psychotherapy, 30 minutes with patient when performed with an evaluation and management service

90834 Psychotherapy, 45 minutes with patient

90836 Psychotherapy, 45 minutes with patient when performed with an evaluation and management service

90837 Psychotherapy, 60 minutes with patient

90838 Psychotherapy, 60 minutes with patient when performed with an evaluation and management service

**8.4.1.2 OTHER PSYCHOTHERAPY**

90846 Family psychotherapy (without the patient present) 50 minutes

90847 Family psychotherapy (conjoint psychotherapy) (with patient present), 50 minutes

90849 Multiple family group psychotherapy  
(1 1/2 hours, per person; maximum 8 persons per group)

90853 Group psychotherapy (other than of a multiple-family group)  
(1 1/2 hours, per person; maximum 8 persons per group)

**8.4.1.3 OTHER PSYCHIATRIC SERVICES OR PROCEDURES**

90863 Pharmacologic management, including prescription and review of medication, when performed with psychotherapy services

90870 Electroconvulsive therapy (includes necessary monitoring)

90899 Unlisted psychiatric service or procedure

**9 DIALYSIS SERVICES****9.1 GENERAL INFORMATION AND RULES**

(Professional dialysis fees for procedures 90935-90947 are intended for the attending physician's

personal services related to the dialysis procedures performed)

See SURGERY Section for corresponding surgical procedures.

Codes 90967-90970 are reported when outpatient ESRD related services are not performed consecutively during an entire full month.

Evaluation and management services unrelated to ESRD services that cannot be performed during the dialysis session may be reported separately.

For ESRD related services and dialysis procedure(s) performed during a period of hospitalization: Separately report appropriate Hospital Evaluation and Management Services code(s) for the hospitalized period if service(s) is unrelated to ESRD services. Report 90945 or 90947 for each inpatient dialysis procedure.

### 9.1.1 HEMODIALYSIS

- 90935 Hemodialysis procedure with single evaluation by a physician or other qualified health care professional
- 90937 Hemodialysis procedure requiring repeated evaluation(s) with or without substantial revision of dialysis prescription

### 9.1.2 MISCELLANEOUS DIALYSIS PROCEDURE

- 90945 Dialysis procedure other than hemodialysis (eg, peritoneal dialysis, hemofiltration, or other continuous renal replacement therapies), with single evaluation by a physician or other qualified health care professional
- 90947 Dialysis procedure other than hemodialysis (eg, peritoneal dialysis, hemofiltration, or other continuous renal replacement therapies) requiring repeated evaluation by a physician or other qualified health care professional, with or without substantial revision of dialysis prescription

### 9.1.3 END-STAGE RENAL DISEASE SERVICES

- 90951 End-stage renal disease (ESRD) related services monthly, for patients younger than 2 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 4 or more face-to-face visits by a physician or other qualified health care professional
- 90952 with 2-3 face-to-face visits by a physician or other qualified health care professional per month
- 90953 with 1 face-to-face visit by a physician or other qualified health care professional per month
- 90954 End-stage renal disease (ESRD) related services monthly, for patients 2-11 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 4 or more face-to-face visits by a physician or other qualified health care professional per month
- 90955 with 2-3 face-to-face visits by a physician or other qualified health care professional per month
- 90956 with 1 face-to-face visit by a physician or other qualified health care professional per month
- 90957 End-stage renal disease (ESRD) related services monthly, for patients 12-19 years of age

to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 4 or more face-to-face visits by a physician or other qualified health care professional per month

90958 with 2-3 face-to-face visits by a physician or other qualified health care professional per month

90959 with 1 face-to-face visit by a physician or other qualified health care professional per month

90960 End-stage renal disease (ESRD) related services monthly, for patients 20 years of age and older; with 4 or more face-to-face visits by a physician or other qualified health care professional per month

90961 with 2-3 face-to-face visits by a physician or other qualified health care professional per month

90962 with 1 face-to-face visit by a physician or other qualified health care professional per month

**(Codes 90951-90962 are reported one time, once a month)**

90963 End stage renal disease (ESRD) related services for home dialysis per full month, for patients younger than 2 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents

90964 End stage renal disease (ESRD) related services for home dialysis per full month, for patients 2-11 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents

90965 End stage renal disease (ESRD) related services for home dialysis per full month, for patients 12-19 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents

90966 End stage renal disease (ESRD) related services for home dialysis per full month, for patients 20 years of age and older

**(Codes 90963-90966 are reported one time, once a month)**

90967 End stage renal disease (ESRD) related services for dialysis less than a full month of service, per day; for patients younger than 2 years of age

90968 for patients 2-11 years of age

90969 for patients 12-19 years of age

90970 for patients 20 years of age and older

**(Codes 90967-90970 are reported on one line, prorating the number of days within the month X the fee listed. The total number of days should be entered in the "Days or Units" field. The date of service will be the last date within the month that services were provided)**

#### 9.1.4 OTHER DIALYSIS PROCEDURES

90999 Unlisted dialysis procedure, inpatient or outpatient

## 10 GASTROENTEROLOGY

91010 Esophageal motility (manometric study of the esophagus and/or gastroesophageal junction) study with interpretation and report;

- 91013           with stimulation or perfusion (eg, stimulant, acid or alkali perfusion)
- 91020    Gastric motility (manometric) studies
- 91022    Duodenal motility (manometric) study
- 91030    Esophagus, acid perfusion (Bernstein) test for esophagitis
- 91034    Esophagus, gastroesophageal reflux test; with nasal catheter pH electrode(s) placement, recording, analysis and interpretation
- 91035    Esophagus, gastroesophageal reflux test; with mucosal attached telemetry pH electrode placement, recording, analysis and interpretation  
(91034, 91035 are for patients with esophageal reflux who have already undergone endoscopy and manometry/motility studies, or for those patients who are unable to undergo conventional tests or in whom conventional tests have proven inconclusive. These tests are not covered for screening for Barrett's Esophagus)
- 91037    Esophageal function test, gastroesophageal reflux test with nasal catheter intraluminal impedance electrode(s) placement, recording, analysis and interpretation
- 91038           prolonged (greater than 1 hour, up to 24 hours)
- 91040    Esophageal balloon distension provocation study
- 91065    Breath hydrogen or methane test (eg, for detection of lactase deficiency, fructose intolerance; bacterial overgrowth, or oro-cecal gastrointestinal transit)
- 91110    Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), esophagus through ileum, with interpretation and report
- 91111    Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), esophagus with interpretation and report
- 91112    Gastrointestinal transit and pressure measurement, stomach through colon, wireless capsule, with interpretation and report
- 91117    Colon motility (manometric) study, minimum 6 hours continuous recording (including provocation tests, eg, meal, intracolonic balloon distension, pharmacologic agents, if performed), with interpretation and report
- 91120    Rectal sensation, tone, and compliance test (ie, response to graded balloon distention)
- 91122    Anorectal manometry

#### **10.1.1 OTHER PROCEDURES**

- 91200    Liver elastography, mechanically induced shear wave (eg, vibration), without imaging, with interpretation and report
- 91299    Unlisted diagnostic gastroenterology procedure

## **11 OPHTHALMOLOGY**

### **11.1 GENERAL INFORMATION AND RULES**

#### **OPHTHALMOLOGICAL DIAGNOSTIC AND TREATMENT SERVICES REPORTING**

See MEDICINE General Information and Rules and special ophthalmology notations below.

To report Evaluation and Management services, wherever performed, use descriptors from the Evaluation and Management Services for Specialists in Ophthalmology listing (99201 et seq).

To report hospital and emergency department medical services, use the descriptors from the Evaluation and Management Services for Specialists in Ophthalmology listing (99221 et seq) unless

specific ophthalmological descriptors (92002 et seq) are more appropriate.

### 11.1.1 GENERAL OPHTHALMOLOGICAL SERVICES

#### 11.1.1.1 NEW PATIENT

*A new patient is one who has not received any professional services from the physician within the past three years.*

- 92002 Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; intermediate, new patient (with/without refraction)
- 92004 comprehensive, new patient (with/without refraction)

#### 11.1.1.2 ESTABLISHED PATIENT

*An established patient is one who has received professional services from the physician within the past three years and whose medical and administrative records are available to the physician.*

- 92012 Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; intermediate, established patient (with/without refraction)
- 92014 comprehensive, established patient (with/without refraction)

### 11.1.2 SPECIAL OPHTHALMOLOGICAL SERVICES

- 92018 Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic examination; complete
- 92019 limited
- 92020 Gonioscopy (separate procedure)
- 92025 Computerized corneal topography, unilateral or bilateral, with interpretation and report
- 92060 Sensorimotor examination with multiple measurements of ocular deviation (eg, restrictive or paretic muscle with diplopia) with interpretation and report (separate procedure)
- 92065 Orthoptic training; performed by a physician or other qualified health care professional
- 92071 Fitting of contact lens for treatment of ocular surface disease
- 92072 Fitting of contact lens for management of keratoconus, initial fitting
- 92081 Visual field examination, unilateral or bilateral, with interpretation and report; limited examination (eg, tangent screen, Autoplot, arc perimeter, or single stimulus level automated test, such as Octopus 3 or 7 equivalent)
- 92082 intermediate examination (eg, at least 2 isopters on Goldmann perimeter, or semiquantitative, automated suprathreshold screening program, Humphrey suprathreshold automatic diagnostic test, Octopus program 33)
- 92083 extended examination, (eg, Goldmann visual fields with a least 3 isopters plotted and static determination within the central 30 degrees, or quantitative, automated threshold perimetry, Octopus program G-1, 32 or 42, Humphrey visual field analyzer full threshold programs 30-2, 24-2, or 30/60-2)
- 92100 Serial tonometry (separate procedure) with multiple measurements of intraocular pressure over an extended time period with interpretation and report, same day (eg, diurnal curve or medical treatment of acute elevation of intraocular pressure)
- 92132 Computerized ophthalmic diagnostic imaging (eg, optical coherence tomography [OCT]),

- anterior segment, with interpretation and report, unilateral or bilateral
- 92133 Computerized ophthalmic diagnostic imaging (eg, optical coherence tomography [OCT]), posterior segment with interpretation and report, unilateral or bilateral; optic nerve
- 92134       retina
- 92137       retina, including OCT angiography
- 92136 Ophthalmic biometry by partial coherence interferometry with intraocular lens power calculation (one or both eyes) (LT, RT modifiers valid)

**11.1.2.1 OPHTHALMOSCOPY**

- 92201 Ophthalmoscopy, extended; with retinal drawing and scleral depression of peripheral retinal disease (eg, for retinal tear, retinal detachment, retinal tumor) with interpretation and report, unilateral or bilateral
- 92202       with drawing of optic nerve or macula (eg, for glaucoma, macular pathology, tumor) with interpretation and report, unilateral or bilateral
- 92230 Fluorescein angioscopy with interpretation and report (LT, RT modifiers valid)
- 92235 Fluorescein angiography (includes multiframe imaging) with interpretation and report, unilateral or bilateral
- 92240 Indocyanine-green angiography (includes multiframe imaging) with interpretation and report, unilateral or bilateral
- 92242 Fluorescein angiography and indocyanine-green angiography (includes multiframe imaging) performed at the same patient encounter with interpretation and report, unilateral or bilateral
- 92250 Fundus photography with interpretation and report (one or both eyes) (LT, RT modifiers valid)
- 92260 Ophthalmodynamometry (one or both eyes) (LT, RT modifiers valid)

**11.1.2.2 OTHER SPECIALIZED SERVICES**

- 92265 Needle oculoelectromyography, one or more extraocular muscles, one or both eyes, with interpretation and report (LT, RT modifiers valid)
- 92270 Electro-oculography with interpretation and report
- 92273 Electroretinography (ERG), with interpretation and report; full field (ie, ffERG, flash ERG, Ganzfeld (ERG)
- 92274       multifocal (mfERG)
- 92286 Anterior segment imaging with interpretation and report; with specular microscopy and endothelial cell analysis
- 92287       with fluorescein angiography

**11.1.3 CONTACT LENS SERVICES**

Contact lenses may be supplied for the treatment of ocular pathology. A written recommendation or prescription by an ophthalmologist or optometrist is always required for contact lenses. The ophthalmologist or optometrist may also fit and dispense contact lenses.

The prescriber must maintain the following documentation in the recipient's clinical file:



- A. A description of the ocular pathology or medical necessity which provides justification for the recipient's need for contact lenses;
- B. The best corrected vision both with and without eyeglasses;
- C. The best corrected vision both with and without contact lenses;
- D. The refractive error; and
- E. The date of the last complete eye exam.

92310 Prescription of optical and physical characteristics of and fitting of contact lens, (includes materials) with medical supervision of adaptation (for ocular pathology); corneal lens, both eyes, except for aphakia  
(Reimbursement for one eye is limited to \$150.00)  
**(Reimbursement for both eyes requires BR)**

92311 corneal lens for aphakia, one eye (LT or RT modifier valid)

92312 corneal lens for aphakia, both eyes

92313 corneoscleral lens (one or both eyes) (LT, RT modifiers valid)

92326 Replacement of contact lens (one or both eyes) (LT, RT modifiers valid)

#### **11.1.4 OCULAR PROSTHETICS, ARTIFICIAL EYE SERVICES**

V2623 Prosthetic eye, plastic, custom (Includes fitting and supply of ocular prosthesis and clinical supervision of adaptation)

V2624 Polishing/resurfacing of ocular prosthesis

V2625 Enlargement of ocular prosthesis

V2626 Reduction of ocular prosthesis

V2627 Scleral cover shell

#### **11.1.5 SPECTACLE SERVICES (INCLUDING PROSTHESIS FOR APHAKIA)**

92340 Fitting of spectacles, except for aphakia; monofocal

92341 bifocal

92342 multifocal, other than bifocal

92352 Fitting of spectacle prosthesis for aphakia; monofocal

92353 multifocal

92354 Fitting of spectacle mounted low vision aid; single element system

92355 telescopic or other compound lens system

92358 Prosthesis service for aphakia, temporary (disposable or loan, including materials) (one or both eyes)

#### **11.2 SUPPLY OF MATERIALS**

Supply of contact lenses and prosthetics is included in codes 92310-V2627.

99070 Supply of spectacles, except prosthesis for aphakia and low vision aids  
Supply of low vision aids (A low vision aid is any lens or device used to aid or improve visual function in a person whose vision cannot be normalized by conventional spectacle correction, includes reading additions up to 4 D.)

Supply of permanent prosthesis for aphakia; spectacles.

### 11.3 OTHER PROCEDURES

92499 Unlisted ophthalmological service or procedure

## 12 SPECIAL OTORHINOLARYNGOLOGIC SERVICES

- 92502 Otolaryngologic examination under general anesthesia
- 92511 Nasopharyngoscopy with endoscope (separate procedure)
- 92521 Evaluation of speech fluency (eg, stuttering, cluttering)
- 92522 Evaluation of speech sound production (eg, articulation, phonological process, apraxia, dysarthria);
- 92523       with evaluation of speech sound production with evaluation of language comprehension and expression (eg, receptive and expressive language)
- 92524 Behavioral and qualitative analysis of voice and resonance

### 12.1.1 VESTIBULAR FUNCTION TESTS, WITH RECORDING (EG, ENG, PENG), AND MEDICAL DIAGNOSTIC EVALUATION

- 92537 Caloric vestibular test with recording, bilateral; bithermal (ie, one warm and one cool irrigation in each ear for a total of four irrigations)
- 92538       monothermal (ie, one irrigation in each ear for a total of two irrigations)
- 92540 Basic vestibular evaluation, includes spontaneous nystagmus test with eccentric gaze fixation nystagmus, with recording, positional nystagmus test, minimum of 4 positions, with recording, optokinetic nystagmus test, bidirectional foveal and peripheral stimulation, with recording, and oscillating tracking test, with recording
- 92541 Spontaneous nystagmus test, including gaze and fixation nystagmus, with recording
- 92542 Positional nystagmus test, minimum of 4 positions, with recording
- 92544 Optokinetic nystagmus test, bidirectional, foveal or peripheral stimulation, with recording
- 92545 Oscillating tracking test, with recording
- 92546 Sinusoidal vertical axis rotational testing
- 92517 Vestibular evoked myogenic potential (VEMP) testing, with interpretation and report; cervical (cVEMP)
- 92518       ocular (oVEMP)
- 92519       cervical (cVEMP) and ocular (oVEMP)

### 12.1.2 AUDIOLOGIC FUNCTION TESTS WITH MEDICAL DIAGNOSTIC EVALUATION

- 92550 Tympanometry and reflex threshold measurements
- 92551 Screening test, pure tone, air only
- 92552 Pure tone audiometry(threshold); air only
- 92553       air and bone
- 92555 Speech audiometry threshold
- 92556       with speech recognition
- 92557 Comprehensive audiometry threshold evaluation and speech recognition

- (92553 and 92556 combined)
- 92563 Tone decay test
- 92565 Stenger test, pure tone
- 92567 Tympanometry (impedance testing)
- 92568 Acoustic reflex testing; threshold
- 92570 Acoustic immittance testing, includes tympanometry (impedance testing), acoustic reflex threshold testing, and acoustic reflex decay testing
- 92571 Filtered speech test
- 92650 Auditory evoked potentials; screening of auditory potential with broadband stimuli, automated analysis
  - 92651 for hearing status determination, broadband stimuli, with interpretation and report
  - 92652 for threshold estimation at multiple frequencies, with interpretation and report
  - 92653 neurodiagnostic, with interpretation and report
- 92587 Distortion product evoked otoacoustic emissions; limited evaluation (to confirm the presence or absence of hearing disorder, 3-6 frequencies) or transient evoked otoacoustic emissions, with interpretation and report
- 92588 comprehensive diagnostic evaluation (quantitative analysis of outer hair cell function by cochlear mapping, minimum of 12 frequencies), with interpretation and report

### **12.1.3 EVALUATIVE AND THERAPEUTIC SERVICES**

- 92601 Diagnostic analysis of cochlear implant, patient younger than 7 years of age; with programming
  - 92602 subsequent reprogramming
- 92603 Diagnostic analysis of cochlear implant, age 7 years or older; with programming
  - 92604 subsequent reprogramming
- 92597 Evaluation for use and/or fitting of voice prosthetic device to supplement oral speech
- 92607 Evaluation for prescription for speech-generating augmentative and alternative communication device, face-to-face with the patient; first hour
  - 92608 each additional 30 minutes
- 92609# Therapeutic services for the use of speech-generating device, including programming and modification
- 92610 Evaluation of oral and pharyngeal swallowing function
- 92611 Motion fluoroscopic evaluation of swallowing function by cine or video recording
- 92612 Flexible endoscopic evaluation of swallowing by cine or video recording
  - 92613 interpretation and report only
- 92614 Flexible endoscopic evaluation, laryngeal sensory testing by cine or video recording
  - 92615 interpretation and report only
- 92616 Flexible endoscopic evaluation of swallowing and laryngeal sensory testing by cine or video recording
  - 92617 interpretation and report only

### **12.1.4 SPECIAL DIAGNOSIS PROCEDURES**

- 92640# Diagnostic analysis with programming of auditory brainstem implant, per hour

**12.1.5 OTHER PROCEDURES**

92700 Unlisted otorhinolaryngological service or procedure

**13 CARDIOVASCULAR****13.1 THERAPEUTIC SERVICES AND PROCEDURES****13.1.1.1 OTHER THERAPEUTIC SERVICES AND PROCEDURES**

- 92950 Cardiopulmonary resuscitation (eg, in cardiac arrest)  
(each 15 minute unit of time)
- 92953 Temporary transcutaneous pacing
- 92960 Cardioversion, elective, electrical conversion of arrhythmia; external  
(each 15 minute unit of time)
- 92961 internal (separate procedure)
- 92970 Cardioassist-method of circulatory assist; internal
- 92971 external
- 92986 Percutaneous balloon valvuloplasty; aortic valve
- 92987 mitral valve
- 92990 pulmonary valve
- 92997 Percutaneous transluminal pulmonary artery balloon angioplasty; single vessel
- 92998 each additional vessel (List separately in addition to primary procedure)

**13.1.1.2 CORONARY THERAPEUTIC SERVICES AND PROCEDURES**

- 92920 Percutaneous transluminal coronary angioplasty; single major coronary artery or branch
- 92921 each additional branch of a major coronary artery
- 92924 Percutaneous transluminal coronary atherectomy, with coronary angioplasty when performed; single major coronary artery or branch
- 92925 each additional branch of a major coronary artery
- 92928 Percutaneous transcatheter placement of intracoronary stent(s), with coronary angioplasty when performed; single major coronary artery or branch
- 92929 each additional branch of a major coronary artery
- 92933 Percutaneous transluminal coronary atherectomy, with intracoronary stent, with coronary angioplasty when performed; single major coronary artery or branch
- 92934 each additional branch of a major coronary artery
- 92937 Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of intracoronary stent, atherectomy and angioplasty, including distal protection when performed; single vessel
- 92938 each additional branch subtended by the bypass graft
- 92941 Percutaneous transluminal revascularization of acute total/ subtotal occlusion during acute myocardial infarction, coronary artery or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty, including aspiration thrombectomy when performed, single vessel
- 92943 Percutaneous transluminal revascularization of chronic total occlusion, coronary artery,

- coronary artery branch, or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty; single vessel
- 92944 each additional coronary artery, coronary artery branch, or bypass graft
- 92973 Percutaneous transluminal coronary thrombectomy mechanical
- 92974 Transcatheter placement of radiation delivery device for subsequent coronary intravascular brachytherapy
- 92975 Thrombolysis, coronary; by intracoronary infusion, including selective coronary angiography
- 92977 by intravenous infusion
- 92978 Endoluminal imaging of (coronary vessel or graft) using intravascular ultrasound (IVUS) or optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention including imaging supervision, interpretation and report; initial vessel (List separately in addition to primary procedure)
- 92979 each additional vessel

**13.2 CARDIOGRAPHY**

- 93000 Electrocardiogram, routine ECG with at least 12 leads; with interpretation and report
- 93010 interpretation and report only
- 93015 Cardiovascular stress test using maximal or submaximal treadmill or bicycle exercise, continuous electrocardiographic monitoring, and/or pharmacological stress; with supervision, interpretation and report
- 93016 supervision only without interpretation and report
- 93018 interpretation and report only
- 93024 Ergonovine provocation test
- 93025 Microvolt T-wave alternans for assessment of ventricular arrhythmias
- 93040 Rhythm ECG, one to three leads; with interpretation and report
- 93050 Arterial pressure waveform analysis for assessment of central arterial waveform pressures, includes obtaining waveform(s), digitization and application of nonlinear mathematical transformations to determine central arterial pressures and augmentation index, with interpretation and report, upper extremity artery, non-invasive

**13.3 CARDIOVASCULAR MONITORING SYSTEM**

- 93224 External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; includes recording, scanning analysis with report, review and interpretation by a physician or other qualified health care professional
- 93227 review and interpretation by a physician or other qualified health care professional
- 93244 External electrocardiographic recording for more than 48 hours up to 7 days by continuous rhythm recording and storage; review and interpretation
- 93248 External electrocardiographic recording for more than 7 days up to 15 days by continuous rhythm recording and storage; review and interpretation
- 93228 External mobile cardiovascular telemetry with electrocardiographic recording, concurrent computerized real time data analysis and greater than 24 hours of accessible ECG data storage (retrievable with query) with ECG triggered and patient selected events transmitted to a remote attended surveillance center for up to 30 days; review and

- interpretation with report by a physician or other qualified health care professional.
- 93229 technical support for connection and patient instructions for use, attended surveillance, analysis and transmission of daily and emergent data reports as prescribed by a physician or other qualified health care professional.
- 93268 External patient and, when performed, auto activated electrocardiographic rhythm derived event recording with symptom-related memory loop with remote download capability up to 30 days, 24-hour attended monitoring; includes transmission, review and interpretation by a physician or other qualified health care professional
- 93272 review and interpretation by a physician or other qualified health care professional
- 93278 Signal-averaged electrocardiography (SAECG), with or without ECG

### **13.4 CARDIOVASCULAR DEVICE MONITORING-IMPLANTABLE AND WEARABLE DEVICES**

- 93279 Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; single lead pacemaker system or leadless pacemaker system in one cardiac chamber
- 93280 dual lead pacemaker system
- 93281 multiple lead pacemaker system
- 93282 single lead transvenous implantable defibrillator system
- 93283 dual lead transvenous implantable defibrillator system
- 93284 multiple lead transvenous implantable defibrillator system
- 93260 implantable subcutaneous lead defibrillator system
- 93285 subcutaneous cardiac rhythm monitor system
- 93286 Peri-procedural device evaluation (in person) and programming of device system parameters before or after a surgery, procedure, or test with analysis, review and report by a physician or other qualified health care professional; single, dual, or multiple lead pacemaker system, or leadless pacemaker system
- 93287 single, dual, or multiple lead implantable implantable defibrillator system
- 93288 Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; single, dual, or multiple lead pacemaker system, or leadless pacemaker system
- 93289 single, dual, or multiple lead transvenous implantable defibrillator system, including analysis of heart rhythm derived data elements
- 93261 implantable subcutaneous lead defibrillator system
- 93290 implantable cardiovascular physiologic monitor system, including analysis of 1 or more recorded physiologic cardiovascular data elements from all internal and external sensors
- 93291 subcutaneous cardiac rhythm monitor system, including heart rhythm derived data analysis
- 93292 wearable defibrillator system
- 93293 Transtelephonic rhythm strip pacemaker evaluation(s) single, dual, or multiple lead pacemaker system, includes recording with and without magnet application with analysis,

- review and report(s) by a physician or other qualified health care professional, up to 90 days
- 93294 Interrogation device evaluation(s) (remote), up to 90 days; single, dual, or multiple lead pacemaker system, or leadless pacemaker system with interim analysis, review(s) and report(s) by a physician or other qualified health care professional
- 93295 single, dual, or multiple lead implantable defibrillator system with analysis, review(s) and report(s) by a physician or other qualified health care professional
- 93297 Interrogation device evaluation(s), (remote) up to 30 days; implantable cardiovascular physiologic monitor system, including analysis of 1 or more recorded physiologic cardiovascular data elements from all internal and external sensors, analysis, review(s) and report(s) by a physician or other qualified
- 93298 subcutaneous cardiac rhythm monitor system, including analysis of recorded heart rhythm data, analysis, review(s) and report(s) by a physician or other qualified health care professional

#### 13.4.1 PHRENIC NERVE STIMULATION

- 93150 Therapy activation of implanted phrenic nerve stimulator system, including all interrogation and programming
- 93151 Interrogation and programming (minimum one parameter) of implanted phrenic nerve stimulator system
- 93152 Interrogation and programming of implanted phrenic nerve stimulator system during polysomnography
- 93153 Interrogation and programming of implanted phrenic nerve stimulator system during polysomnography

#### 13.5 ECHOCARDIOGRAPHY

For procedure codes 93303-93355, See Radiology Section General Instructions and General Information and Rules. When more than one radiology procedure is performed during the same patient encounter, reimbursement shall be limited to the greater fee plus 60% of the lesser fees. (Echocardiography includes obtaining ultrasonic signals from the heart and great arteries, with two-dimensional image and/or Doppler ultrasonic signal documentation, interpretation and report. When interpretation is performed separately, use modifier -26.)

- 93303 Transthoracic echocardiography for congenital cardiac anomalies; complete
- 93304 follow-up or limited study
- 93306 Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, complete, with spectral Doppler echocardiography, and with color flow Doppler echocardiography
- 93307 Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, complete, without spectral or color Doppler echocardiography
- 93308 follow-up or limited study
- 93312 Echocardiography, transesophageal, real time with image documentation (2D) (with or without M-mode recording); including probe placement, image acquisition, interpretation



- and report
- 93313 placement of transesophageal probe only
  - 93314 image acquisition, interpretation and report only
  - 93315 Transesophageal echocardiography for congenital cardiac anomalies; including probe placement, image acquisition, interpretation and report
  - 93316 placement of transesophageal probe only
  - 93317 image acquisition, interpretation and report only
  - 93318 Echocardiography, transesophageal (TEE) for monitoring purposes, including probe placement, real time 2-dimensional image acquisition and interpretation leading to ongoing (continuous) assessment of (dynamically changing) cardiac pumping function and to therapeutic measures on an immediate time basis
  - 93319 3D echocardiographic imaging and postprocessing during transesophageal echocardiography, or during transthoracic echocardiography for congenital cardiac anomalies, for the assessment of cardiac structure(s) (eg, cardiac chambers and valves, left atrial appendage, interatrial septum, interventricular septum) and function, when performed (List separately in addition to code for echocardiographic imaging)
  - 93320 Doppler echocardiography, pulsed wave and/or continuous wave with spectral display; complete
  - 93321 follow-up or limited study
  - 93325 Doppler echocardiography color flow velocity mapping
  - 93350 Echocardiography, transthoracic, real time with image documentation (2D), includes M-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report
  - 93351 including performance of continuous electrocardiographic monitoring, with supervision by a physician or other qualified health care professional
  - 93355 Echocardiography, transesophageal (TEE) for guidance of a transcatheter intracardiac or great vessel(s) structural intervention(s) (eg, TAVR, transcatheter pulmonary valve replacement, mitral valve repair, paravalvular regurgitation repair, left atrial appendage occlusion/closure, ventricular septal defect closure) (peri-and intra-procedural), real-time image acquisition and documentation, guidance with quantitative measurements, probe manipulation, interpretation, and report, including diagnostic transesophageal echocardiography and, when performed, administration of ultrasound contrast, Doppler, color flow, and 3D

### 13.6 CARDIAC CATHETERIZATION

- 93451 Right heart catheterization including measurement(s) of oxygen saturation and cardiac output, when performed
- 93452 Left heart catheterization including intraprocedural injection(s) for left ventriculography, imaging supervision and interpretation, when performed
- 93453 Combined right and left heart catheterization including intraprocedural injection(s) for left ventriculography, imaging supervision and interpretation when performed
- 93454 Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and

- interpretation;
- 93455 with catheter placement(s) in bypass graft(s) (internal mammary, free arterial venous grafts) including intraprocedural injection(s) for bypass graft angiography
  - 93456 with right heart catheterization
  - 93457 with catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) including intraprocedural injection(s) for bypass graft angiography and right heart catheterization
  - 93458 with left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed
  - 93459 with left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed, catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) with bypass graft angiography
  - 93460 with right and left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed
  - 93461 with right and left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed, catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) with bypass graft angiography
  - 93462 Left heart catheterization by transseptal puncture through intact septum or by transapical puncture
  - 93463 Pharmacologic agent administration (eg, inhaled nitric oxide, intravenous infusion of nitroprusside, dobutamine, milrinone, or other agent), including assessing hemodynamic measurements before, during, after, and repeat pharmacologic agent administration, when performed
  - 93464 Physiologic exercise study (eg, bicycle or arm ergometry) including assessing hemodynamic measurements before and after
  - 93503 Insertion and placement of flow directed catheter (eg, Swan-Ganz) for monitoring purposes
  - 93505 Endomyocardial biopsy
  - 93563 Injection procedure during cardiac catheterization including imaging supervision, interpretation, and report; for selective coronary angiography during congenital heart catheterization
  - 93564 for selective opacification of aortocoronary venous or arterial bypass graft(s) (eg, aortocoronary saphenous vein, free radial artery, or free mammary artery graft) to one or more coronary arteries and in situ arterial conduits (eg, internal mammary), whether native or used for bypass to one or more coronary arteries during congenital heart catheterization, when performed
  - 93565 for selective left ventricular or left atrial angiography
  - 93566 for selective right ventricular or right atrial angiography
  - 93567 for supraaortic aortography
  - 93568 for nonselective pulmonary arterial angiography
  - 93569 for selective pulmonary arterial angiography, unilateral
  - 93573 for selective pulmonary arterial angiography, bilateral
  - 93574 for selective pulmonary venous angiography of each distinct pulmonary vein during cardiac catheterization

- 93575 for selective pulmonary angiography of major aortopulmonary collateral arteries (MAPCAs) arising off the aorta or its systemic branches, during cardiac catheterization for congenital heart defects, each distinct vessel
- 93571 Intravascular Doppler velocity and/or pressure derived coronary flow reserve measurement (coronary vessel or graft) during coronary angiography including pharmacologically induced stress; initial vessel
- 93572 each additional vessel

**13.6.1.1 REPAIR OF STRUCTURAL HEART DEFECT**

- 93580 Percutaneous transcatheter closure of congenital interatrial communication (ie, Fontan fenestration, atrial septal defect) with implant
- 93581 Percutaneous transcatheter closure of a congenital ventricular septal defect with implant
- 93582 Percutaneous transcatheter closure of patent ductus arteriosus
- 93583 Percutaneous transcatheter septal reduction therapy (eg, alcohol septal ablation) including temporary pacemaker insertion when performed

**13.6.1.2 TRANSCATHETER CLOSURE OF PARAVALVULAR LEAK**

- 93590 Percutaneous transcatheter closure of paravalvular leak; initial occlusion device, mitral valve
- 93591 initial occlusion device, aortic valve
- 93592 each additional occlusion device

**13.6.1.3 CARDIAC CATHETERIZATION FOR CONGENITAL HEART DEFECTS**

- 93593 Right heart catheterization for congenital heart defect(s) including imaging guidance by the proceduralist to advance the catheter to the target zone; normal native connections
- 93594 abnormal native connections
- 93595 Left heart catheterization for congenital heart defect(s) including imaging guidance by the proceduralist to advance the catheter to the target zone; normal or abnormal native connections
- 93596 Right heart catheterization for congenital heart defect(s) including imaging guidance by the proceduralist to advance the catheter to the target zone(s); normal native connections
- 93597 abnormal native connections
- 93584 Venography for congenital heart defect(s), including catheter placement, and radiological supervision and interpretation; anomalous or persistent superior vena cava when it exists as a second contralateral superior vena cava, with native drainage to heart (List separately in addition to code for primary procedure)
- 93585 azygos/hemiazygos venous system (List separately in addition to code for primary procedure)
- 93586 coronary sinus (List separately in addition to code for primary procedure)
- 93587 venovenous collaterals originating at or above the heart (eg, from innominate vein) (List separately in addition to code for primary procedure)
- 93588 venovenous collaterals originating below the heart (eg, from the inferior vena cava) (List separately in addition to code for primary procedure)

- 93598 Cardiac output measurement(s) thermodilution or other indicator dilution method, performed during cardiac catheterization for the evaluation of congenital heart defects

**13.7 INTRACARDIAC ELECTROPHYSIOLOGICAL PROCEDURES/STUDIES**

- 93600 Bundle of His recording
- 93602 Intra-atrial recording
- 93603 Right ventricular recording
- 93609 Intraventricular and/or intra-atrial mapping of tachycardia site(s) with catheter manipulation to record from multiple sites to identify origin of tachycardia
- 93610 Intra-atrial pacing
- 93612 Intraventricular pacing
- 93613 Intracardiac electrophysiologic 3-dimensional mapping
- 93615 Esophageal recording of atrial electrogram with or without ventricular electrogram(s);
- 93616 with pacing
- 93618 Induction of arrhythmia by electrical pacing
- 93619 Comprehensive electrophysiologic evaluation with right atrial pacing and recording, right ventricular pacing and recording, HIS bundle recording, including insertion and repositioning of multiple electrode catheters, without induction or attempted induction of arrhythmia
- 93620 Comprehensive electrophysiologic evaluation including insertion and repositioning of multiple electrode catheters with induction or attempted induction of arrhythmia; with right atrial pacing and recording, right ventricular pacing and recording, HIS bundle recording
- 93621 with left atrial pacing and recordings from coronary sinus or left atrium
- 93622 with left ventricular pacing and recordings
- 93623 Programmed stimulation and pacing after intravenous drug infusion
- 93624 Electrophysiologic follow-up study with pacing and recording to test effectiveness of therapy, including induction or attempted induction of arrhythmia
- 93631 Intra-operative epicardial and endocardial pacing and mapping to localize the site of tachycardia or zone of slow conduction for surgical correction
- 93640 Electrophysiologic evaluation of single or dual chamber pacing cardioverter-defibrillator leads including defibrillation threshold evaluation (induction of arrhythmia, evaluation of sensing and pacing for arrhythmia termination) at time of initial implantation or replacement;
- 93641 with testing of single or dual chamber pacing cardioverter-defibrillator pulse generator
- 93642 Electrophysiologic evaluation of single or dual chamber transvenous pacing cardioverter-defibrillator (includes defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing and pacing for arrhythmia termination, and programming or reprogramming of sensing or therapeutic parameters)
- 93644 Electrophysiologic evaluation of subcutaneous implantable defibrillator (includes defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia termination, and programming of reprogramming of sensing or therapeutic parameters)

- 93650 Intracardiac catheter ablation of atrioventricular node function, atrioventricular conduction for creation of complete heart block, with or without temporary pacemaker placement
- 93653 Comprehensive electrophysiologic evaluation with insertion and repositioning of multiple electrode catheters, induction or attempted induction of an arrhythmia with right atrial pacing and recording and catheter ablation of arrhythmogenic focus, including intracardiac electrophysiologic 3-dimensional mapping, right ventricular pacing and recording, left atrial pacing and recording from coronary sinus or left atrium, and His bundle recording, when performed; with treatment of supraventricular tachycardia by ablation of fast or slow atrioventricular pathway, accessory atrioventricular connection, cavo-tricuspid isthmus or other single atrial focus or source of atrial re-entry
- 93654 with treatment of ventricular tachycardia or focus of ventricular ectopy including left ventricular pacing and recording, when performed
- 93655 Intracardiac catheter ablation of a discrete mechanism of arrhythmia which is distinct from the primary ablated mechanism, including repeat diagnostic maneuvers, to treat a spontaneous or induced arrhythmia
- 93656 Comprehensive electrophysiologic evaluation with transseptal catheterizations, insertion and repositioning of multiple electrode catheters, induction or attempted induction of an arrhythmia including left or right atrial pacing/recording and intracardiac catheter ablation of atrial fibrillation by pulmonary vein isolation, including intracardiac electrophysiologic 3-dimensional mapping, intracardiac echocardiography with imaging supervision and interpretation, right ventricular pacing/recording, and His bundle recording, when performed
- 93657 Additional linear or focal intracardiac catheter ablation of the left or right atrium for treatment of atrial fibrillation remaining after completion of pulmonary vein isolation
- 93660 Evaluation of cardiovascular function with tilt table evaluation, with continuous ECG monitoring and intermittent blood pressure monitoring, with or without pharmacological intervention
- 93662 Intracardiac echocardiography during therapeutic/diagnostic intervention, including imaging supervision and interpretation

### 13.8 NONINVASIVE PHYSIOLOGIC STUDIES AND PROCEDURES

- 93701 Bioimpedance, thoracic; electrical
- 93724 Electronic analysis of antitachycardia pacemaker system (includes electrocardiographic recording, programming of device, induction and termination of tachycardia via implanted pacemaker, and interpretation of recordings)
- 93745 Initial set-up and programming by a physician or other qualified health care professional of wearable cardioverter-defibrillator includes initial programming of system, establishing baseline electronic ECG, transmission of data to data repository, patient instruction in wearing system and patient reporting of problems or events
- 93750 Interrogation of ventricular assist device (VAD), in person, with physician or qualified health care professional analysis of device parameters (eg, drivelines, alarms, power surges), review of device function (eg, flow and volume status, septum status, recovery), with programming, if performed, and report

- 93784 Ambulatory blood pressure monitoring, utilizing report-generating software, automated, worn continuously for 24 hours or longer; including recording, scanning analysis, interpretation and report
- 93790 review with interpretation and report

**13.9 OTHER PROCEDURES**

- 93797 Physician or other qualified health care professional services for outpatient cardiac rehabilitation; without continuous ecg monitoring (per session)
- 93798 with continuous ECG monitoring (per session)
- 93799 Unlisted cardiovascular service or procedure

**14 NONINVASIVE VASCULAR DIAGNOSTIC STUDIES****14.1 CEREBROVASCULAR ARTERIAL STUDIES**

- 93880 Duplex scan of extracranial arteries; complete bilateral study
- 93882 unilateral or limited study
- 93886 Transcranial Doppler study of the intracranial arteries; complete study
- 93888 limited study
- 93892 emboli detection without intravenous microbubble injection
- 93893 venous-arterial shunt detection with intravenous microbubble injection
- 93896 Vasoreactivity study performed with transcranial Doppler study of intracranial arteries, complete (List separately in addition to code for primary procedure)

**14.2 EXTREMITY ARTERIAL STUDIES (INCLUDING DIGITS)**

- 93922 Limited bilateral noninvasive physiologic studies of upper or lower extremity arteries, (eg, for lower extremity: ankle/ brachial indices at distal posterior tibial and anterior tibial/ dorsalis pedis arteries plus bidirectional, Doppler waveform recording and analysis at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus volume plethysmography at 1-2 levels, or ankle/ brachial indices at distal posterior tibial and anterior tibial/ dorsalis pedis arteries with transcutaneous oxygen tension measurements at 1-2 levels)
- 93923 Complete bilateral noninvasive physiologic studies of upper or lower extremity arteries, 3 or more levels (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental blood pressure measurements with bidirectional Doppler waveform recording and analysis, at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental volume plethysmography at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental transcutaneous oxygen tension measurements at 3 or more level(s), or single level study with provocative functional maneuvers (eg, measurements with postural provocative tests, or measurements with reactive hyperemia)
- 93924 Noninvasive physiologic studies of lower extremity arteries, at rest and following treadmill stress testing, (ie, bidirectional Doppler waveform or volume plethysmography recording



and analysis at rest with ankle/brachial indices immediately after and at timed intervals following performance of a standardized protocol on a motorized treadmill plus recording of time of onset of claudication or other symptoms, maximal walking time, and time to recovery) complete bilateral study

- 93925 Duplex scan of lower extremity arteries or arterial bypass grafts; complete bilateral study
- 93926                      unilateral or limited study
- 93930 Duplex scan of upper extremity arteries or arterial bypass grafts; complete bilateral study
- 93931                      unilateral or limited study

#### **14.3 EXTREMITY VENOUS STUDIES (INCLUDING DIGITS)**

- 93970 Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study
- 93971                      unilateral or limited study

#### **14.4 VISCERAL AND PENILE VASCULAR STUDIES**

- 93975 Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; complete study
- 93976                      limited study
- 93978 Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; complete study
- 93979                      unilateral or limited study
- 93980 Duplex scan of arterial inflow and venous outflow of penile vessels; complete study
- 93981                      unilateral or limited study

#### **14.5 EXTREMITY ARTERIAL VENOUS STUDIES**

- 93985 Duplex scan of arterial flow and venous outflow for preoperative vessel assessment prior to creation of hemodialysis access; complete bilateral study
- 93986                      complete unilateral study
- 93990 Duplex scan of hemodialysis access (including arterial inflow, body of access and venous outflow)

#### **14.6 OTHER NONINVASIVE VASCULAR DIAGNOSTIC STUDIES**

- 93998 Unlisted noninvasive vascular diagnostic study

### **15 PULMONARY**

#### **15.1 PULMONARY DIAGNOSTIC TESTING, REHABILITATION, AND THERAPIES**

- 94010 Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate measurement(s), with or without maximal voluntary ventilation
- 94011 Measurement of spirometric forced expiratory flows in an infant or child through 2 years of age
- 94012 Measurement of spirometric forced expiratory flows, before and after bronchodilator, in an infant or child through 2 years of age



- 94013 Measurement of lung volumes (ie, functional residual capacity [FRC], forced vital capacity [FVC], and expiratory reserve volume [ERV] in an infant or child through 2 years of age
- 94014 Patient-initiated spirometric recording per 30-day period of time; includes reinforced education, transmission of spirometric tracing, data capture, analysis of transmitted data, periodic recalibration and review and interpretation by a physician or other qualified health care professional
- 94016 review and interpretation only by a physician or other qualified health care professional
- 94060 Bronchodilation responsiveness, spirometry as in 94010, pre- and post-bronchodilator administration
- 94070 Bronchospasm provocation evaluation, multiple spirometric determinations as in 94010, with administered agents (eg antigen(s), cold air, methacholine)
- 94200 Maximum breathing capacity, maximal voluntary ventilation
- 94375 Respiratory flow volume loop
- 94610 Intrapulmonary surfactant administration by a physician or other qualified health care professional through endotracheal tube
- 94617 Exercise test for bronchospasm, including pre- and post-spirometry and pulse oximetry; with electrocardiographic recording(s)
- 94619 without electrocardiographic recordings.
- 94618 Pulmonary stress testing (eg, 6-minute walk test), including measurement of heart rate, oximetry, and oxygen titration, when performed
- 94621 Cardiopulmonary exercise testing including measurements of minute ventilation, CO<sub>2</sub> production, O<sub>2</sub> uptake and electrocardiographic recordings
- 94625 Physician or other qualified health care professional services for outpatient pulmonary rehabilitation; without continuous oximetry monitoring (per session)
- 94626 with continuous oximetry monitoring (per session)
- 94640 Pressurized or nonpressurized inhalation treatment for acute airway obstruction or for sputum induction for diagnostic purposes (eg, with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device)
- 94642 Aerosol inhalation of pentamidine for pneumocystis carinii pneumonia treatment for prophylaxis
- 94644 Continuous inhalation treatment with aerosol medication for acute airway obstruction; first hour
- 94645 each additional hour
- 94664 Demonstration and/or evaluation of patient utilization of an aerosol generator, nebulizer, metered dose inhaler or IPPB device
- 94680 Oxygen uptake, expired gas analysis; rest and exercise, direct, simple
- 94681 including CO<sub>2</sub> output, percentage oxygen extracted
- 94690 rest, indirect (separate procedure)
- 94726 Plethysmography for determination of lung volumes and, when performed, airway resistance
- 94727 Gas dilution or washout for determination of lung volumes and, when performed, distribution of ventilation and closing volumes
- 94728 Airway resistance by impulse oscillometry

- 94729 Diffusing capacity (eg, carbon monoxide, membrane)
- 94772 Circadian respiratory pattern recording (pediatric pneumogram), 12 to 24 hour continuous recording, infant (includes interpretation and report)
- 94777 Pediatric home apnea monitoring event recording including respiratory rate, pattern and heart rate per 30-day period of time; review, interpretation and preparation of report only by a physician or other qualified health care professional
- 94799 Unlisted pulmonary service or procedure

## 16 ALLERGY AND CLINICAL IMMUNOLOGY

### 16.1 ALLERGY TESTING

- 95004 Percutaneous tests (scratch, puncture, prick) with allergenic extracts, immediate type reaction, including test interpretation and report, specify number of tests
- 95017 Allergy testing, any combination of percutaneous (scratch, puncture, prick) and Intracutaneous (intradermal), sequential and incremental, with venoms, immediate type reaction, including test interpretation and report, specify number of tests
- 95018 Allergy testing, any combination of percutaneous (scratch, puncture, prick) and Intracutaneous (intradermal), sequential and incremental, with drugs or biologicals, immediate type reaction, including test interpretation and report, specify number of tests
- 95024 Intracutaneous (intradermal) tests with allergenic extracts, immediate type reaction, including test interpretation and report, specify number of tests
- 95028 Intracutaneous (intradermal) tests with allergenic extracts, delayed type reaction, including reading, specify number of tests
- 95044 Patch or application test(s) (up to 10 tests) (Specify number of tests)
- 95060 Ophthalmic mucous membrane tests
- 95065 Direct nasal mucous membrane test

### 16.2 INGESTION CHALLENGE TESTING

- 95076 Ingestion challenge test (sequential and incremental ingestion of test items, eg, food, drug or other substance); initial 120 minutes of testing
- 95079       each additional 60 minutes of testing (List separately in addition to code for primary procedure)

*95076 & 95079 are both effective 6/1/16 for FFS (8/1/16 for MMC) but was never added to manual. Adding codes as a correction.*

### 16.3 SENSITIVITY TESTING

(Maximum fees include reading of test)

- 86485 Skin test, candida
- 86486       unlisted antigen, each
- 86510       histoplasmosis
- 86580       tuberculosis, intradermal

**16.4 ALLERGEN IMMUNOTHERAPY**

Codes 95115-95180 include the professional services necessary for allergen immunotherapy. Office Evaluation and Management codes may be used in addition to allergen immunotherapy if, and only if, other identifiable services are provided at that time.

- 95115 Professional services for allergen immunotherapy not including provision of allergenic extracts; single injection
- 95117 2 or more injections
- 95144 Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials)
- 95145 Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single stinging insect venom
- 95146 2 single stinging insect venoms
- 95147 3 single stinging insect venoms
- 95148 4 single stinging insect venoms
- 95149 5 single stinging insect venoms
- 95165 Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy; (to be administered by or under the supervision of another physician) single or multiple antigens, multiple dose vial(s), (Specify number of DOSES)
- 95170 whole body extract of biting insect of other arthropod (specify number of doses)
- 95180 Rapid desensitization procedure, each hour (eg, insulin, penicillin, equine serum)

**17 ENDOCRINOLOGY**

- 95250 Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; physician or other qualified healthcare professional (office) provided equipment, sensor placement, hook-up, calibration of monitor, patient training, removal of sensor, and printout of recording
- 95251 analysis, interpretation and report

**18 NEUROLOGY AND NEUROMUSCULAR PROCEDURES****18.1 SLEEP TESTING****18.1.1 GENERAL INFORMATION AND RULES**

Orders for sleep testing are limited to physician specialists in **pulmonology, otolaryngology and neurology**. Documentation to support the medical necessity of sleep testing must be maintained in the ordering physician's clinical file. Sleep studies and polysomnography refer to the continuous and simultaneous monitoring and recording of various physiological and pathophysiological parameters of sleep for six or more hours with physician review, interpretation and report. The studies are performed to diagnose a variety of sleep disorders and to evaluate a patient's response to therapies such as nasal continuous positive airway pressure (NCPAP).

Polysomnography is distinguished from sleep studies by the inclusion of sleep staging which is defined to include a 1-4 lead electroencephalogram (EEG), electro-oculogram (EOG), and a submental electromyogram (EMG).

Additional parameters of sleep include: 1) ECG; 2) airflow; 3) ventilation and respiratory effort; 4) gas exchange by oximetry, transcutaneous monitoring, or end tidal gas analysis; 5) extremity muscle activity, motor activity-movement; 6) extended EEG monitoring; 7) penile tumescence; 8) gastroesophageal reflux; 9) continuous blood pressure monitoring; 10) snoring; 11) body positions; etc.

For a study to be reported as polysomnography, sleep must be recorded and staged.

- 95805 Multiple sleep latency or maintenance of wakefulness testing, recording, analysis and interpretation of physiological measurements of sleep during multiple trials to assess sleepiness
- 95807 Sleep study, simultaneous recording of ventilation, respiratory effort, ECG or heart rate and oxygen saturation, attended by a technologist
- 95808 Polysomnography; any age, sleep staging with 1-3 additional parameters of sleep, attended by a technologist
- 95810 age 6 years or older, sleep staging with 4 or more additional parameters of sleep, attended by a technologist
- 95811 age 6 years or older, sleep staging with 4 or more additional parameters of sleep, with initiation of continuous positive airway pressure therapy or bilevel ventilation, attended by a technologist
- 95782 younger than 6 years, sleep staging with 4 or more additional parameters of sleep, attended by a technologist
- 95783 younger than 6 years, sleep staging with 4 or more additional parameters of sleep, with initiation of continuous positive airway pressure therapy or bi-level ventilation, attended by a technologist

## **18.2 ROUTINE ELECTROENCEPHALOGRAPHY (EEG)**

95812-95813 include reporting times longer than 40 minutes.

- 95812 Electroencephalogram (EEG) extended monitoring; 41-60 minutes
- 95813 61-119 minutes
- 95816 Electroencephalogram (EEG); including recording awake and drowsy
- 95819 including recording awake and asleep
- 95822 recording in coma or sleep only
- 95824 cerebral death evaluation only
- 95830 Insertion by physician or other qualified health care professional of sphenoidal electrodes for electroencephalographic (EEG) recording

### **18.2.1 ELECTROCORTICOGRAPHY**

- 95829 Electrocorticogram at surgery (separate procedure)

## **18.3 RANGE OF MOTION TESTING**

- 95851 Range of motion measurements and report (separate procedure); each extremity (excluding hand) or each trunk section (spine)
- 95852 hand, with or without comparison with normal side
- 95857 Cholinesterase inhibitor challenge test for myasthenia gravis

**18.4 ELECTROMYOGRAPHY**

- 95860 Needle electromyography; one extremity with or without related paraspinal areas
- 95861 two extremities with or without related paraspinal areas
- 95863 three extremities with or without related paraspinal areas
- 95864 four extremities with or without related paraspinal areas
- 95865 larynx
- 95866 hemidiaphragm
- 95867 cranial nerve supplied muscle(s), unilateral
- 95868 cranial nerve supplied muscle(s), bilateral
- 95869 thoracic paraspinal muscles (excluding T1 or T12)
- 95870 limited study of muscles in one extremity or non-limb (axial) muscles (unilateral or bilateral), other than thoracic paraspinal, cranial nerve supplied muscles, or sphincters
- 95872 Needle electromyography, using single fiber electrode, with quantitative measurement of jitter, blocking and/or fiber density, any/all sites of each muscle studied
- 95885 Needle electromyography, each extremity, with related paraspinal areas, when performed, done with nerve conduction, amplitude and latency/velocity study; limited (List separately in addition to primary procedure)
- 95886 complete, five or more muscles studied, innervated by three or more nerves or four or more spinal levels
- 95887 Needle electromyography, non-extremity (cranial nerve supplied or axial) muscle(s) done with nerve conduction, amplitude and latency/velocity study

**18.5 ISCHEMIC MUSCLE TESTING AND GUIDANCE FOR CHEMODENERVATION**

- 95875 Ischemic limb exercise test with serial specimen(s) acquisition for muscle(s) metabolite(s)

**18.6 NERVE CONDUCTION TESTS**

- 95905 Motor and/or sensory nerve conduction, using preconfigured electrode array(s), amplitude and latency/velocity study, each limb, includes F-wave study when performed, with interpretation and report
- 95907 Nerve conduction studies; 1-2 studies
- 95908 3-4 studies
- 95909 5-6 studies
- 95910 7-8 studies
- 95911 9-10 studies
- 95912 11-12 studies
- 95913 13 or more studies

**18.7 INTRAOPERATIVE NEUROPHYSIOLOGY**

- 95940 Continuous intraoperative neurophysiology monitoring in the operating room, one on one monitoring requiring personal attendance, each 15 minutes

**18.8 AUTONOMIC FUNCTION TESTS**

- 95921 Testing of autonomic nervous system function; cardiovagal innervation (parasympathetic function), including two or more of the following: heart rate response to deep breathing with recorded R-R interval, Valsalva ratio, and 30:15 ratio
- 95922 vasomotor adrenergic innervation (sympathetic adrenergic function), including beat-to-beat blood pressure and R-R interval changes during Valsalva maneuver and at least five minutes of passive tilt
- 95923 sudomotor, including one or more of the following: quantitative sudomotor axon reflex test (QSART), silastic sweat imprint, thermoregulatory sweat test, and changes in sympathetic skin potential
- 95924 combined parasympathetic and sympathetic adrenergic function testing with at least 5 minutes of passive tilt

**18.9 EVOKED POTENTIALS AND REFLEX TESTS**

- 95925 Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in upper limbs
- 95926 in lower limbs
- 95938 Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in upper and lower limbs
- 95927 in the trunk or head
- 95928 Central motor evoked potential study (transcranial motor stimulation); upper limbs
- 95929 lower limbs
- 95939 Central motor evoked potential study (transcranial motor stimulation); in upper and lower limbs
- 95930 Visual evoked potential (VEP) checkerboard or flash testing, central nervous system except glaucoma, with interpretation and report
- 95933 Orbicularis oculi (blink) reflex, by electrodiagnostic testing
- 95937 Neuromuscular junction testing (repetitive stimulation, paired stimuli), each nerve, any one method

**18.10 SPECIAL EEG TESTS**

- 95954 Pharmacological or physical activation requiring physician or other qualified health care professional attendance during EEG recording of activation phase (eg, thiopental activation test)
- 95955 Electroencephalogram (EEG) during nonintracranial surgery (eg, carotid surgery)
- 95958 Wada activation test for hemispheric function, including electroencephalographic (EEG) monitoring
- 95961 Functional cortical and subcortical mapping by stimulation and/or recording of electrodes on brain surface, or of depth electrodes, to provoke seizures or identify vital brain structures; initial hour of attendance by a physician or other qualified health care professional

- 95962 each additional hour of attendance by a physician or other qualified health care professional
- 95965 Magnetoencephalography (MEG), recording and analysis; for spontaneous brain magnetic activity (eg, epileptic cerebral cortex localization)
- 95966 for evoked magnetic fields, single modality (eg, sensory, motor, language, or visual cortex localization)
- 95967 for evoked magnetic fields, each additional modality (eg, sensory, motor, language, or visual cortex localization) (List separately in addition to code for primary procedure)

**18.10.1.1 LONG-TERM EEG SETUP**

- 95700 Electroencephalogram (EEG), continuous recording, with video when performed, setup, patient education, and takedown when performed, administered in person by EEG technologist, minimum of 8 channels

**18.10.1.2 MONITORING**

- 95705 Electroencephalogram (EEG), without video, review of data, technical description by EEG technologist, 2-12 hours; unmonitored
- 95706 with intermittent monitoring and maintenance
- 95707 with continuous, real-time monitoring and maintenance
- 95708 Electroencephalogram (EEG), without video, review of data, technical description by EEG technologist, each increment of 12-26 hours; unmonitored
- 95709 with intermittent monitoring and maintenance
- 95710 with continuous, real-time monitoring and maintenance
- 95711 Electroencephalogram with video (VEEG), review of data, technical description by EEG technologist, 2-12 hours; unmonitored
- 95712 with intermittent monitoring and maintenance
- 95713 with continuous, real-time monitoring and maintenance
- 95714 Electroencephalogram with video (VEEG), review of data, technical description by EEG technologist, each increment of 12-26 hours; unmonitored
- 95715 with intermittent monitoring and maintenance
- 95716 with continuous, real-time monitoring and maintenance
- 95717 Electroencephalogram (EEG), continuous recording, physician or other qualified health care professional review of recorded events, analysis of spike and seizure detection, interpretation and report, 2-12 hours of EEG recording; without video
- 95718 with video (VEEG)
- 95719 Electroencephalogram (EEG), continuous recording, physician or other qualified health care professional review of recorded events, analysis of spike and seizure detection, each increment of greater than 12 hours, up to 26 hours of EEG recording, interpretation and report after each 24-hour period; without video
- 95720 with video (VEEG)
- 95721 Electroencephalogram (EEG), continuous recording, physician or other qualified health



care  
professional review of recorded events, analysis of spike and seizure detection,  
interpretation, and summary report, complete study; greater than 36 hours, up to 60  
hours of EEG recording, without video

- 95722 greater than 36 hours, up to 60 hours of EEG recording, with video (VEEG)
- 95723 greater than 60 hours, up to 84 hours of EEG recording, without video
- 95724 greater than 60 hours, up to 84 hours of EEG recording, with video (VEEG)
- 95725 greater than 84 hours of EEG recording, without video
- 95726 greater than 84 hours of EEG recording, with video (VEEG)

### 18.11 NEUROSTIMULATORS, ANALYSIS-PROGRAMMING

- 95970 Electronic analysis of implanted neurostimulator pulse generator/transmitter (eg, contact group[s], interleaving, amplitude, pulse width, frequency [Hz], on/off cycling, burst, magnet mode, dose lockout, patient selectable parameters, responsive neurostimulation, detection algorithms, closed loop parameters, and passive parameters) by physician or other qualified health care professional; with brain, cranial nerve, spinal cord, peripheral nerve, or sacral nerve, neurostimulator pulse generator/transmitter, without programming
- 95971 with simple spinal cord or peripheral nerve (eg, sacral nerve) neurostimulator pulse generator/transmitter programming by physician or other qualified health care professional
- 95972 with complex spinal cord or peripheral nerve (eg, sacral nerve) neurostimulator pulse generator/transmitter programming by physician or other qualified health care professional
- 95976 with simple cranial nerve neurostimulator pulse generator/transmitter programming by a physician or other qualified health care professional
- 95977 with complex cranial nerve neurostimulator pulse generator/transmitter programming by a physician or other qualified health care professional
- 95983 with brain neurostimulator pulse generator/transmitter programming, first 15 minutes face-to face time with physician or other qualified health care professional
- 95984 with brain neurostimulator pulse generator/transmitter programming, each additional 15 minutes face-to face time with physician or other qualified health care professional
- 95980 Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude and duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient measurements) gastric neurostimulator pulse generator/transmitter; intraoperative, with programming
- 95981 subsequent, without reprogramming
- 95982 subsequent, with reprogramming

### 18.12 OTHER PROCEDURES

- 95991 Refilling and maintenance of implantable pump or reservoir for drug delivery, spinal (intrathecal, epidural) or brain (intraventricular), includes electronic analysis of pump, when performed; requiring skill of a physician or other qualified health care professional

95999 Unlisted neurological or neuromuscular diagnostic procedure

### **18.13 MOTION ANALYSIS**

96002 Dynamic surface electromyography, during walking or other functional activities, 1-12 muscles

### **18.14 FUNCTIONAL BRAIN MAPPING**

96020 Neurofunctional testing selection and administration during noninvasive imaging functional brain mapping, with test administered entirely by a physician or other qualified health care professional (ie, psychologist), with review of test results and report

## **19 MEDICAL GENETICS AND GENETIC COUNSELING SERVICES**

96041 Medical genetics and genetic counseling services, each 30 minutes of total time provided by the genetic counselor on the date of the encounter

## **20 CENTRAL NERVOUS SYSTEM ASSESSMENTS/TESTS (EG, NEURO-COGNITIVE, MENTAL STATUS, SPEECH TESTING)**

### **20.1.1 ASSESSMENT OF APHASIA AND COGNITIVE PERFORMANCE TESTING**

96105 Assessment of aphasia (includes assessment of expressive and receptive speech and language function, language comprehension, speech production ability, reading, spelling, writing, eg, by Boston Diagnostic Aphasia Examination) with interpretation and report, per hour

### **20.1.2 DEVELOPMENTAL/BEHAVIORAL SCREENING TESTING**

96110 Developmental screening (eg, developmental milestone survey, speech and language delay screen), with scoring and documentation, per standardized instrument

96112 Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; first hour

96113 each additional 30 minutes (List separately in addition to code for primary procedure)

### **20.1.3 PSYCHOLOGICA/NEUROPSYCHOLOGICAL**

#### **20.1.3.1 NEUROBEHAVIORAL STATUS EXAMINATION**

96116 Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [eg, acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; first hour

96121 each additional hour (List separately in addition to code for primary procedure)

**20.1.3.2 TESTING EVALUATION SERVICES**

- 96130 Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; first hour
- 96131 each additional hour (List separately in addition to code for primary procedure)
- 96132 Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; first hour
- 96133 each additional hour

**20.1.3.3 TEST ADMINISTRATION AND SCORING**

- 96136 Psychological or neuropsychological test administration and scoring by physician or other qualified health care professional, two or more tests, any method; first 30 minutes
- 96137 each additional 30 minutes
- 96138 Psychological or neuropsychological test administration and scoring by technician, two or more tests, any method; first 30 minutes
- 96139 each additional 30 minutes

**21 PHOTODYNAMIC THERAPY**

- 96570 Photodynamic therapy by endoscopic application of light to ablate abnormal tissue via activation of photosensitive drug(s), first 30 minutes
- 96571 each additional 15 minutes
- 96573 Photodynamic therapy by external application of light to destroy premalignant lesions of the skin and adjacent mucosa with application and illumination/activation of photosensitizing drug(s) provided by a physician or other qualified health care professional, per day
- 96574 Debridement of premalignant hyperkeratotic lesion(s) (ie, targeted curettage, abrasion) followed with photodynamic therapy by external application of light to destroy premalignant lesions of the skin and adjacent mucosa with application and illumination/activation of photosensitizing drug(s) provided by a physician or other qualified health care professional, per day

**22 SPECIAL DERMATOLOGICAL PROCEDURES**

Dermatologic services are typically consultative, and any of the levels of consultation (99242-99255) may be appropriate. In addition, services and skills outlined under Evaluation and

Management levels of service appropriate to dermatologic illnesses should be coded similarly.

- 96910 Photochemotherapy; tar and ultraviolet B (Goeckerman treatment) or petrolatum and ultraviolet B (For diagnosis of Cutaneous T-Cell Lymphoma)
- 96920 Excimer laser treatment for psoriasis; total area less than 250 sq cm
- 96921       250 sq cm to 500 sq cm
- 96922       over 500 sq cm
- 96999 Unlisted special dermatological service or procedure

## **23 OSTEOPATHIC MANIPULATIVE TREATMENT**

- 98925 Osteopathic manipulative treatment (OMT); one to two body regions involved
- 98926       three to four body regions involved
- 98927       five to six body regions involved
- 98928       seven to eight body regions involved
- 98929       nine to ten body regions involved

## **24 SPECIAL SERVICES**

### **24.1 MISCELLANEOUS SERVICES**

- 97542# Wheelchair management (eg, assessment, fitting, training), each 15 minutes (up to a maximum of 2 hours)
- 98960 Education and training for patient self-management by a nonphysician qualified health care professional using a standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; individual patient
- 98961       2-4 patients
- 98962       5-8 patients
- 99050 Services provided in the office at times other than regularly scheduled office hours, or days when the office is normally closed (eg, holidays, Saturday or Sunday), in addition to basic service
- 99051 Service(s) provided in the office during regularly scheduled evening, weekend, or holiday office hours, in addition to basic service
- 99070 Supplies and materials, provided by the physician over and above those usually included with the office visit or other services rendered (list drugs, trays, supplies, or materials provided)
- 99091 Collection and interpretation of physiologic data (eg, ECG, blood pressure, glucose monitoring) digitally stored and/or transmitted by the patient and/or caregiver to to the physician or other qualified healthcare professional, qualified by education, training, licensure/regulation (when applicable) requiring a minimum of 30 minutes of time, each 30 days
- G0108 Diabetes outpatient self-management training services, individual, per 30 minutes
- G0109       group session (2 or more), per 30 minutes

- G0372 Physician service required to establish and document the need for a power mobility device  
(Use in addition to primary Evaluation and Management code)
- G0406 Follow-up inpatient consultation, limited, physicians typically spend 15 minutes communicating with the patient via telehealth.
- G0407 Follow-up inpatient consultation, intermediate, physicians typically spend 25 minutes communicating with the patient via telehealth.
- G0408 Follow-up inpatient consultation, complex, physicians typically spend 35 minutes communicating with the patient via telehealth.
- G0425 Telehealth consultation, emergency department or initial inpatient, typically 30 minutes communicating with the patient via telehealth.
- G0426 Initial inpatient telehealth consultation, emergency department or initial inpatient, typically 50 minutes communicating with the patient via telehealth.
- G0427 Initial inpatient telehealth consultation, emergency department or initial inpatient, typically 70 minutes or more communicating with the patient via telehealth.
- G0459 Inpatient telehealth pharmacologic management, including prescription, use, and review of medication with no more than minimal medical psychotherapy.  
Office or other outpatient visit for the evaluation and management of an established patient that requires the supervision of a physician or other qualified health care professional and provision of up to 56 mg of esketamine nasal self-administration, includes 2 hours post-administration observation
- G2252 Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related EM service provided within the previous 7 days nor leading to an EM service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
- G8431 Screening for clinical depression is documented as being positive and a follow-up plan is documented
- G8510 Screening for clinical depression is documented as being negative, a follow-up plan is not required
- G9919 Screening performed and positive and provision of recommendations
- G9920 Screening performed and negative
- H0049 Alcohol and/or drug screening
- H0050 Alcohol and/or drug services, brief intervention, per 15 minutes
- Q3014 Telehealth originating site facility fee
- S0013 Esketamine, nasal spray, 1 mg
- S0189 Testosterone pellet, 75 mg
- S2083 Adjustment of gastric band diameter via subcutaneous port by injection or aspiration of saline (included in an E/M visit after the 90 day post-operative period, if no E/M visit billed code can be billed separately)
- S9445 Patient education, not otherwise classified, non-physician provider, individual, per session. (The initial lactation counseling session should be a minimum of 45 minutes. Follow up session (s) should be a minimum of 30 minutes. Three sessions within 12-month period immediately following delivery.)

- S9446 Patient education, not otherwise classified, non-physician provider, group, per session. (Up to a maximum of eight participants in a group session. 60 minute minimum session length. One prenatal and one postpartum class per recipient per pregnancy.)  
New York State Medicaid will provide reimbursement for separate and distinct breastfeeding services provided by International Board Certified Lactation Consultants (IBCLCs) credentialed by the International Board of Lactation Consultant Examiners (IBLCE).  
Modifier "AF" (specialty physician), along with the appropriate "S" code, must be reported on a claim when the physician is the provider of service. For additional information on eligible provider types and coverage/billing guidelines see:  
[http://www.health.ny.gov/health\\_care/medicaid/program/update/2013/2013-03.htm#fee](http://www.health.ny.gov/health_care/medicaid/program/update/2013/2013-03.htm#fee)
- T1013 Sign language or oral interpretive services, per 15 minutes
- T2022 Case Management, per month (Physician Specialty: 333 billing for Collaborative Care ONLY.)

**24.2 OTHER SPECIAL SERVICES**

- 99116 Anesthesia complicated by utilization of total body hypothermia

**25 MODERATE (CONSCIOUS) SEDATION**

- 99151 Moderate sedation services provided by the same physician or other qualified healthcare professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status: initial 15 minutes of intraservice time, patient younger than 5 years of age
- 99152 initial 15 minutes of intraservice time, patient age, 5 years or older
- 99153 each additional 15 minutes of intraservice time
- 99155 Moderate sedation services provided by a physician or other qualified healthcare professional other than the physician or other qualified healthcare professional performing the diagnostic or therapeutic service that the sedation supports; initial 15 minutes of intraservice time, patient younger than 5 years of age
- 99156 initial 15 minutes of intraservice time, patient age 5 years or older
- 99157 each additional 15 minutes of intraservice time

**26 OTHER SERVICES AND PROCEDURES**

- 99170 Anogenital examination magnified, in childhood for suspected trauma, including image recording when performed.
- 99183 Physician or other qualified health care professional attendance and supervision of hyperbaric oxygen therapy, per session
- 99184 Initiation of selective head or total body hypothermia in the critically ill neonate, includes

- appropriate patient selection by review of clinical, imaging and laboratory data, confirmation of esophageal temperature probe location, evaluation of amplitude EEG, supervision of controlled hypothermia, and assessment of patient tolerance of cooling
- 99188 Application of topical fluoride varnish by a physician or other qualified health care professional
- 99190 Assembly and operation of pump with oxygenator or heat exchanger (with or without ECG and/or pressure monitoring); each hour
- 99191 45 minutes
- 99192 30 minutes
- 99195 Phlebotomy, therapeutic (separate procedure)
- 99199 Unlisted special service, procedure