## **NEW YORK STATE**

## **MEDICAID PROGRAM**

# PHYSICIAN - PROCEDURE CODES

**SECTION 6 – ANESTHESIA** 

## **Table of Contents**

ANESTHESIA GENERAL INFORMATION AND RULES	3
ANESTH <mark>ES</mark> IA SERVICES	6
HEAD	6
NECK	6
THORAX (CHEST WALL and SHOULDER GIRDLE)	7
INTRATHORACIC	7
SPINE and SPINAL CORD	
UPPER ABDOMEN	8
LOWER ABDOMEN	
PERINEUM	9
PELVIS (EXCEPT HIP)UPPER LEG (EXCEPT KNEE)	10
UPPER LEG (EXCEPT KNEE)	10
KNEE and POPLITEAL AREA	
LOWER LEG (BELOW KNEE, INCLUDES ANKLE and FOOT)	
SHOULDER and AXILLA	
UPPER ARM and ELBOW	
FOREARM, WRIST, and HAND	
RADIOLOGICAL PROCEDURES	
BURN EXCISIONS or DEBRIDEMENT	
OBSTETRIC	13
OTHER PROCEDURES	14

#### **ANESTHESIA GENERAL INFORMATION AND RULES**

- 1. Only anesthesiologists may be reimbursed for anesthesia services performed or provided by themselves or their supervised designees under the codes listed in this section.
- 2. The total values for anesthesia services include pre- and post- operative visits, the administration of the anesthetic and the administration of fluids and/or blood incident to the anesthesia or surgery.
- 3. Calculated values for anesthesia services are to be used only when the anesthesia is administered by an anesthesiologist or supervised designee who remains in constant attendance during the procedure for the sole purpose of rendering such anesthesia service.
  - Anesthesia time starts with the beginning of the administration of the anesthetic agents and ends when the anesthesiologist is no longer in personal attendance (when the patient may be safely placed under customary post-operative supervision).
- 4. To bill for anesthesia time, report the total time in minutes in the unit's field. The maximum conversion factor is \$10.00 per each 15 minutes. Do not include Basic Value in the reported minutes.
- 5. Anesthesia Report (or Operative Record) must document total time spent with the patient and include starting time, completion time and an explanation of any unusual occurrence which prolonged anesthesia time. If your claim is rejected for anesthesia exceeding the maximum, you can resubmit a paper claim with documentation supporting the time billed.
- 6. When more than one anesthesiologist is billing due to attending in shifts, only the first anesthesiologist will be reimbursed the Basic Value.
- 7. When multiple or bilateral surgical procedures, which add time and complexity to patient care, are performed at the same operative session, the total anesthesia time should be indicated in minutes using only the anesthesia procedure with the highest base value. Basic Values are listed in the Fee Schedule.
- 8. When hypothermia and/or a pump oxygenator are employed in conjunction with an anesthetic, see procedure code(s) 99116, 99190, 99191, 99192.
- 9. No fee will be allowed for local infiltration or digital block anesthesia administered by the operating surgeon.
- 10. The basic value for anesthesia covers services rendered from the time the anesthesiologist (or his/her associate) meets the patient in pre-operative holding until the patient is signed out of the post anesthesia care unit by the attending anesthesiologist (or his/her associate), this includes the insertion of epidural catheters or the administration of nerve blocks done in this time frame for post-operative pain control.

- 11. Administration of a nerve block (either as a component of the anesthesia itself or a post-operative pain management protocol) is considered part of the anesthesia time for surgery. This will not be reimbursed as a separate and distinct procedural service when performed by the same provider (or his/her associate) that has provided the anesthesia for the surgical procedure itself. Post op visits are included in the total value for anesthesia services as per rule #2 above.
- 12. Anesthesia services not connected with surgery will be found in other sections of the Physician manual.

#### 13. MMIS ANESTHESIA MODIFIERS:

Note: NCCI associated modifiers are recognized for NCCI code pairs/related edits. For additional information please refer to the CMS website:

http://www.cms.hhs.gov/NationalCorrectCodInitEd/

- -23 <u>Unusual Anesthesia</u>: Occasionally, a procedure, which usually requires either no anesthesia or local anesthesia, because of unusual circumstances must be done under general anesthesia. This circumstance may be reported by adding the modifier 23 to the procedure code of the basic service.
- -AD Medical Supervision by a Physician: More Than Four Concurrent Anesthesia Procedures (performed by residents, CRNAs or a combination of both):
  Teaching anesthesiologists involved in furnishing more than 4 procedures concurrently or performing other services while directing concurrent procedures, will be allowed to bill at the "medical supervision" rate of 3 base units per procedure. Such cases would be appended with the "AD" modifier (medical supervision by a physician: more than 4 concurrent anesthesia procedures)
- -GC This Service has Been Performed in Part by a Resident Under the Direction of a Teaching Physician:

The modifier is used for those cases in which the teaching anesthesiologist is involved in single anesthesia case with a resident, two concurrent anesthesia cases involving residents or a single anesthesia case involving a resident that is concurrent to another case that does not involve a resident (involves a CRNA). Reimbursement to the teaching/supervising anesthesiologist for the resident case(s) will be paid at 100%.

<u>Note</u>: The provision to pay teaching anesthesiologists 100% is strictly limited to involvement in a maximum of two resident cases only. If the anesthesiologist is involved in greater than two resident cases concurrently, bill with modifier QK, (see below).

**-QK** Medical Direction of Two, Three, or Four Concurrent Anesthesia Procedures Involving Qualified Individuals (Residents, 1 or More CRNAs or a Combination of Both):

The modifier is to be used when the teaching anesthesiologist is medically directing more than two resident cases concurrently. Reimbursement to the medically directing anesthesiologist for the resident case(s) will be at 50%.

The modifier is also used for the medical direction of CRNAs, when the CRNAs are selfemployed or employed by the facility. Reimbursement to the medically directing anesthesiologist for the CRNA case(s) will be at 50%.

Note: When CRNAs, employed an anesthesiologist or an anesthesiology group, provide services under the medical direction of an employing anesthesiologist, the "QK" modifier should not be used. The anesthesia CPT code should be billed without a modifier under the National Provider Identification (NPI) number of the anesthesiologist or the anesthesiology group. Reimbursement to the medically directing anesthesiologist (or to the anesthesia group) for the CRNA case(s) will be at 100%.

#### TERMS applicable to the above modifiers:

"Teaching rules" require that the teaching anesthesiologist be present for all critical or key portions of the case.

"Medical direction" requires that the following seven conditions be met. The physician must perform the following activities:

- Perform a pre-anesthesia examination and evaluation;
- Prescribe the anesthesia plan;
- Personally participate in the most demanding procedures of the anesthesia plan, including induction and emergence;
- Ensure that any procedures in the anesthesia plan that he or she does not perform are performed by a qualified anesthetist;
- Monitor the course of anesthesia administration at frequent intervals;
- Remain physically present and available for immediate diagnosis and treatment of emergencies; and
- Provide indicated post-anesthesia care.

"Medical supervision" is the term for medical direction of more than four concurrent anesthesia cases. It may also be used to bill for cases that start out as "medically directed," but in which the anesthesiologist becomes involved in other activities and is, therefore, unable to fulfill all seven requirements of medical direction.

## **ANESTHESIA SERVICES**

<b>HEAD</b>	
00100	Anesthesia for procedures on salivary glands, including biopsy
00102	Anesthesia for procedures involving plastic repair of cleft lip
00103	Anesthesia for reconstructive procedures of eyelid (eg, blepharoplasty, ptosis surgery)
00104	Anesthesia for electroconvulsive therapy
00120	Anesthesia for procedures on external, middle, and inner ear including biopsy; not otherwise
	sp <mark>eci</mark> fied
00124	otoscopy
00126	tympanotomy
00140	Anesthesia for procedures on eye; not otherwise specified
00142	lens surgery
00144	corneal transplant
00145	vitreoretinal surgery
00147	iridectomy
00148	ophthalmoscopy
00160	Anesthesia for procedures on nose and accessory sinuses; not otherwise specified
00162	radical surgery
00164	biopsy, soft tissue
00170	Anesthesia for intraoral procedures, including biopsy; not otherwise specified
00172	repair of cleft palate
00174	excision of retropharyngeal tumor
00176	radical surgery
00190	Anesthesia for procedures on facial bones or skull; not otherwise specified
00192	radical surgery (including prognathism)
00210	Anesthesia for intracranial procedures; not otherwise specified
00211	craniotomy or craniectomy for evacuation of hematoma
00212	subdural taps
00214	burr holes, including ventriculography
00215	cranioplasty or elevation of depressed skull fracture, extradural
	(simple or compound)
00216	vascular procedures
00218	procedures in sitting position
00220	cerebrospinal fluid shunting procedures
00222	electrocoagulation of intracranial nerve
<b>NECK</b>	
00300	Anesthesia for all procedures on the integumentary system, muscles and nerves of head,
	neck, and posterior trunk, not otherwise specified
00320	Anesthesia for all procedures on esophagus, thyroid, larynx, trachea and lymphatic system
30020	of neck; not otherwise specified, age 1 year or older
00322	
	needle biopsy of thyroid  Apostbosis for all procedures on the largery and trackes in children younger than 1 year of
00326	Anesthesia for all procedures on the larynx and trachea in children younger than 1 year of
	ane

Anesthesia for procedures on major vessels of neck; not otherwise specified

simple ligation

00350

00352

## THORAX (CHEST WALL and SHOULDER GIRDLE)

Anesthesia for all procedures on esophagus

00400	Anesthesia for procedures on the integumentary system on the extremities, anterior trunk and perineum; not otherwise specified
00402	reconstructive procedures on breast (eg, reduction or augmentation mammoplasty, muscle flaps)
00404	radical or modified radical procedures on breast
00406	radical or modified radical procedures on breast with internal mammary node dissection
00410	electrical conversion of arrhythmias
00450	Anesthesia for procedures on clavicle and scapula; not otherwise specified
00454	biopsy of clavicle
00470	Anesthesia for partial rib resection; not otherwise specified
00472	thoracoplasty (any type)
00474	radical procedures (eg, pectus excavatum)
INTRA	THORACIC

00520	Anesthesia for closed chest procedures; (including bronchoscopy) not otherwise specified
00522	needle biopsy of pleura
00524	pneumocentesis
00528	mediastinoscopy and diagnostic thoracoscopy not utilizing 1 lung ventilation
00529	mediastinoscopy and diagnostic thoracoscopy utilizing 1 lung ventilation
00530	Anesthesia for permanent transvenous pacemaker insertion
00532	Anesthesia for access to central venous circulation
00534	Anesthesia for transvenous insertion or replacement of pacing cardioverter-defibrillator
00537	Anesthesia for cardiac electrophysiologic procedures including radiofrequency ablation
00539	Anesthesia for tracheobronchial reconstruction
00540	Anesthesia for thoracotomy procedures involving lungs, pleura, diaphragm, and
	mediastinum (including surgical thoracoscopy); not otherwise specified
00541	utilizing 1 lung ventilation
00542	decortication
00546	pulmonary resection with thoracoplasty
00548	intrathoracic procedures on the trachea and bronchi
00550	Anesthesia for sternal debridement
00560	Anesthesia for procedures on heart, pericardial sac, and great vessels of chest; without
	pump oxygenator
00561	with pump oxygenator, younger than 1 year of age
00562	with pump oxygenator, age 1 year or older, for all non-coronary bypass procedures (eg,
	valve procedures) or for re-operation for coronary bypass more than 1 month after
	original operation
00563	with pump oxygenator with hypothermic circulatory arrest
00566	Anesthesia for direct coronary artery bypass grafting; without pump oxygenator
00567	with pump oxygenator
00580	Anesthesia for heart transplant or heart/lung transplant

00500

### SPINE and SPINAL CORD

00600 00604	Anesthesia for procedures on cervical spine and cord; not otherwise specified procedures with patient in the sitting position
00620	Anesthesia for procedures on thoracic spine and cord; not otherwise specified
00625	Anesthesia for procedures on the thoracic spine and cord, via an anterior transthoracic
	approach; not utilizing 1 lung ventilation
00626	utilizing 1 lung ventilation
00630	An <mark>est</mark> hesia for procedures in lumbar region; not otherwise specified
00632	lumbar sympathectomy
00635	diagnostic or therapeutic lumbar puncture
00640	Anesthesia for manipulation of the spine or for closed procedures on the cervical, thoracic or
	Jumbar spine
00670	Anesthesia for extensive spine and spinal cord procedures (eg, spinal instrumentation or
	vascular pro <mark>cedures</mark> )

#### UPPER ABDOMEN

00700	Anesthesia for procedures on upper anterior abdominal wall; not otherwise specified
00702	percutaneou <mark>s li</mark> ver biopsy
00730	Anesthesia for procedures on upper posterior abdominal wall
00731	Anesthesia for upper gastrointestinal endoscopic procedures, endoscope introduced
	proximal to the duodenum; not otherwise specified
00732	endoscopic retrograde cholangiopancreatography (ERCP)
00750	Anesthesia for hernia repairs in upper abdomen; not otherwise specified
00752	lumbar and ventral (incisional) hernias and/or wound dehiscence
00754	omphalocele
00756	transabdominal repair of diaphragmatic hernia
00770	Anesthesia for all procedures on major abdominal blood vessels
00790	Anesthesia for intraperitoneal procedures in upper abdomen including laparoscopy; not
	otherwise specified
00792	partial hepatectomy or management of liver hemorrhage (excluding liver biopsy)
00794	pancreatectomy, partial or total (eg, Whipple procedure)
00796	liver transplant (recipient)
00797	gastric restrictive procedure for morbid obesity

## **LOWER ABDOMEN**

Anesthesia for procedures on lower anterior abdominal wall; not otherwise specified
panniculectomy
Anesthesia for lower intestinal endoscopic procedures, endoscope introduced
distal to the duodenum; not otherwise specified
screening colonoscopy
Anesthesia for combined upper and lower gastrointestinal endoscopic procedures,
endoscope introduced both proximal and distal to the duodenum
Anesthesia for procedures on lower posterior abdominal wall
Anesthesia for hernia repairs in lower abdomen; not otherwise specified
ventral and incisional hernias

00834	Physician – Procedure Codes, Section 6– Anesthesia  Anesthesia for hernia repairs in the lower abdomen not otherwise specified, younger than 1
	year of age
00836	Anesthesia for hernia repairs in the lower abdomen not otherwise specified,
00840	Anesthesia for intraperitoneal procedures in lower abdomen including laparoscopy; not
	otherwise specified
00842	amniocentesis
00844	abdominoperineal resection
00846	radical hysterectomy
00848	pelvic exenteration
00851	tubal ligation/transection
00860	Anesthesia for extraperitoneal procedures in lower abdomen, including urinary tract; not
	otherwise specified
00862	renal procedures, including upper one-third of ureter, or donor nephrectomy
00864	total cystectomy
00865	radical prostatectomy (suprapubic, retropubic)
00866	adrena <mark>lec</mark> tomy
00868	renal t <mark>ran</mark> splant (recipient)
00870	cystolithotomy
00872	Anesthesia for lithotripsy, extracorporeal shock wave; with water bath
00873	without water <mark>bat</mark> h
08800	Anesthesia for procedures on major lower abdominal vessels; not otherwise specified
00882	inferior vena cava ligation
DEDIN	
PERIN	EUM A TOTAL CONTRACTOR OF THE
00902	Anesthesia for; anorectal procedure
00904	radical perineal procedure
00906	vulvectomy
00908	perineal prostatectomy
00010	A postbook for transportational propedures (including prother systems on the project

00902	Anesthesia for; anorectal procedure
00904	radical perineal procedure
00906	vulvectomy
00908	perineal prostatectomy
00910	Anesthesia for transurethral procedures (including urethrocystoscopy); not otherwise
	specified
00912	transurethral resection of bladder tumor(s)
00914	transurethral resection of prostate
00916	post-transurethral resection bleeding
00918	with fragmentation, manipulation and/or removal of ureteral calculus
00920	Anesthesia for procedures on male genitalia (including open urethral procedures); not
	otherwise specified
00921	vasectomy, unilateral or bilateral
00922	seminal vesicles
00924	undescended testis, unilateral or bilateral
00926	radical orchiectomy, inguinal
00928	radical orchiectomy, abdominal
00930	orchiopexy, unilateral or bilateral
00932	complete amputation of penis
00934	radical amputation of penis with bilateral inguinal lymphadenectomy
00936	radical amputation of penis with bilateral inquinal and iliac lymphadenectomy

00938 00940	Physician – Procedure Codes, Section 6– Anesthesia insertion of penile prosthesis (perineal approach)  Anesthesia for vaginal procedures (including biopsy of labia, vagina, cervix or endometrium); not otherwise specified
00942	colpotomy, vaginectomy, colporrhaphy, and open urethral procedure
00944	vaginal hysterectomy
00948	cervical cerclage
00950	culdoscopy
00952	hysteroscopy and/or hysterosalpingography
PELVIS	(EXCEPT HIP)
01112 01120 01130 01140 01150 01160 01170 01173	Anesthesia for bone marrow aspiration and/or biopsy, anterior or posterior iliac crest Anesthesia for procedures on bony pelvis Anesthesia for body cast application or revision Anesthesia for interpelviabdominal (hindquarter) amputation Anesthesia for radical procedures for tumor of pelvis, except hindquarter amputation Anesthesia for closed procedures involving symphysis pubis or sacroiliac joint Anesthesia for open procedures involving symphysis pubis or sacroiliac joint Anesthesia for open repair of fracture disruption of pelvis or column fracture involving
	acetabulum
<b>UPPER</b>	LEG (EXCEPT KNEE)
01200	Anesthesia for all closed procedures involving hip joint
01202	Anesthesia for arthroscopic procedures of hip joint
01210	Anesthesia for arthroscopic procedures of hip joint
01212	hip disarticulation
01214	total hip arthroplasty
01215	revision of total hip arthroplasty
01220	Anosthesia for all closed procedures involving upper two-thirds of femur
01230 01232	Anesthesia for open procedures involving upper two-thirds of femur; not otherwise specified amputation
01232	ampulation

01272 femoral artery ligation01274 femoral artery embolectomy

otherwise specified

radical resection

#### KNEE and POPLITEAL AREA

01320	Anesthesia for all procedures on nerves, muscles, tendons, fascia, and bursae of knee and/or popliteal area
04040	1 1
01340	Anesthesia for all closed procedures on lower one-third of femur
01360	Anesthesia for all open procedures on lower one-third of femur
01380	Anesthesia for all closed procedures on knee joint
01382	Anesthesia for diagnostic arthroscopic procedures of knee joint

Anesthesia for all procedures on nerves, muscles, tendons, fascia, and bursae of upper leg

Anesthesia for all procedures involving veins of upper leg, including exploration

Anesthesia for procedures involving arteries of upper leg, including bypass graft; not

01234

01250

01260

01270

01390	Physician – Procedure Codes, Section 6– Anesthesia Anesthesia for all closed procedures on upper ends of tibia, fibula, and/or patella
01392	Anesthesia for all open procedures on upper ends of tibia, fibula, and/or patella
01400	Anesthesia for open or surgical arthroscopic procedures on knee joint; not otherwise
	specified
01402	total knee arthroplasty
01404	disarticulation at knee
01420	Anesthesia for all cast applications, removal, or repair involving knee joint
01430	Anesthesia for procedures on veins of knee and popliteal area; not otherwise specified
01432	arteriovenous fistula
01440	Anesthesia for procedures on arteries of knee and popliteal area; not otherwise specified
01442	popliteal thromboendarterectomy, with or without patch graft
01444	popliteal excision and graft or repair for occlusion or aneurysm
LOWE	R LEG (BELOW KNEE, INCLUDES ANKLE and FOOT)
01462	Anesthesia for all closed procedures on lower leg, ankle, and foot
01464	Anesthesia for arthroscopic procedures of ankle and/or foot
01470	Anesthesia for procedures on nerves, muscles, tendons, and fascia of lower leg, ankle, and
04470	foot; not otherwise specified
01472	repair of ruptured Achilles tendon, with or without graft
01474 01480	gastrocnemius recession (eg, Strayer procedure)
01460	Anesthesia for open procedures on bones of lower leg, ankle, and foot; not otherwise specified
01482	radical resection (including below knee amputation)
01484	osteotomy or osteoplasty of tibia and/or fibula
01486	total ankle replacement
01490	Anesthesia for lower leg cast application, removal, or repair

## SHOULDER and AXILLA

specified

embolectomy, direct or with catheter

venous thrombectomy, direct or with catheter

01500

01502

01520

01522

01610	Anesthesia for all procedures on nerves, muscles, tendons, fascia, and bursae of shoulde and axilla	
01620	Anesthesia for all closed procedures on humeral head and neck, sternoclavicular joint, acromioclavicular joint, and shoulder joint	
01622	Anesthesia for diagnostic arthroscopic procedures of shoulder joint	
01630	Anesthesia for open or surgical arthroscopic procedures on humeral head and neck,	
	sternoclavicular joint, acromioclavicular joint, and shoulder joint; not otherwise specified	
01634	shoulder disarticulation	
01636	interthoracoscapular (forequarter) amputation	
01638	total shoulder replacement	
01650	Anesthesia for procedures on arteries of shoulder and axilla; not otherwise specified	
01652	axillary-brachial aneurysm	

Anesthesia for procedures on veins of lower leg; not otherwise specified

Anesthesia for procedures on arteries of lower leg, including bypass graft; not otherwise

#### Physician - Procedure Codes, Section 6- Anesthesia 01654 bypass graft 01656 axillary-femoral bypass graft 01670 Anesthesia for all procedures on veins of shoulder and axilla 01680 Anesthesia for shoulder cast application, removal or repair; not otherwise specified UPPER ARM and ELBOW 01710 Anesthesia for procedures on nerves, muscles, tendons, fascia, and bursae of upper arm and elbow; not otherwise specified 01712 tenotomy, elbow to shoulder, open 01714 tenoplasty, elbow to shoulder 01716 tenodesis, rupture of long tendon of biceps 01730 Anesthesia for all closed procedures on humerus and elbow 01732 Anesthesia for diagnostic arthroscopic procedures of elbow joint Anesthesia for open or surgical arthroscopic procedures of the elbow; not otherwise 01740 specified 01742 osteotomy of humerus 01744 repair of nonunion or malunion of humerus 01756 radical procedures 01758 excision of cyst or tumor of humerus 01760 total elbow replacement Anesthesia for procedures on arteries of upper arm and elbow; not otherwise specified 01770 01772 embolectomy Anesthesia for procedures on veins of upper arm and elbow; not otherwise specified 01780 01782 phleborrhaphy FOREARM, WRIST, and HAND Anesthesia for all procedures on nerves, muscles, tendons, fascia, and bursae of forearm, 01810 wrist, and hand 01820 Anesthesia for all closed procedures on radius, ulna, wrist, or hand bones 01829 Anesthesia for diagnostic arthroscopic procedures on the wrist 01830 Anesthesia for open or surgical arthroscopic/endoscopic procedures on distal radius, distal ulna, wrist, or hand joints; not otherwise specified 01832 total wrist replacement 01840 Anesthesia for procedures on arteries of forearm, wrist, and hand; not otherwise specified 01842 embolectomy 01844 Anesthesia for vascular shunt, or shunt revision, any type (eg. dialysis) 01850 Anesthesia for procedures on veins of forearm, wrist, and hand; not otherwise specified 01852 phleborrhaphy Anesthesia for forearm, wrist, or hand cast application, removal, or repair 01860

#### RADIOLOGICAL PROCEDURES

O1916 Anesthesia for diagnostic arteriography/venography
(Do not report 01916 in conjunction with therapeutic codes 01924-01926, 01930-01933)

O1920 Anesthesia for cardiac catheterization including coronary angiography and ventriculography (not to include Swan-Ganz catheter)

- O1922 Anesthesia for non-invasive imaging or radiation therapy
  O1924 Anesthesia for therapeutic interventional radiological procedures involving the
- O1924 Anesthesia for therapeutic interventional radiological procedures involving the arterial system; not otherwise specified
- 01925 carotid or coronary
- 01926 intracranial, intracardiac, or aortic
- O1930 Anesthesia for therapeutic interventional radiological procedures involving the venous/lymphatic system (not to include access to the central circulation); not otherwise specified
- intrahepatic or portal circulation (eg, transvenous intrahepatic portosystemic shunt[s]
- 01932 intrathoracic or jugular
- 01933 intracranial
- O1935 Anesthesia for percutaneous image guided procedures on the spine and spinal cord; diagnostic
- 01936 therapeutic

#### **BURN EXCISIONS or DEBRIDEMENT**

- O1951 Anesthesia for second- and third-degree burn excision or debridement with or without skin grafting, any site, for total body surface area (TBSA) treated during anesthesia and surgery; less than 4% total body surface area
- 01952 between 4% and 9% of total body surface area
- each additional 9% total body surface area or part thereof

(List separately in addition to code for primary procedure)

(Use 01953 in conjunction with 01952)

#### **OBSTETRIC**

- 01958 Anesthesia for external cephalic version procedure
- 01960 Anesthesia for vaginal delivery only
- 01961 Anesthesia for cesarean delivery only
- 01962 Anesthesia for urgent hysterectomy following delivery
- 01963 Anesthesia for cesarean hysterectomy without any labor analgesia/anesthesia care
- 01965 Anesthesia for incomplete or missed abortion procedures
- 01966 Anesthesia for induced abortion procedures
- Neuraxial labor analgesia/anesthesia for planned vaginal delivery (this includes any repeat subarachnoid needle placement and drug injection and/or any necessary replacement of an epidural catheter during labor)
- O1968 Anesthesia for cesarean delivery following neuraxial labor analgesia/anesthesia (List separately in addition to code for primary procedure performed) (Use 01968 in conjunction with 01967)
- O1969 Anesthesia for cesarean hysterectomy following neuraxial labor analgesia/anesthesia (List separately in addition to code for primary procedure performed)
  (Use 01969 in conjunction with 01967)

## **OTHER PROCEDURES**

01991	Anesthesia for diagnostic or therapeutic nerve blocks and injections (when block or injection
	is performed by a different provider); other than the prone position
01992	prone position
01996	Daily hospital management of epidural or subarachnoid continuous drug administration
01999	Unlisted anesthesia procedure(s)